

```

import { useState } from "react";

const COLORS = {
  navy: "#0D1F3C",
  slate: "#1E3A5F",
  steel: "#2E6DA4",
  ice: "#E8F2FB",
  mint: "#E6F5F0",
  gold: "#C8972A",
  goldLight: "#F5E9CC",
  green: "#1A7A50",
  red: "#B83232",
  redLight: "#FAE8E8",
  grey: "#F4F6F9",
  midgrey: "#8096B0",
  white: "#FFFFFF",
  text: "#0D1F3C",
  border: "#D0DCE8",
};

const tabs = [
  { id: "bpmn-on", label: "BPMN: Onboarding" },
  { id: "bpmn-off", label: "BPMN: Offboarding" },
  { id: "exec", label: "Executive Presentation" },
  { id: "lifecycle", label: "Employee Lifecycle" },
  { id: "raci", label: "RACI Summary" },
];

const depts = [
  { id: "hr", label: "HR / TM", color: "#2E6DA4", bg: "#E8F2FB" },
  { id: "hod", label: "HOD / Manager", color: "#1A7A50", bg: "#E6F5F0" },
  { id: "it", label: "IT", color: "#6B3FA0", bg: "#F0EAF9" },
  { id: "hsse", label: "HSSE", color: "#C8972A", bg: "#F5E9CC" },
  { id: "admin", label: "Admin / Facilities", color: "#B83232", bg: "#FAE8E8" },
];

function Badge({ color, bg, children }) {
  return (
    <span style={{
      background: bg, color, border: `1px solid ${color}30`,
      borderRadius: 4, padding: "2px 8px", fontSize: 11, fontWeight: 700,
      letterSpacing: "0.03em", whiteSpace: "nowrap"
    }}>{children}</span>
  );
}

```



```

    return <div style={{ textAlign: "left", paddingLeft: 140, color: COLORS.midgrey
}

```

```

function Lane({ dept, children }) {
  const d = depts.find(x => x.id === dept);
  return (
    <div style={{ marginBottom: 20 }}>
      <div style={{
        background: d.color, color: "#fff", padding: "6px 14px",
        fontSize: 12, fontWeight: 800, borderRadius: "6px 6px 0 0",
        letterSpacing: "0.06em", textTransform: "uppercase"
      }}>{d.label} Lane</div>
      <div style={{ background: d.bg + "88", border: `1px solid ${d.color}40`, bo
        {children}
      </div>
    </div>
  );
}

```

```

function BPMNOnboarding() {
  return (
    <div>
      <SectionTitle sub="BPMN 2.0 – Process Flow with Swimlanes & Decision Gates"
      <div style={{ background: COLORS.goldLight, border: `1px solid ${COLORS.gol
        <strong>Process Trigger:</strong> HR receives signed offer letter → All d
      </div>
      <Lane dept="hr">
        <BPMNStep dept="hr" step="START EVENT: Signed Offer Received" type="event
        <Arrow />
        <BPMNStep dept="hr" step="Initiate Background Check & Payroll Setup" desc
        <Arrow />
        <BPMNStep dept="hr" step="Register Personnel in Access Control System" de
        <Arrow />
        <BPMNStep dept="hr" step="Send Starter Package & Equipment Requirements"
        <Arrow />
        <BPMNStep dept="hr" step="Confirm Onboarding Completion" description="Col
        <Arrow />
        <BPMNStep dept="hr" step="END EVENT: Employee Onboarded" type="event" />
      </Lane>
      <Lane dept="hod">
        <BPMNStep dept="hod" step="Receive Contact Info from HR" description="Upo
        <Arrow />
        <BPMNStep dept="hod" step="Submit Job Description & Software Requirements
        <Arrow />
        <BPMNStep dept="hod" step="Prepare Team Introduction Plan" description="S
        <Arrow />
        <BPMNStep dept="hod" step="Own Training & Integration Plan" description="

```

```

</Lane>
<Lane dept="it">
  <BPMNStep dept="it" step="Receive Starter Package from HR" description="H
  <Arrow />
  <BPMNStep dept="it" step="Prepare Accounts & Digital Access" description=
  <Arrow />
  <BPMNStep dept="it" step="Equipment Ready?" type="decision" decision yes=
  <Arrow />
  <BPMNStep dept="it" step="Handover Equipment on Day 1" description="Confi
</Lane>
<Lane dept="hsse">
  <BPMNStep dept="hsse" step="Receive Start Date Notification" />
  <Arrow />
  <BPMNStep dept="hsse" step="Prepare Induction & Safety Training Schedule"
  <Arrow />
  <BPMNStep dept="hsse" step="Conduct Induction on Day 1" description="Issu
  <Arrow />
  <BPMNStep dept="hsse" step="Confirm HSSE Induction Complete" description=
</Lane>
<Lane dept="admin">
  <BPMNStep dept="admin" step="Receive Start Date from HR" />
  <Arrow />
  <BPMNStep dept="admin" step="Coordinate Desk Assignment with Hiring Manag
  <Arrow />
  <BPMNStep dept="admin" step="Prepare Physical Workspace" description="Des
  <Arrow />
  <BPMNStep dept="admin" step="Workspace Ready Confirmation to HR" />
</Lane>
</div>
);
}

```

```

function BPMNOffboarding() {
  return (
    <div>
      <SectionTitle sub="BPMN 2.0 – Security-First Exit Process">Offboarding Proc
      <div style={{ background: COLORS.redLight, border: `1px solid ${COLORS.red}
        <strong style={{ color: COLORS.red }}>⚠ CRITICAL NOTE:</strong> Speed is
      </div>
      <Lane dept="hr">
        <BPMNStep dept="hr" step="START EVENT: Notice of Departure Received" type
        <Arrow />
        <BPMNStep dept="hr" step="Notify All Departmental Heads" description="Imm
        <Arrow />
        <BPMNStep dept="hr" step="Issue Exit Checklist to All Departments" descri
        <Arrow />
        <BPMNStep dept="hr" step="Process Final Pay & Benefits Settlement" descri

```

```

        <Arrow />
        <BPMNStep dept="hr" step="Conduct Exit Interview" description="Document f
        <Arrow />
        <BPMNStep dept="hr" step="END EVENT: Employment Terminated" type="event"
    </Lane>
    <Lane dept="it">
        <BPMNStep dept="it" step="⚡ IMMEDIATE: Revoke All Digital Access" descri
        <Arrow />
        <BPMNStep dept="it" step="Retrieve & Transfer Data" description="Back up
        <Arrow />
        <BPMNStep dept="it" step="Disable Accounts & Credentials" description="Ac
        <Arrow />
        <BPMNStep dept="it" step="Confirm IT Offboarding Complete to HR" />
    </Lane>
    <Lane dept="hod">
        <BPMNStep dept="hod" step="Draft Handover Documentation" description="Rol
        <Arrow />
        <BPMNStep dept="hod" step="Liaise with HR on Knowledge Transfer Requireme
        <Arrow />
        <BPMNStep dept="hod" step="Knowledge Transfer Complete?" type="decision"
        <Arrow />
        <BPMNStep dept="hod" step="Submit Signed Handover to HR" />
    </Lane>
    <Lane dept="hsse">
        <BPMNStep dept="hsse" step="Receive Departure Notification" />
        <Arrow />
        <BPMNStep dept="hsse" step="Retrieve Physical Access Card(s)" description
        <Arrow />
        <BPMNStep dept="hsse" step="Retrieve PPE & Safety Equipment" description=
        <Arrow />
        <BPMNStep dept="hsse" step="Deactivate Physical Access Records" descripti
    </Lane>
    <Lane dept="admin">
        <BPMNStep dept="admin" step="Coordinate Final Equipment Collection" descr
        <Arrow />
        <BPMNStep dept="admin" step="Retrieve Company Property" description="Unif
        <Arrow />
        <BPMNStep dept="admin" step="Clear Workspace" description="Desk, locker,
        <Arrow />
        <BPMNStep dept="admin" step="Confirm All Assets Returned to HR" />
    </Lane>
</div>

);
}

```

```

function ExecPresentation() {
    const slides = [

```

```

{
  title: "Employee Lifecycle Governance",
  subtitle: "Onboarding & Offboarding Framework",
  type: "cover",
  content: "A structured, risk-aware approach to managing employee transition
},
{
  title: "The Business Case",
  type: "stat",
  stats: [
    { value: "69%", label: "of employees more likely to stay 3+ years with st
    { value: "Day 1", label: "IT access revocation is the single highest-imp
    { value: "5 Lanes", label: "coordinated departments in each process: HR,
  ]
},
{
  title: "Onboarding – Strategic Intent",
  type: "list",
  icon: "🚀",
  items: [
    "Reduce time-to-productivity for new hires",
    "Ensure consistent, compliant role integration across departments",
    "Establish clear accountability through RACI ownership",
    "Create a positive first impression that supports retention",
    "Eliminate equipment and access delays through parallel workstreams",
  ]
},
{
  title: "Offboarding – Strategic Intent",
  type: "list",
  icon: "📉",
  items: [
    "Protect company data and systems through immediate access revocation",
    "Ensure structured knowledge transfer before departure",
    "Recover all company assets without exception",
    "Maintain legal and compliance obligations",
    "Preserve institutional knowledge and enable smooth role transition",
  ]
},
{
  title: "Key Governance Principles",
  type: "principles",
  items: [
    { title: "Parallel Activation", desc: "All departments notified simultane
    { title: "Security-First Exit", desc: "IT access revocation is the first
    { title: "Clear Ownership", desc: "RACI matrix eliminates ambiguity – one
    { title: "Documented Handoffs", desc: "Every inter-department transfer re

```

```

    ]
  },
  {
    title: "Recommendation",
    type: "cta",
    items: [
      "Adopt this framework as the standard HR operating procedure",
      "Mandate digital checklist completion for audit trails",
      "Review and update RACI annually or upon restructuring",
      "Integrate with HRIS to automate department notifications on trigger",
    ]
  }
];

const [current, setCurrent] = useState(0);
const slide = slides[current];

return (
  <div>
    <SectionTitle sub="Board-ready slide deck – navigate with arrows below">Exe
    <div style={{ background: COLORS.navy, borderRadius: 12, padding: 40, minHe
      {slide.type === "cover" && (
        <div style={{ textAlign: "center", paddingTop: 20 }}>
          <div style={{ fontSize: 11, letterSpacing: "0.15em", color: COLORS.go
            <div style={{ fontSize: 34, fontWeight: 900, letterSpacing: "-0.02em"
              <div style={{ fontSize: 18, color: COLORS.gold, marginBottom: 24 }}>{
                <div style={{ fontSize: 14, color: "#A8C4DE", maxWidth: 500, margin:
                  </div>
              </div>
            </div>
          </div>
        </div>
      </div>
      {slide.type === "stat" && (
        <div>
          <div style={{ fontSize: 22, fontWeight: 800, marginBottom: 32 }}>{sli
          <div style={{ display: "flex", gap: 24, flexWrap: "wrap" }}>
            {slide.stats.map((s, i) => (
              <div key={i} style={{ flex: 1, minWidth: 140, background: "#ffffff
                <div style={{ fontSize: 36, fontWeight: 900, color: COLORS.gold
                  <div style={{ fontSize: 13, color: "#A8C4DE", marginTop: 8, lin
                    </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
      {slide.type === "list" && (
        <div>
          <div style={{ fontSize: 22, fontWeight: 800, marginBottom: 24 }}>{sli
          {slide.items.map((item, i) => (
            <div key={i} style={{ display: "flex", gap: 12, alignItems: "flex-s

```

```

        <div style={{ color: COLORS.gold, fontWeight: 900, minWidth: 20 }
        <div style={{ fontSize: 14, color: "#D0E4F5", lineHeight: 1.6 }}>
        </div>
      )}}
    </div>
  )}
  {slide.type === "principles" && (
    <div>
      <div style={{ fontSize: 22, fontWeight: 800, marginBottom: 24 }}>{sli
      <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 1
        {slide.items.map((item, i) => (
          <div key={i} style={{ background: "#ffffff10", borderRadius: 8, p
            <div style={{ fontWeight: 800, fontSize: 14, marginBottom: 6 }}
            <div style={{ fontSize: 13, color: "#A8C4DE", lineHeight: 1.5 }
            </div>
          )}}
        </div>
      </div>
    </div>
  )}
  {slide.type === "cta" && (
    <div>
      <div style={{ fontSize: 22, fontWeight: 800, marginBottom: 24 }}>{sli
      {slide.items.map((item, i) => (
        <div key={i} style={{ display: "flex", gap: 14, alignItems: "center
          <div style={{ background: COLORS.gold, borderRadius: "50%", width
            <div style={{ fontSize: 14, color: "#D0E4F5" }}>{item}</div>
          </div>
        )}}
      </div>
    </div>
  )}
  <div style={{ position: "absolute", bottom: 16, right: 20, fontSize: 11,
</div>
<div style={{ display: "flex", justifyContent: "center", gap: 12, marginTop
  <button onClick={() => setCurrent(Math.max(0, current - 1))} disabled={cu
    style={{ padding: "8px 20px", borderRadius: 6, border: `1px solid ${COL
    ← Prev
  </button>
  <div style={{ display: "flex", gap: 6, alignItems: "center" }}>
    {slides.map((_, i) => (
      <div key={i} onClick={() => setCurrent(i)} style={{ width: 8, height:
      )}}
    </div>
  <button onClick={() => setCurrent(Math.min(slides.length - 1, current + 1
    style={{ padding: "8px 20px", borderRadius: 6, border: `1px solid ${COL
    Next →
  </button>
</div>

```



```

    </div>
  );
}

function LifecycleGovernance() {
  const [activeSection, setActiveSection] = useState("on-overview");
  const sections = [
    { id: "on-overview", label: "Onboarding Overview" },
    { id: "on-handoff", label: "Onboarding Hand-off Matrix" },
    { id: "off-overview", label: "Offboarding Overview" },
    { id: "off-critical", label: "Offboarding Critical Control" },
  ];

  const onHandoffs = [
    { from: "Candidate", to: "HR/TM", trigger: "Signed offer letter", output: "Em" },
    { from: "HR/TM", to: "IT", trigger: "Starter package notification", output: " " },
    { from: "HR/TM", to: "HOD/Manager", trigger: "Confirmed start date", output: " " },
    { from: "HR/TM", to: "Admin/Facilities", trigger: "Start date confirmed", output: " " },
    { from: "HR/TM", to: "HSSE", trigger: "Start date confirmed", output: "Induct" },
    { from: "IT", to: "New Employee", trigger: "Equipment ready confirmation", output: " " },
    { from: "HSSE", to: "HR/TM", trigger: "Induction completed", output: "Signed" },
    { from: "HOD/Manager", to: "HR/TM", trigger: "Integration plan activated", output: " " },
  ];

  const offCritical = [
    { control: "Immediate Digital Access Revocation", owner: "IT", timing: "Day 0" },
    { control: "Physical Access Card Retrieval", owner: "HSSE", timing: "Last work day" },
    { control: "Knowledge Transfer Documentation", owner: "HOD/Manager", timing: "Before departure" },
    { control: "Asset Recovery (Laptop, Phone, etc.)", owner: "Admin/Facilities", timing: "Before departure" },
    { control: "Final Pay & Benefits Settlement", owner: "HR/TM", timing: "Per standard policy" },
    { control: "Exit Interview Conducted", owner: "HR/TM", timing: "Final week" },
    { control: "Data Backup & Transfer", owner: "IT", timing: "Before account deletion" },
  ];

  return (
    <div>
      <SectionTitle sub="Detailed operational governance documentation">Employee Lifecycle Governance</SectionTitle>
      <div style={{ display: "flex", gap: 8, marginBottom: 24, flexWrap: "wrap" }}>
        {sections.map(s => (
          <button key={s.id} onClick={() => setActiveSection(s.id)} style={{
            padding: "8px 16px", borderRadius: 6, border: `1.5px solid ${activeSection === s.id ? COLORS.steel : COLORS.white}`,
            background: activeSection === s.id ? COLORS.steel : COLORS.white,
            color: activeSection === s.id ? "#fff" : COLORS.navy,
            fontWeight: 700, fontSize: 13, cursor: "pointer"
          }}>{s.label}</button>
        ))}
      </div>
    </div>
  );
}

```

```

{activeSection === "on-overview" && (
  <div>
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 16,
      {depts.map(d => (
        <div key={d.id} style={{ border: `1px solid ${d.color}40`, borderRa
          <div style={{ fontWeight: 800, color: d.color, fontSize: 13, marg
            <div style={{ fontSize: 12, color: COLORS.text, lineHeight: 1.7 }
              {d.id === "hr" && "Receives signed offer; initiates background
              {d.id === "hod" && "Receives new hire contact info; submits JD
              {d.id === "it" && "Receives starter package; prepares accounts
              {d.id === "hsse" && "Receives start date; prepares induction sc
              {d.id === "admin" && "Receives start date; coordinates desk ass
            </div>
          </div>
        </div>
      )}}
    </div>
    <div style={{ background: COLORS.ice, border: `1px solid ${COLORS.steel
      <div style={{ fontWeight: 800, color: COLORS.navy, marginBottom: 8 }}
      <div style={{ fontSize: 13, color: COLORS.text, lineHeight: 1.8 }}>
        • All lanes are activated in <strong>parallel</strong> from the HR
        • IT equipment readiness is a <strong>decision gate</strong> – fail
        • All completions require <strong>signed confirmation</strong> befo
        • Target: Employee fully operational by <strong>end of Day 1</stron
      </div>
    </div>
  </div>
)}

```

```

{activeSection === "on-handoff" && (
  <div style={{ overflowX: "auto" }}>
    <table style={{ width: "100%", borderCollapse: "collapse", fontSize: 13
      <thead>
        <tr style={{ background: COLORS.navy, color: "#fff" }}>
          {[ "From", "To", "Trigger", "Output / Deliverable", "Timing" ].map(
            <th key={h} style={{ padding: "10px 14px", textAlign: "left", f
          )}}
        </tr>
      </thead>
      <tbody>
        {onHandoffs.map((row, i) => (
          <tr key={i} style={{ background: i % 2 === 0 ? COLORS.white : COL
            <td style={{ padding: "10px 14px", fontWeight: 700, color: COLO
            <td style={{ padding: "10px 14px", fontWeight: 700, color: COLO
            <td style={{ padding: "10px 14px", color: COLORS.text }}>{row.t
            <td style={{ padding: "10px 14px", color: COLORS.text }}>{row.o
            <td style={{ padding: "10px 14px" }}><Badge color={COLORS.gold}

```

```

        </tr>
      )})
    </tbody>
  </table>
</div>
})

```

```

{activeSection === "off-overview" && (
  <div>
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 16,
      {depts.map(d => (
        <div key={d.id} style={{ border: `1px solid ${d.color}40`, borderRa
          <div style={{ fontWeight: 800, color: d.color, fontSize: 13, marg
            <div style={{ fontSize: 12, color: COLORS.text, lineHeight: 1.7 }
              {d.id === "hr" && "Receives departure notice; immediately notif
              {d.id === "hod" && "Drafts handover documentation; liaises with
              {d.id === "it" && "IMMEDIATE action: revokes all digital access
              {d.id === "hsse" && "Retrieves physical access card(s) and rest
              {d.id === "admin" && "Collects all company assets (laptop, phon
            </div>
          </div>
        )})
      </div>
    <div style={{ background: COLORS.redLight, border: `1px solid ${COLORS.
      <div style={{ fontWeight: 800, color: COLORS.red, marginBottom: 8 }}>
      <div style={{ fontSize: 13, color: COLORS.text, lineHeight: 1.8 }}>
        • IT access revocation must occur <strong>on the same day as notifi
        • All lanes operate <strong>concurrently</strong> – sequential offb
        • Knowledge transfer requires <strong>manager sign-off</strong> bef
        • All assets are logged against an <strong>asset register</strong>
      </div>
    </div>
  </div>
})

```

```

{activeSection === "off-critical" && (
  <div style={{ overflowX: "auto" }}>
    <table style={{ width: "100%", borderCollapse: "collapse", fontSize: 13
      <thead>
        <tr style={{ background: COLORS.navy, color: "#fff" }}>
          [{"Critical Control Point", "Owner", "Timing", "Risk if Missed",
            <th key={h} style={{ padding: "10px 14px", textAlign: "left", f
              )})
            </tr>
          </thead>
          <tbody>
            {offCritical.map((row, i) => (

```

```

        <tr key={i} style={{ background: i % 2 === 0 ? COLORS.white : COL
        <td style={{ padding: "10px 14px", fontWeight: 700, color: COLO
        <td style={{ padding: "10px 14px", color: COLORS.steel, fontWei
        <td style={{ padding: "10px 14px", color: COLORS.text }}>{row.t
        <td style={{ padding: "10px 14px", color: COLORS.text }}>{row.r
        <td style={{ padding: "10px 14px" }}>
            <Badge
                color={row.status === "critical" ? COLORS.red : row.status
                bg={row.status === "critical" ? COLORS.redLight : row.statu
            >{row.status.toUpperCase()}</Badge>
        </td>
    </tr>
    )))
    </tbody>
  </table>
</div>
  )}
</div>
);
}

```

```

function RACISummary() {
  const tasks = [
    // Onboarding
    { process: "ON", task: "Receive & process signed offer", hr: "R", hod: "I", i
    { process: "ON", task: "Background check & payroll setup", hr: "R", hod: "C",
    { process: "ON", task: "Register in access control system", hr: "R", hod: "-
    { process: "ON", task: "Notify all departments of start date", hr: "R", hod:
    { process: "ON", task: "Submit JD & software requirements to IT", hr: "I", ho
    { process: "ON", task: "Prepare team introduction plan", hr: "I", hod: "R", i
    { process: "ON", task: "Provision accounts & digital access", hr: "I", hod: "
    { process: "ON", task: "Prepare & hand over equipment (Day 1)", hr: "A", hod:
    { process: "ON", task: "Conduct HSSE induction & issue PPE", hr: "I", hod: "I
    { process: "ON", task: "Assign & prepare physical workspace", hr: "I", hod: "
    { process: "ON", task: "Confirm onboarding complete", hr: "A", hod: "R", it:
    // Offboarding
    { process: "OFF", task: "Receive notice of departure", hr: "R", hod: "I", it:
    { process: "OFF", task: "Notify all departments immediately", hr: "R", hod: "
    { process: "OFF", task: "Revoke all digital access (Day 0)", hr: "A", hod: "-
    { process: "OFF", task: "Draft & complete handover documentation", hr: "A", h
    { process: "OFF", task: "Retrieve physical access cards & PPE", hr: "A", hod:
    { process: "OFF", task: "Collect all company assets", hr: "A", hod: "I", it:
    { process: "OFF", task: "Back up & transfer employee data", hr: "A", hod: "C"
    { process: "OFF", task: "Process final pay & benefits", hr: "R", hod: "-", it
    { process: "OFF", task: "Conduct exit interview", hr: "R", hod: "I", it: "-",
    { process: "OFF", task: "Confirm offboarding complete", hr: "A", hod: "C", it
  ];
}

```

```
const legend = [
  { code: "R", label: "Responsible", color: COLORS.steel, bg: COLORS.ice },
  { code: "A", label: "Accountable", color: COLORS.red, bg: COLORS.redLight },
  { code: "C", label: "Consulted", color: COLORS.gold, bg: COLORS.goldLight },
  { code: "I", label: "Informed", color: COLORS.green, bg: COLORS.mint },
  { code: "-", label: "Not Involved", color: COLORS.midgrey, bg: COLORS.grey },
];
```

```
function RACICell({ val }) {
  const l = legend.find(x => x.code === val) || legend[4];
  return (
    <td style={{ padding: "8px 10px", textAlign: "center" }}>
      {val !== "-" ? (
        <span style={{ background: l.bg, color: l.color, border: `1px solid ${l
          ) : (
            <span style={{ color: COLORS.border, fontSize: 12 }}>—</span>
          )}
        </td>
      );
    }
  )
```

```
const [filter, setFilter] = useState("ALL");
```

```
return (
  <div>
    <SectionTitle sub="Responsibility Assignment Matrix across all departments"
    <div style={{ display: "flex", gap: 8, marginBottom: 16, flexWrap: "wrap" }}
      [{"ALL", "ON", "OFF"].map(f => (
        <button key={f} onClick={() => setFilter(f)} style={{
          padding: "6px 16px", borderRadius: 6, border: `1.5px solid ${filter =
            background: filter === f ? COLORS.steel : COLORS.white, color: filter
            fontWeight: 700, fontSize: 12, cursor: "pointer"
          }}>{f === "ALL" ? "All Processes" : f === "ON" ? "Onboarding" : "Offboa
        )})
      <div style={{ display: "flex", gap: 8, marginLeft: 8, flexWrap: "wrap" }}
        {legend.filter(l => l.code !== "-").map(l => (
          <span key={l.code} style={{ background: l.bg, color: l.color, border:
            )})
        </div>
      </div>
    <div style={{ overflowX: "auto" }}>
      <table style={{ width: "100%", borderCollapse: "collapse", fontSize: 13 }}
        <thead>
          <tr style={{ background: COLORS.navy, color: "#fff" }}>
            <th style={{ padding: "10px 14px", textAlign: "left", fontWeight: 7
            <th style={{ padding: "10px 14px", textAlign: "left", fontWeight: 7
```

```

        [{"HR / TM", "HOD / Mgr", "IT", "HSSE", "Admin"].map(h => (
            <th key={h} style={{ padding: "10px 14px", textAlign: "center", f
            )))
    </tr>
</thead>
<tbody>
    {tasks.filter(t => filter === "ALL" || t.process === filter).map((row
    <tr key={i} style={{ background: i % 2 === 0 ? COLORS.white : COLOR
    <td style={{ padding: "8px 14px" }}>
        <Badge color={row.process === "ON" ? COLORS.steel : COLORS.red}
    </td>
    <td style={{ padding: "8px 14px", color: COLORS.text }}>{row.task
    <RACICell val={row.hr} />
    <RACICell val={row.hod} />
    <RACICell val={row.it} />
    <RACICell val={row.hsse} />
    <RACICell val={row.admin} />
    </tr>
    )))
</tbody>
</table>
</div>
</div>
);
}

```

```

export default function App() {
    const [activeTab, setActiveTab] = useState("bpmn-on");

    return (
        <div style={{ fontFamily: "'Inter', system-ui, sans-serif", background: COLOR
        /* Header */
        <div style={{ background: COLORS.navy, padding: "20px 32px 0" }}>
            <div style={{ fontSize: 11, letterSpacing: "0.12em", color: COLORS.gold,
            <div style={{ fontSize: 26, fontWeight: 900, color: "#fff", letterSpacing
            <div style={{ display: "flex", gap: 4, overflowX: "auto", paddingBottom:
                {tabs.map(tab => (
                    <button key={tab.id} onClick={() => setActiveTab(tab.id)} style={{
                        padding: "10px 18px", border: "none", borderRadius: "6px 6px 0 0",
                        background: activeTab === tab.id ? COLORS.white : "transparent",
                        color: activeTab === tab.id ? COLORS.navy : "#A8C4DE",
                        fontWeight: activeTab === tab.id ? 800 : 600, fontSize: 13, whiteSp
                        borderBottom: activeTab === tab.id ? "none" : "none",
                    }}>{tab.label}</button>
                )))
            </div>
        </div>
    )

```

```
    { /* Content */ }
    <div style={{ background: COLORS.white, margin: "0 0 0 0", padding: "28px 3
      {activeTab === "bpmn-on" && <BPMNOnboarding />}
      {activeTab === "bpmn-off" && <BPMNOffboarding />}
      {activeTab === "exec" && <ExecPresentation />}
      {activeTab === "lifecycle" && <LifecycleGovernance />}
      {activeTab === "raci" && <RACISummary />}
    </div>
  </div>
);
}
```