ANO DE 2023

MiRNA s that target amyloid precursor protein processing machinery in extracellular vesicles and particles derived from oral squamous cells carcinoma
Circulating Total Extracellular Vesicles Cargo Are Associated with Age-Related Oxidative Stress and Susceptibility to Cardiovascular Diseases: Exploratory Results from Microarray Data
Brain-computer interface in an inter-individual approach using spatial coherence: Identification of better channels and tests repetition using auditory selective attention
Dealing with correlations in the multichannel EEG using bipolar derivations and Monte Carlo simulations: application to the detection of auditory steady-state responses
A novel algorithm to assess the quality of 12-lead ECG recordings: validation in a real telecardiology application
Automated detection of auditory response: non-detection stopping criterion and repeatability studies for multichannel EEG
Clustering-Based Fuzzy Model for Predicting Anchor Bearing Capacity
Lorenz-like systems and Lorenz-like attractors: Definition, examples, and equivalences
Transformations that preserve the uniqueness of the differential form for Lorenz-like systems
On the effect of social cue valence in contextual memory persistence
The memory impairment by hypothyroidism in mice is dependent on time-of-day and sex
Social recognition memory differences between mouse strains: On the effects of social isolation, adult neurogenesis, and environmental enrichment
Chronic hyperpalatable diet induces impairment of hippocampal-dependent memories and alters glutamatergic and fractalkine axis signaling
On temporal scale-free non-periodic stimulation and its mechanisms as an infinite improbability drive of the brain?s functional connectogram
A mouse model of sleep disorders in Parkinson?s disease showing distinct effects of dopamine D2-like receptor activation

ANO DE 2022

Alamandine Induces Neuroprotection in Ischemic Stroke Models
Neuroprotective effect of CTK 01512-2 recombinant toxin at the spinal cord in a model of Huntington's disease
Transgenic rat with overproduction of ubiquitous angiotensin-(1-7) presents neuroprotection in a model of ischemia and reperfusion
A Fully Adapted Headstage With Custom Electrode Arrays Designed for Electrophysiological Experiments *
Effective computational discretization scheme for nonlinear dynamical systems
Automatic audiometry using auditory steady-state response and sequential test strategy applied to volunteers with normal hearing
Fuzzy time series model based on red-black trees for stock index forecasting
One Class Density Estimation Approach for Fault Detection and Rootcause Analysis in Computer Networks
A Tutorial on Fuzzy Time Series Forecasting Models: Recent Advances and Challenges

Considering the effect of correlation between the channels in multivariate detectors for evoked responses in the electroencephalogram
Strategies adopted by undergraduate teaching assistants in physiology and biophysics education during the COVID-19 pandemic
Persistence of neural function in animals submitted to seizure-suppressing scale-free nonperiodic electrical stimulation applied to the amygdala
Cannabidiol effect in pentylenetetrazole-induced seizures depends on PI3K
Editorial: Engineered neuromodulation approaches to treat neurological disorders

ANO DE 2021

Pulmonary arterial hypertension induces the release of circulating extracellular vesicles with oxidative content and alters redox and mitochondrial homeostasis in the brains of rats
Neurochemical abnormalities in the hippocampus of male rats displaying audiogenic seizures, a genetic model of epilepsy *
Active probing to highlight approaching transitions to ictal states in coupled neural mass models *
Choosing multichannel objective response detectors for multichannel auditory steady-state responses
Diffeomorphical equivalence vs topological equivalence among Sprott systems
Relationship between Selic rate and Basel III parameters - A statistics approach and a fuzzy forecasting model
On the novel mechanisms for social memory and the emerging role of neurogenesis
The effect of context variability on motor learning
Social Interaction Masking Contributes to Changes in the Activity of the Suprachiasmatic Nucleus and Impacts on Circadian Rhythms
Putative Causal Variant on Vlgr1 for the Epileptic Phenotype in the Model Wistar Audiogenic Rat

ANO DE 2020

Effects of exercise modalities on BDNF and IL-1β content in circulating total extracellular vesicles and particles obtained from aged rats
Striatal Acetylcholine Helps to Preserve Functional Outcomes in a Mouse Model of Stroke
Protective effect of a spider recombinant toxin in a murine model of Huntington's disease
Multi-objective Evolutionary Approach to Grey-Box Identification of Buck Converter
Pro-neurogenic effect of fluoxetine in the olfactory bulb is concomitant to improvements in social memory and depressive-like behavior of socially isolated mice * *
Finite-horizon suboptimal control of Markov jump linear parameter-varying systems
Faster automatic ASSR detection using sequential tests
Behavioral and EEGraphic Characterization of the Anticonvulsant Effects of the Predator Odor (TMT) in the Amygdala Rapid Kindling, a Model of Temporal Lobe Epilepsy *
Evaluating five different adaptive decomposition methods for EEG signal seizure detection and classification

*

Computational fluid dynamics simulation of thermodynamic behaviour of tubular digester
Early postnatal L-Dopa treatment causes behavioral alterations in female vs. male young adult Swiss mice
Maturation of newborn neurons predicts social memory persistence in mice
Cannabidiol anticonvulsant effect is mediated by the PI3Kγ pathway
Accurate detection of spontaneous seizures using a generalized linear model with external validation
Amygdala inhibition impairs fear conditioning but increases the stimulus-driven activity in the inferior colliculus
The Endocannabinoid System Activation as a Neural Network Desynchronizing Mediator for Seizure Suppression

ANO DE 2019

Liposomes for drug delivery in stroke
Numerical solution of Caputo fractional differential equations with infinity memory effect at initial condition
Constrained Robust Model Predicted Control of Discrete-Time Markov Jump Linear Systems
Orthogonal Floating Search Algorithms: From The Perspective of Nonlinear System Identification
In-depth characterization of congenital Zika syndrome in immunocompetent mice: Antibody-dependent enhancement and an antiviral peptide therapy *
Two-Dimensional (2D) Particle Swarms for Structure Selection of Nonlinear Systems
Improving the power of objective response detection of evoked responses in noise by using average and product of magnitude-squared coherence of two different signals
Seizure Susceptibility Corrupts Inferior Colliculus Acoustic Integration *
Multi-objective evolutionary framework for non-linear system identification: A comprehensive investigation
Hippocampus and Prefrontal Cortex Modulation of Contextual Fear Memory Is Dissociated by Inhibiting De Novo Transcription During Late Consolidation
Social isolation impairs the persistence of social recognition memory by disturbing the glutamatergic tonus and the olfactory bulb-dorsal hippocampus coupling *
Molecular Mechanisms Associated with the Benefits of Variable Practice in Motor Learning
Seizure suppression by asynchronous non-periodic electrical stimulation of the amygdala is partially mediated by indirect desynchronization from nucleus accumbens
A Custom Microcontrolled and Wireless-Operated Chamber for Auditory Fear Conditioning
Sleep Disorders in Rodent Models of Parkinson?s Disease
Epilepsy as a dynamical system, a most needed paradigm shift in epileptology
Exploiting cannabinoid and vanilloid mechanisms for epilepsy treatment
Nonperiodic stimulation for the treatment of refractory epilepsy: Applications, mechanisms, and novel insights
Delay of neuropathic pain sensitization after application of dexamethasone-loaded implant in sciatic nerve-injured rats
Hijacking of hippocampal-cortical oscillatory coupling during sleep in temporal lobe epilepsy

ANO DE 2018

Recent Advances in the Therapeutic and Diagnostic Use of Liposomes and Carbon Nanomaterials in Ischemic Stroke
Biodegradation of ECM hydrogel promotes endogenous brain tissue restoration in a rat model of stroke
On the Use of Interval Extensions to Estimate the Largest Lyapunov Exponent from Chaotic Data
A novel approach for accelerating mouse abdominal MRI by combining respiratory gating and compressed sensing *
Inhibiting constitutive neurogenesis compromises long-term social recognition memory * *
Classification of auditory selective attention using spatial coherence and modular attention index
Deep brain stimulation probing performance is enhanced by pairing stimulus with epileptic seizure *
Estradiol effect on short-term object memory under hypocholinergic condition
Fast and slow-twitching muscles are differentially affected by reduced cholinergic transmission in mice deficient for VAChT: A mouse model for congenital myasthenia
l-Dopa treatment during perinatal development leads to different behavioral alterations in female vs. male juvenile Swiss mice
Asynchronous, bilateral, and biphasic temporally unstructured electrical stimulation of amygdalae enhances the suppression of pentylenetetrazole-induced seizures in rats
Transcriptome of the Wistar audiogenic rat (WAR) strain following audiogenic seizures
Manual Hippocampal Subfield Segmentation Using High-Field MRI: Impact of Different Subfields in Hippocampal Volume Loss of Temporal Lobe Epilepsy Patients

ANO DE 2017

High intensity interval training modulates hippocampal oxidative stress, BDNF and inflammatory mediators in rats
On the analysis of pseudo-orbits of continuous chaotic nonlinear systems simulated using discretization schemes in a digital computer
Effects of early or late prenatal immune activation in mice on behavioral and neuroanatomical abnormalities relevant to schizophrenia in the adulthood *
Auditory processing assessment suggests that wistar audiogenic rat neural networks are prone to entrainment *
Assessment of the harmonic currents generated by single-phase nonlinear loads
Development of soft sensors for permanent downhole Gauges in deepwater oil wells
Improving the detection of evoked responses to periodic stimulation by using bivariate local spectral F -test - Application to EEG during photic stimulation
A marginal contribution coefficient for sequences of nonstationary continuous Markov chains
Home-cage odors spatial cues elicit theta phase/gamma amplitude coupling between olfactory bulb and dorsal hippocampus * *
Neurogenesis Inhibition Prevents Enriched Environment to Prolong and Strengthen Social Recognition Memory, But Not to Increase BDNF Expression
Reduced vesicular acetylcholine transporter favors antidepressant behaviors and modulates serotonin and dopamine in female mouse brain

Wistar audiogenic rats display abnormal behavioral traits associated with artificial selection for seizure susceptibility *
Inositol 1, 4, 5-trisphosphate-dependent nuclear calcium signals regulate angiogenesis and cell motility in triple negative breast cancer
Auditory fear conditioning modifies steady-state evoked potentials in the rat inferior colliculus
Anticonvulsant effect of cannabidiol in the pentylenetetrazole model: Pharmacological mechanisms, electroencephalographic profile, and brain cytokine levels

ANO DE 2016

ECM hydrogel for the treatment of stroke: Characterization of the host cell infiltrate *
Swimming training attenuates oxidative damage and increases enzymatic but not non-enzymatic antioxidant defenses in the rat brain
Vesicular acetylcholine transporter knock down-mice are more susceptible to inflammation, c-Fos expression and sickness behavior induced by lipopolysaccharide *
Multivariate Evoked Response Detection based on the Spectral F-test
A Very Simple Method to Calculate the (Positive) Largest Lyapunov Exponent Using Interval Extensions
c-Fos expression predicts long-term social memory retrieval in mice *
Ovarian Sex Hormones Modulate Compulsive, Affective and Cognitive Functions in A Non-Induced Mouse Model of Obsessive-Compulsive Disorder
Angiotensin-(1-7)/Mas axis modulates fear memory and extinction in mice *
The epileptic amygdala: Toward the development of a neural prosthesis by temporally coded electrical stimulation
Postictal alterations induced by intrahippocampal injection of pilocarpine in C57BL/6 mice
A Neuroprotective Effect of the Glutamate Receptor Antagonist MK801 on Long-Term Cognitive and Behavioral Outcomes Secondary to Experimental Cerebral Malaria

ANO DE 2015

Effects of tityustoxin on cerebral inflammatory response in young rats *
Object recognition memory deficit and depressive-like behavior caused by chronic ovariectomy can be transitorialy recovered by the acute activation of hippocampal estrogen receptors * *
Enhancement of endocannabinoid signalling protects against cocaine-induced neurotoxicity * *
Concentration-dependent rheological properties of ECM hydrogel for intracerebral delivery to a stroke cavity
Triggering Different Brain States Using Asynchronous Serial Communication to the Rat Amygdala *
Application of Rank-Constrained Optimisation to Nonlinear System Identification**J. C. Agüero was partially supported by the Chilean Research Council (CONICYT) through Basal Project FB0008, and FONDE-CYT (grant no. 1150954).
BR-Sensor: An On-line Data-driven Soft Sensor of Downhole Pressure**Final support from Petrobas S.A. is acknowledged.

The metabotropic glutamate receptor 5 role on motor behavior involves specific neural substrates
Mapping fear memory consolidation and extinction-specific expression of JunB *
The role of dorsomedial hypotalamus ionotropic glutamate receptors in the hypertensive and tachycardic responses evoked by tityustoxin intracerebroventricular injection
PI3Kγ deficiency enhances seizures severity and associated outcomes in a mouse model of convulsions induced by intrahippocampal injection of pilocarpine
Wistar Audiogenic Rats (WAR) exhibit altered levels of cytokines and brain-derived neurotrophic factor following audiogenic seizures
Protein-caloric dietary restriction inhibits mossy fiber sprouting in the pilocarpine model of TLE without significantly altering seizure phenotype
The 5-lipoxygenase (5-LOX) Inhibitor Zileuton Reduces Inflammation and Infarct Size with Improvement in Neurological Outcome Following Cerebral Ischemia

ANO DE 2014

A role for the endocannabinoid system in exercise-induced spatial memory enhancement in mice *
Trypan blue exclusion assay by flow cytometry *
Enriched environment increases neurogenesis and improves social memory persistence in socially isolated adult mice * *
Neuroprotective effect of exercise in rat hippocampal slices submitted to in vitro ischemia is promoted by decrease of glutamate release and pro-apoptotic markers * *
045 - (MAR0116) Tumor necrosis factor-alpha gene expression in the brain of Wistar audiogenic rats *
Temporal Rearrangement of Pre-ictal PTZ Induced Spike Discharges by Low Frequency Electrical Stimulation to the Amygdaloid Complex * *
Consensus for double-integrator dynamics with velocity constraints
Estradiol enhances object recognition memory in Swiss female mice by activating hippocampal estrogen receptor α
Anisomycin administered in the olfactory bulb and dorsal hippocampus impaired social recognition memory consolidation in different time-points *
Focus on desynchronization rather than excitability: A new strategy for intraencephalic electrical stimulation
Anticonvulsant Effects of N-Arachidonoyl-Serotonin, a Dual FAAH Enzyme and TRPV1 Channel Blocker, on Experimental Seizures: The Roles of Cannabinoid CB1 Receptors and TRPV1 Channels
Temporally unstructured electrical stimulation to the amygdala suppresses behavioral chronic seizures of the pilocarpine animal model
Murine model to study brain, behavior and immunity during hepatic encephalopathy

ANO DE 2013

Object recognition memory and temporal lobe activation after delayed estrogen replacement therapy * *
Brainstem Structures Are Primarily Affected in an Experimental Model of Severe Scorpion Envenomation

Stress-inducible phosphoprotein 1 has unique cochaperone activity during development and regulates cellular response to ischemia via the prion protein
On the Coordination of Constrained Fixed-Wing Unmanned Aerial Vehicles
Metabotropic Glutamate Receptor 5 Positive Allosteric Modulators are Neuroprotective in a Mouse Model of Huntington¿s Disease
Regulation of stress-inducible phosphoprotein 1 nuclear retention by PIAS1.
Decreased acetylcholine release delays the consolidation of object recognition memory
Effects of cannabinoids and endocannabinoid hydrolysis inhibition on pentylenetetrazole-induced seizure and electroencephalographic activity in rats
A minocycline derivative reduces nerve injury-induced allodynia, LPS-induced prostaglandin E2 microglial production and signaling via toll-like receptors 2 and 4
Malnutrition alters the cardiovascular responses induced by central injection of tityustoxin in Fischer rats
Sleep pattern and learning in knockdown mice with reduced cholinergic neurotransmission

ANO DE 2012

Malnutrition during central nervous system growth and development impairs permanently the subcortical auditory pathway. *
Differential effects of swimming training on neuronal calcium sensor-1 expression in rat hippocampus/cortex and in object recognition memory tasks * *
Swim training attenuates oxidative damage and promotes neuroprotection in cerebral cortical slices submitted to oxygen glucose deprivation * *
Pharmacological induction of ischemic tolerance in hippocampal slices by sarcosine preconditioning
Anatomically dependent anticonvulsant properties of temporally-coded electrical stimulation *
Synchronizing Continuous Time Chaotic Systems over Nondeterministic Networks with Packet Dropouts
Angiotensin-(1-7)/Mas axis integrity is required for the expression of object recognition memory
Odor-enriched environment rescues long-term social memory, but does not improve olfaction in social isolated adult mice.
Malnutrition during central nervous system growth and development impairs permanently the subcortical auditory pathway.
Intraneural dexamethasone applied simultaneously to rat sciatic nerve constriction delays the development of hyperalgesia and allodynia
Tetracyclines and pain

ANO DE 2011

Reduced hippocampal GABAergic function in Wistar audiogenic rats *
Enhancing Visual Evoked Potentials Detection with Use of Computational Intelligence Tools
Dynamic valid models for the conservative HÃ©non-Heiles system
Vesicular acetylcholine transporter knock-down mice show sexual dimorphism on memory *

Chronic coffee and caffeine ingestion effects on the cognitive function and antioxidant system of rat brains *
Mechanism for long-term memory formation when synaptic strengthening is impaired * * *
Excitatory amino acid receptors in the dorsomedial hypothalamus are involved in the cardiovascular and behavioural chemoreflex responses
Graphic angle measure as an electrocochleography evaluation parameter

ANO DE 2010

Equivalent techniques, extra comparisons and less conservative control design for Takagi¿Sugeno (TS) fuzzy systems
Differential regulation of CaMKII inhibitor beta protein expression after exposure to a novel context and during contextual fear memory formation.
Distinct temporal patterns of electrical stimulation influence neural recruitment during PTZ infusion: An fMRI study

ANO DE 2009

Phoneutria spider toxins block ischemia-induced glutamate release, neuronal death, and loss of neurotransmission in hippocampus
Electroencephalographic evidence of brainstem recruitment during scorpion envenomation *
Reducing conservativeness in recent stability conditions of TS fuzzy systems?
Coherence estimate between a random and a periodic signal: Bias, variance, analytical critical values, and normalizing transforms
Post-processing of auditory steady-state responses to correct spectral leakage *
Reduced expression of the vesicular acetylcholine transporter causes learning deficits in mice.
Neuro-Transmitters in the Central Nervous System & their Implication in Learning and Memory Processes
Distinct patterns of electrical stimulation of the basolateral amygdala influence pentylenetetrazole seizure outcome

ANO DE 2008

Carbamazepine protects the CNS of Wistar rats against the central effects of scorpion envenomation *
Protective effect of retinal ischemia by blockers of voltage dependent calcium channels and intracellular calcium stores

Dose-dependent effect of carbamazepine on wealing rats submitted to subcutaneus injection of tityustoxin *
Endocytosis of Prion Protein Is Required for ERK1/2 Signaling Induced by Stress-Inducible Protein 1
Carbamazepine is effective in the treatment of 21-day-old Wistar rats injected with Tityus serrulatus crude venom *
ROBUST $mathcal{H}_{infty}$ CONTROL FOR MASTER-SLAVE SYNCHRONIZATION OF LUR'E SYSTEMS WITH TIME-DELAY FEEDBACK CONTROL
FURTHER RESULTS ON MASTER-SLAVE SYNCHRONIZATION OF GENERAL LUR'E SYSTEMS WITH TIME-VARYING DELAY
Testing for intracycle determinism in pseudoperiodic time series
VESICULAR ACETYLCHOLINE TRANSPORTER KNOCK-DOWN MICE ARE MORE SUSCEPTIBLE TO PILOCARPINE INDUCED STATUS EPILEPTICUS
Vesicular acetylcholine transporter knock-down mice are more susceptible to pilocarpine induced status epilepticus

ANO DE 2007

Nonstandard Discretization Schemes applied to the Conservative Hénon-Heilles System
Sums, Products and Ratios of Non-central Beta Variables by S. Nadarajah
Chaotic Synchronization and Information Transmission Experiments: A Fuzzy Relaxed H-infinity Control Approach
Experimental Results on Chua's Circuit Robust Synchronization via LMIs
Habituation to an open field alters ectonucloetidase activities from rat hippocampal synaptosomes
Malnutrition enhances cardiovascular responses to chemoreflex activation in awake rats
Baroreflex dysfunction in rats submitted to protein restriction
Cardiopulmonary reflex is attenuated in iron overload conscious rats.

ANO DE 2006

Trypanosoma cruzi disrupts myofibrillar organization and intracellular calcium levels in mouse neonatal cardiomyocytes
Antiarrhythmogenic and Antioxidant Effect of the Flavonoid Dioclein in a Model of Cardiac Ischemia/Reperfusion
Neuroprotective effect on brain injury by neurotoxins from the spider Phoneutria nigriventer
Computerized invasive measurement of time-dependent intraocular pressure *
Statistical Aspects concerning Signal Coherence applied to Randomly Modulated Periodic Signals
Analysis of the Effects of Time Delay in Nonlinear Systems using Generalised Frequency Response Functions
Mice deficient for the vesicular acetylcholine transporter are myasthenic and have deficits in object and social recognition.
An inclusion compound of the anticonvulsant sodium valproate into alfa-cyclodextrin: physico-chemical

characterization
Statistical aspects concerning signal coherence applied to randomly modulated periodic signals
Mice deficient for the vesicular acetylcholine transporter are myasthenic and have deficits in social recognition

ANO DE 2005

Collagen XVIII and fibronectin involvement in bullous scleroderma
Robust discretizations against increase of the time step for the Lorenz system
Detecting Nonlinearity in Time Series: Surrogate and Bootstrap Approaches
Aqueous extract of Ilex paraguariensis decrease nucleotides hydrolysis in rat.
Activation of adenosine receptors in the posterior cingulate cortex impairs memory retrieval in the rat.
Behavioral and cognitive profile of mice with high and low
Baroreflex function in conscious rats submitted to iron overload
Avoiding Spectral Leakage in Objective Detection of Auditory Steady-State Evoked Responses in the Inferior Colliculus of Rat using Coherence
A COMPREHENSIVE ELECTROGRAPHIC AND BEHAVIORAL ANALYSIS OF GENERALIZED TONIC-CLONIC SEIZURES OF GEPR-9s
Vasopressinergic hypothalamic neurons are recruited during the audiogenic seizure of WARs
AN ELECTROGRAPHIC ANALYSIS OF THE SYNCHRONOUS DISCHARGE PATTERNS OF GEPR-9s GENERALIZED SEIZURES

ANO DE 2004

Correction of image instability in confocal microscopy using image realignment:effects on the analysis of intracellular calcium
Effects of alpha-scorpion toxin, tityustoxin on the release of [3H] dopamine of rat brain prefrontal cortical slices
Evidence for augmented brainstem activated forebrain seizures in wistar audiogenic rats subjected to trans-auricular electroshock *****
Displacement in the parameter space versus spurious solution of discretization with large time step
Imposing steady-state performance on identified non-linear polynomial models by means of constrained parameter estimation
Multiobjective nonlinear system identification: a case study with thyristor controlled series capacitor
Effects of bicuculline in hippocampus, entorhinal cortex and posterior parietal cortex in memory formation.
Inhibitory avoidance task reveals differences in ectonucleotidases activities between male and female rats
A Low Protein Diet Causes an Increase in the Basal Levels and Variability of Mean Arterial Pressure and Heart Rate in Fisher Rats

ANO DE 2003

Sodium channel toxins and neurotransmitter release
Exocytotic release of [3H]-acetylcholine by ouabain involves intracelular Ca2+ strores in rat brain cortical slices
Estimating the Complex Function of a Nonlinear System
ATP diphosphohydrolase in human platelets from patients with coronary arteries heart disease
Assessment of the seizure susceptibility of Wistar Audiogenic Rat to electroshock, pentilenetetrazol and pilocarpine
Centrally injected tityustoxin produces the sistemic manifestations observed in severe scorpion poisoning
EFFECT OF AGE ON BODY DISTRIBUTION OF TITYUSTOXIN FROM Tityus serrulatus SCORPION VENOM IN RATS

ANO DE 2002

Translocation of protein kinase C by halothane in cholinergic cells
Tracking sodium channels in live cells: confocal imaging using fluorescently labelled toxins
Modulation of Na+-channels by neurotoxins produces different effects in [3H]-ACh release with mobilization of distinct Ca2+-channels.
A Note on Discretization of Nonlinear Differential Equations
Effects of inhibitory avoidance training and/or isolated foot-shock on ectonucleotidase activities in synaptosomes of the anterior and posterior cingulate cortex and the medial precentral area of adult rats
Blockade of adenosine A1 receptors in the posterior cingulate cortex facilitates memory in rats
Phenobarbital blocks the lung edema induced by centrally injected tityustoxin in adult Wistar rats
Comparison of the anticonvulsant effects of dipyrone and phenobarbital in generalized tonic-clonic seizures
Susceptibility of the Wistar audiogenic rats (WARS) different convulsant stimuli

ANO DE 2001

Effects of a Lasiodora spider venom on Ca2+ and Na+ Channels
Halothane induced intracellular calcium release in cholinergic cells
An Alternative Solution to the Model Structure Selection Problem
Changes in cortical hippocampal ectonucleotidase activities in mice lacking cellular prion protein
Effects of low-protein diet on the baroreflex and Bezold-Jarisch reflex in conscious rats
Real time mapping of rat midbrain neural circuitry using auditory evoked potentials

ANO DE 2000

Calcium channels coupled to depolarization-evoked glutamate release in the myenteric plexus of guinea pig ileum
Modelling Chaotic Dynamics with Discrete Nonlinear Rational Models
Changes in synaptossomal ectonucleotidase activities in two rat models of temporal lobe epilepsy
Learning-specific decrease in synaptosomal ATP diphosphohydrolase activity from hippocampus and entorhinal cortex of adult rats.
Time evolution of acoustic information processing in the mesencephalon of wistar rats
Audiogenic kindling in the wistar rat: a potential model for recruitment of limbic structures
Baroreflex, Bezold-Jarisch Reflex and Sympathetic Activity of Protein-Calorie Malnourished (PMC) Rats

ANO DE 1999

Expression of the Vesicular Acetylcholine Transporter, Proteins Involved in Exocytosis, and Functional Calcium Signaling in Varicosities and Soma of a Murine Septal Cell Line

ANO DE 1998

Alpha- and beta-scorpion toxins evoke glutamate release from rat cortical synaptosomes with different effects on [Na+]i and [Ca2+]i
Tityustoxin and toxin-gamma: a comparative study of their effects on acetylcholine release from rat brain cortical slices
On overparametrizatyion of Nonlinear Discrete Systems

ANO DE 1997

On Identifying Global Nonlinear Discrete Models from Chaotic Data
Nonlinear Identification and Cluster Analysis of Chaotic Attractors from a Real Implementation of Chua's Circuit
Heart Rate Variability and Baroreceptor Function in Chronic Diabetic Rats
Low-cost automatic activity data recording system
Glass pipette-carbon fiber microelectrodes for evoked potential recordings
Quantifying seizure severity, indexes versus neuroethology: an electrophysiological point of view
Understanding the endougenous pacemakers of motor activity rhythm of audiogenic rats
Baroreceptor activity during the development of chronic experimental diabetes in rats

ANO DE 1996

Global Nonlinear Polynomial Models: Structure, Term Cluster and Fixed Points

ANO DE 1995

Smoothing Data with Local Instabilities for Identification of Chaotic Systems
The Least Squares Padé Method for Model reduction of Multivariable Systems
Baroreceptor function in short term streptomicin diabetics rats