

Documentation Guide

Workspace - finished

Índice

1. Settings
2. Connectors
 - 2.1 New Connector
3. Forms
4. Open Telemetry
5. Gateway

1 - Settings

General Settings

Container Image Name	Form Page Port	Container Timeout (minutes)
finished	8000	10

Upload to Git

Repo URL: <https://github.com/wagneroficial/qscimPublic>

Upload to Git	Username	Email
true	wagneroficial	wagner.sampaio@discente.ufopa.edu.br

2 - Connectors

2.1 - New Connector

loki - port: 8880

Interceptors:

Create business rules or fetch data before reaching the connector.

Type: api

Description: Make request to third party applications to enrich your application's payload.

URL:

Method: GET

Auth Type:

Body Mapping

Key	mapTo
-----	-------

2 - Connectors

2.1 - New Connector

loki - port: 8880

Adapters:

Type: cache

Description:Cache data to store information and improve the efficiency of the application

Condition type: cache

Condition table

Source Attr	SCIM Attr
-------------	-----------

3 - Forms

Form Name	Method	Path	Connectors
My form	POST	/users	1

4 - Open Telemetry

URL:http://localhost:9411/api/v2/spans

Name	Methods	Path
QSCIM Tracing	GET, POST, PUT, PATCH, DELETE	users, groups

Headers

Key	Value
-----	-------

5 - Gateway

Enabled	Connectors	Port
false	0	5000