

Documentation Guide

Workspace - finished

Índice

1. Settings
2. Connectors
 - 2.1 New Connector
3. Forms
4. Open Telemetry
5. Gateway

1 - Settings

General Settings

| Container Image Name | Form Page Port | Container Timeout (minutes) |
|----------------------|----------------|-----------------------------|
| finished | 8000 | 10 |

Upload to Git

Repo URL: <https://github.com/wagneroficial/qscimPublic>

| Upload to Git | Username | Email |
|---------------|---------------|--------------------------------------|
| true | wagneroficial | wagner.sampaio@discente.ufopa.edu.br |

2 - Connectors

2.1 - New Connector

loki - port: 8880

Interceptors:

Create business rules or fetch data before reaching the connector.

Type: api

Description: Make request to third party applications to enrich your application's payload.

URL:

Method: GET

Auth Type:

Body Mapping

| Key | mapTo |
|-----|-------|
|-----|-------|

2 - Connectors

2.1 - New Connector

loki - port: 8880

Adapters:

Type: cache

Description:Cache data to store information and improve the efficiency of the application

Condition type: cache

Condition table

| Source Attr | SCIM Attr |
|-------------|-----------|
|-------------|-----------|

3 - Forms

| Form Name | Method | Path | Connectors |
|-----------|--------|--------|------------|
| My form | POST | /users | 1 |

4 - Open Telemetry

URL:http://localhost:9411/api/v2/spans

| Name | Methods | Path |
|---------------|-------------------------------|---------------|
| QSCIM Tracing | GET, POST, PUT, PATCH, DELETE | users, groups |

Headers

| Key | Value |
|-----|-------|
|-----|-------|

5 - Gateway

| Enabled | Connectors | Port |
|---------|------------|------|
| false | 0 | 5000 |