ALGO1

Store Manager App

Product Requirements Document

Version 1.0 · Trial 1 Scope

Glossary

Term	Definition
Quick Create	A simplified promotion creation tool for Store Managers. The manager scans or searches for a product, picks a mechanic, sets a quantity cap, end time, and — for near-expiry items — the best-before date. The promotion goes live immediately within retailer guardrails.
Store Comms	Plain-text messages written by Store Managers and delivered to shoppers currently shopping in-store via their trolley-mounted tablet.
Guardrails	Retailer-defined rules (budget cap, maximum discount depth) enforced automatically by Algo1 during promotion delivery. Configured during retailer onboarding.
Store scope	All Store Manager actions apply to the manager's assigned store only. May represent a single store or a defined group, depending on retailer configuration.
Customer group	A targeting option selected by the Store Manager (e.g. all shoppers, parents, frequent dairy buyers). Algo1 handles delivery matching within the store's active sessions. Groups are pre-configured during onboarding.
Payload contract	A predefined data structure used to send promotions and messages to Algo1 for real-time delivery. A shared dependency with the Promotions pillar.
Redemption mechanism	The method by which a claimed promotion is confirmed at the till. Options: EPOS integration (target), app-based QR (fallback), loyalty auto-credit (long-term).

Term	Definition
Active session	A shopper who is actively using a trolley-mounted tablet during a shopping visit.
Best-before date	The date printed on a near-expiry product unit. Captured in Quick Create to display on the shopper's tablet, allowing them to identify the correct discounted unit on the shelf.

How to Use This Document

This PRD defines the features required to build the Store Manager pillar of the Algo1 B2B platform for Trial 1. It is not prescriptive about implementation; that is for the engineering team to decide. It is prescriptive about outcomes: what the product must do, for whom, and under what constraints.

This document does not cover agentic workflows in depth for Trial 1, but it explicitly designs for them. The data model and flow architecture should be built so that agentic pre-filling of Quick Create — surfacing near-expiry product suggestions to the manager without them having to initiate — can be added in Phase 2 without a rebuild.

Where a feature is deliberately excluded from Trial 1, this is documented with the reason and a Phase 2 reference. Nothing has been omitted accidentally.

Overview

Introduction

The Store Manager pillar gives store managers two real-time tools: Quick Create, for creating immediate, store-specific discounts on products approaching expiry or in excess inventory; and Store Comms, for sending plain-text messages to shoppers currently in-store. Together, these tools reduce waste, protect margin, and give each store a local voice.

Both tools are built for mobile-first use. Store managers use them on their phone. Regional Managers monitor and govern activity through a web portal.

The Problem

1. Products go to waste because managers have no tools

When products approach expiry or excess inventory builds up, store managers currently have one option: a yellow sticker placed on individual units. These discounts are generic, hard for shoppers to spot, often ineffective, and aesthetically poor. They are also frequently claimed by shoppers who would have bought the product anyway — delivering margin loss without the strategic benefit of attracting new or lapsed customers.

Excess inventory has the same problem. Stock needs to move now, but managers must wait for centrally planned campaigns that do not reflect what is happening on the shop floor today.

2. Stores have no local voice

Every supermarket looks the same. Same layout, same signage, same announcements. The people who work in a store know their neighbourhood — what matters locally, what would make a shopper smile — but they have no effective way to share it. Tannoy announcements are tuned out. Posters go unread. Nothing feels personal.

Moments like these go unshared:

- "We're supporting the local fete this weekend. For every £20 spent in store today, we'll donate £0.20 to help fund it."
- "The girls swimming team made it to the finals. We're all cheering for you. Go Mermaids!"
- "It's going to be a warm one this weekend. We've got ice creams on the front counter — grab one on us."

Algo1 solves both problems with Quick Create and Store Comms.

Delivery Platform — Trial 1

The primary delivery mechanism for shopper-facing content (promotions and Store Comms messages) is the trolley-mounted tablet. Shoppers with an active session on a trolley tablet are the in-store audience for both features.

> **Phase 2 consideration**
> A shopper-facing mobile app is under consideration. If built, it would extend Quick Create promotions and Store Comms messages to shoppers not currently on a trolley tablet, and — critically — to out-of-store shoppers, enabling Quick Create to drive new foot traffic. See Phase 2 Roadmap.

Users and Roles

User	Platform	Scope	Responsibilities
Store Manager	Mobile phone (iOS / Android)	Assigned store only	Creates Quick Create promotions. Sends Store Comms messages. Monitors promotion status. Ends promotions early. Removes own messages.
Regional Manager	Web portal	All stores within their region	Configures guardrails during onboarding. Monitors Quick Create and Store Comms activity across stores. Pauses promotions. Removes messages. Reviews rudimentary KPIs.

Feature 1: Quick Create

What It Is

Quick Create is a simplified promotion creation tool for store managers. The manager scans a barcode or searches for a product, picks a mechanic, sets a quantity cap and end time, and — when the promotion is for a near-expiry product — captures the best-before date. Optionally, they select a customer group. The promotion goes live in their store immediately, within retailer-configured guardrails. A status screen shows performance in real time.

Why It Matters

#	What it delivers	Why it matters
1	Waste reduction	Products at risk are put in front of the right shoppers before expiry. Items sell instead of becoming waste.
2	Speed and simplicity	Managers act the moment they spot a problem. No waiting for head office campaigns. The barcode scan makes product selection instant.
3	Safety	Guardrails set during onboarding enforce budget caps and discount limits automatically. Managers cannot exceed them.
4	Clarity for shoppers	The best-before date is surfaced on the shopper's tablet, so they can identify the correct discounted unit on the shelf without stickers or manual intervention.
5	Visibility	The status screen shows whether products are moving: shoppers reached, claims, claim rate, and — when a redemption mechanism is available — redeemed count. Last 7 days of history is retained.

Product Input — Primary Flow: Scan First

The default Quick Create entry point is a barcode scan. The manager points their phone camera at the product. Algo1 resolves the product from the barcode and pre-fills the product field. Manual search is available as a fallback.

Design principle

Scan is the primary interaction. The opening screen of Quick Create should present a live viewfinder for barcode scanning, not a search field. Search is secondary — accessible via a clearly labelled fallback link below the viewfinder.

Feature Inputs

Input	Required ?	Detail
Product	Yes	Resolved by barcode scan (primary) or manual search (fallback). One product per promotion.
Mechanic	Yes	Fixed price reduction or percentage discount. One mechanic per promotion. Promotion headline is auto-generated — the Store Manager does not write copy.
Discount value	Yes	The price (fixed) or percentage to apply. Must fall within the guardrail maximum.
Best-before date	Conditional	Required when the promotion is for a near-expiry product. Manager scans the printed date on the pack (camera / OCR) or enters it manually. Displayed on the shopper's tablet so they can identify the correct unit on the shelf. Hidden or optional for excess-inventory promotions.
Quantity cap	Yes	Maximum units the promotion applies to. Promotion auto-ends when the cap is reached.
End time	Yes	The time at which the promotion expires. Manager selects from time pickers.
Customer group	No	Optional targeting. Manager picks from a pre-configured list (e.g. frequent dairy buyers, parents). If none selected, all active in-store shoppers see the promotion. Groups without sufficient data are hidden.

The Shelf Identification Solution

Yellow stickers are the traditional way to indicate which unit on a shelf is discounted. They are manual, inconsistent, and aesthetically poor. Algo1 replaces this with the best-before date.

When a Store Manager creates a Quick Create promotion for a near-expiry product, they capture the best-before date of the units being promoted — by scanning the printed date on a pack (via phone camera and OCR) or entering it manually. Algo1 surfaces that date directly on the shopper's tablet as part of the promotion:

Example shopper display

> 20% off Yeo Valley Natural Yoghurt 500g — pick the pack with best before 14 May. Was £1.50 · Now £1.20. [Claim offer]

No stickers. No physical intervention. The information was already printed on the product — Algo1 makes it actionable.

This also lays the groundwork for barcode-scan redemption: when a redemption mechanism is available, the shopper scans the unit at claim time and Algo1 can verify the best-before date matches before crediting the claim.

Guardrails

Guardrails are configured by the retailer during onboarding. Store Managers cannot view or change them. They are enforced automatically by Algo1 throughout delivery.

#	Guardrail	Behaviour when triggered
1	Maximum budget cap	Promotion pauses automatically. Store Manager receives an in-app notification.
2	Maximum discount depth	Algo1 blocks submission if the entered discount exceeds the configured maximum.

Promotion Status Screen

After submitting a promotion, the Store Manager is taken to a status screen. This is the live performance view for that promotion.

Metric	Always shown?	Detail
Shoppers reached	Yes	Number of active in-store shoppers who received the promotion on their tablet.
Claims	Yes	Number of shoppers who tapped 'Claim offer'.
Claim rate	Yes	Claims ÷ Reached, expressed as a percentage.
Redeemed	No — conditional	Number of confirmed redemptions. Only shown when a redemption mechanism is available for the retailer. Hidden otherwise.

The Store Manager can end the promotion early from this screen. The screen also shows the last 7 days of completed promotions for the same store, allowing managers to build intuition on what works.

Note: Trial 1 status scope: active promotions and last 7 days only. Full historical analytics are out of scope for Trial 1.

Edge Cases

#	Scenario	What happens
1	Quick Create overlaps with a brand promotion for the same product	Algo1 manages delivery from a single pool. Guardrails limit promotional density per shopper visit.
2	Budget cap is reached during a live promotion	Promotion pauses automatically. Store Manager receives an in-app notification.
3	Store Manager wants to edit a live promotion	Not supported. This is a deliberate product decision. Manager must end the promotion and create a new one.
4	No shoppers currently match the selected customer group	Promotion stays active with zero impressions. Delivery begins when matching shoppers start a session. Manager can monitor via the status screen.
5	Multiple promotions running for the same product	Permitted. Algo1 applies guardrails across all active promotions simultaneously.
6	Barcode not recognised by Algo1	Manager is prompted to search manually. Unrecognised barcodes are logged for catalogue review.
7	Best-before date scan fails (OCR cannot read the print)	Manager is prompted to enter the date manually. Scan failure does not block promotion creation.

Feature 2: Store Comms

What It Is

Store Comms gives the store a local voice. The Store Manager writes a short plain-text message and sends it to shoppers currently in-store via their trolley-mounted tablet. Messages can be local updates, community shoutouts, operational alerts, or anything that makes the store feel like part of the neighbourhood.

Why It Matters

What it delivers	Why it matters
Sense of community	A store that talks to its shoppers about local life feels different. It feels like it belongs to the neighbourhood rather than a national chain.
Reach	Messages go directly to shoppers on the device they are already looking at, while they are in the aisle — not a tannoy they tune out or a poster they walk past.
Local control	The Store Manager decides what to say and when. No approval chain, no campaign brief, no lead time.

What it delivers	Why it matters
Simplicity	Write a message, optionally pick who sees it, send. Done in under 30 seconds.

Feature Inputs

#	Input	Required ?	Detail
1	Message text	Yes	Plain text only. No images. No formatting. Character limit to be confirmed during build (working assumption: 280 characters).
2	Customer group	No	Optional. Manager picks from a pre-configured list. If none selected, all active shoppers receive the message. Groups without sufficient data are hidden.

Message Routing

Algo1 delivers messages using active session signals. A shopper must be using their trolley-mounted tablet to receive a Store Comms message. Messages remain active and are delivered to shoppers who start a new session after the message was sent, until the message is manually removed.

> **MVP constraint — one active message per store**
> Trial 1 supports one active Store Comms message per store at a time. This is a deliberate product decision to maintain simplicity and message clarity for the shopper. The Store Manager must remove the current message before sending a new one, or the new message replaces the existing one (behaviour to be confirmed during build).

Example Messages

Message	Audience
"We're donating £1 to the Riverside food bank for every £30 spent today. Thanks for helping out."	All active shoppers
"It's going to be a warm one this weekend — ice creams are on the front counter, grab one on your way out!"	All active shoppers
"The Riverside Mermaids made it to the finals next week. We're all cheering for you. Go Mermaids!"	All active shoppers
"Kids' activity kits are now available at customer service — ask at the desk."	Parents

Content Moderation

Retailers configure a blocked-words list during onboarding. Algo1 applies this automatically at the point of submission. If a message contains a blocked word, the Store Manager is notified and must edit before sending.

If a retailer does not provide a blocked-words list during onboarding, Store Comms launches without automated content filtering. The Regional Manager retains the ability to manually remove any message at any time. The Store Manager is notified via in-app notification when a message is removed.

Edge Cases

#	Scenario	What happens
1	No shoppers currently active in-store	Message stays active and is delivered to shoppers who start a session after the message was sent.
2	Customer group data unavailable for the store	Customer group selector is hidden. Message goes to all active shoppers.
3	Message is removed by a Regional Manager	Message is immediately removed from delivery. Store Manager receives an in-app notification stating the message has been removed.
4	Store Manager sends a second message while one is already active	Behaviour to be confirmed during build. Options: auto-replace (new replaces old) or block (prompt manager to remove current message first).

Feature 3: Regional Manager Dashboard

What It Is

The Regional Manager dashboard is a web portal view that provides oversight across all stores within the region. It has two panels: one for Quick Create promotions and one for Store Comms messages. Regional Managers can pause promotions and remove messages directly from the dashboard.

Quick Create Dashboard View

Column	Detail
Store	Store name
Product	Product name and variant
Mechanic	Promotion type and value (e.g. 20% off, £0.80)

Column	Detail
Best-before	Date shown on the promotion, if applicable. Blank for non-expiry promotions.
Cap	Quantity cap set by the manager
End	Scheduled end time
Reached	Shoppers who received the promotion
Claims	Shoppers who claimed the promotion
Rate	Claim rate (Claims ÷ Reached)
Status	Live / Paused / Ended
Action	Pause button (available on Live promotions only). Store Manager is notified in-app when paused.

Store Comms Dashboard View

Column	Detail
Store	Store name
Message	Full message text (truncated in display, expandable)
Sent	Time the message was sent
Audience	Customer group selected (or 'All shoppers')
Action	Remove button. Store Manager is notified in-app when removed.

Use Cases

Store Manager

Note: Platform: Mobile phone. Scope: Assigned store only.

Use case	Outcome	Tool
Deal with waste — overstock or items approaching expiry	Products that need to move get in front of shoppers who are likely to buy them, with the correct unit on the shelf clearly identified by best-before date.	Quick Create

Use case	Outcome	Tool
React to fast-moving shelf conditions	Manager ends a promotion early when stock clears unexpectedly, or creates a new one when a delivery arrives.	Quick Create (end early)
Monitor whether a promotion is working	Manager sees reached, claims, and claim rate in real time. Reviews the last 7 days for context.	Quick Create (status screen)
Communicate with customers in-store	Shoppers receive a timely, relevant message on their tablet while they are in the aisle.	Store Comms
Connect the store to the local community	The store shares something local — a charity donation, a shoutout to a local team. Shoppers feel the store is part of their neighbourhood.	Store Comms

Regional Manager

Note: Platform: Web portal. Scope: All stores within the region.

Use case	Outcome	Tool
Set limits for store-level promotions	Guardrails (budget cap, maximum discount depth) define how far Store Managers can go. Set once during onboarding, enforced automatically.	Onboarding configuration
Monitor waste management across stores	Dashboard shows which stores are running Quick Create, what products are being promoted, and results.	Regional Manager dashboard
Pause a promotion that conflicts with wider commercial activity	Promotion is paused immediately. Store Manager is notified in-app.	Regional Manager dashboard (pause)
Remove an inappropriate Store Comms message	Message is removed from delivery immediately. Store Manager is notified in-app.	Regional Manager dashboard (remove)

Feature List — Trial 1

Quick Create

Code	Feature	What it does	Priority
SM-F-01	Quick Create flow (mobile)	Promotion creation on the Store Manager's phone. Barcode scan (primary) or manual search (fallback) for product selection. Five inputs: product, mechanic +	T1

Code	Feature	What it does	Priority
		discount value, best-before date (conditional), quantity cap, end time. Optional customer group. Two mechanics: fixed price reduction and percentage discount. Guardrails enforced. Self-approved. Multiple promotions can run simultaneously.	
SM-F-02	Best-before date capture	Within the Quick Create flow, the manager scans the printed best-before date (camera / OCR) or enters it manually. Date is stored against the promotion and surfaced on the shopper's tablet. Required for near-expiry promotions; optional or hidden for excess-inventory promotions.	T1
SM-F-03	Quick Create customer selector	Optional customer group selection. Manager picks from a pre-configured list. Algo1 applies matching within the store scope. Groups without sufficient data are hidden.	T1
SM-F-04	Quick Create status screen	Results view on the Store Manager's phone: shoppers reached, claims, claim rate, redemption count (conditional). End-early action. Last 7 days of completed promotions for the store.	T1

Store Comms

Code	Feature	What it does	Priority
SM-F-05	Store Comms message flow (mobile)	Plain-text message creation on the manager's phone and delivery to shoppers via trolley-mounted tablet. One active message per store (MVP constraint). Content moderation via retailer-configured blocked-words list.	T1
SM-F-06	Store Comms customer selector	Optional customer group selection for message targeting. Algo1 filters delivery to matching active shopper sessions. Groups without data are hidden.	T1

Regional Management

Code	Feature	What it does	Priority
SM-F-07	Regional Manager dashboard	Web portal with two views. Quick Create view: promotion detail, best-before date, results, and pause action across all stores in region. Store Comms view: messages sent, audience, and remove action across all stores. In-app notification sent to Store Manager on pause or remove.	T1

Note: Quick Create promotions are delivered through the Algo1 promotion payload (F-33 in the Promotions pillar), use the same redemption event recording (F-34), and appear in Campaign Performance (F-26). Not duplicated here.

Phase 2 Roadmap

The following features are out of scope for Trial 1 but are documented here so that Trial 1 is designed with them in mind. Nothing in the Trial 1 build should foreclose these options.

Agentic Quick Create

Trial 1 Quick Create is fully human-initiated. The Store Manager spots the problem and opens the app. In Phase 2, Algo1 — if given access to inventory or shelf-life data from the retailer — detects at-risk products proactively and surfaces a pre-filled Quick Create suggestion to the Store Manager. The manager reviews the suggestion (product, mechanic, recommended discount, quantity) and taps approve. One action, not five.

> **Design requirement for Trial 1**
>
> The Quick Create data model and flow must be built so that the product, mechanic, discount value, best-before date, quantity cap, and end time fields can all be pre-filled programmatically. Agentic pre-filling should require no structural changes in Phase 2 — only a new trigger path.

Shopper Mobile App and Out-of-Store Foot Traffic

The trolley-mounted tablet is the primary delivery device for Trial 1. The shopper mobile app is under consideration for Phase 2. If built, it extends both Quick Create and Store Comms to shoppers who are not currently on a trolley tablet — and, more importantly, to shoppers who are not yet in the store.

Out-of-store delivery transforms Quick Create from a retention tool into a demand generation tool. A time-limited, store-specific promotion surfaced as a push notification to nearby app users is a proven foot-traffic driver. The Store Manager creates it in 30 seconds. The shopper gets a genuine local reason to visit.

Phase 2 capability	What it requires
Quick Create promotions delivered to out-of-store shoppers via app push notification	Shopper mobile app with push notification capability. Location-based or store-preference-based targeting for out-of-store audience. Separate 'App reached' metric on the Quick Create status screen to distinguish in-store vs. out-of-store impact.
Store Comms messages delivered to out-of-store shoppers via app	Shopper mobile app. Targeting based on store preference or recent visit history. Clear distinction in the message between 'in store now' messages and 'come in' messages.

Phase 2 capability	What it requires
Foot traffic attribution	The Regional Manager dashboard distinguishes promotions that drove incremental store visits from those that converted in-store shoppers. Requires visit-tracking capability in the shopper app.

Trial 1 — Confirmations, Dependencies and Assumptions

Confirmed for Trial 1

Confirmed	Detail
Quick Create — barcode scan primary	Scan is the primary product input. Manual search is the fallback. Both resolve to the same product record.
Quick Create — two mechanics	Fixed price reduction and percentage discount. Auto-generated headline. Manager does not write copy.
Quick Create — best-before date capture	Required for near-expiry promotions. Scan (OCR) or manual entry. Surfaced on the shopper's tablet for shelf identification.
Quick Create — self-approval with guardrails	Promotions go live without approval. Budget cap and maximum discount depth are enforced automatically.
Quick Create — status screen	Shoppers reached, claims, claim rate. Redemption count conditional on mechanism availability. Last 7 days of history. End-early action.
Store Comms — one active message per store	MVP constraint. Plain-text only. Delivered to active sessions.
Store Comms — content moderation	Blocked-words list configured during onboarding. If not provided, Regional Manager retains manual removal as the only safeguard.
Store scope	All Store Manager actions are limited to their assigned store or store group.
Regional Manager dashboard	Quick Create and Store Comms views. Pause and remove actions. In-app notification to Store Manager on pause or remove.
Mobile for Store Manager	Quick Create and Store Comms built mobile-first for iOS and Android.

Open Dependencies

Dependency	Impact	Options	Owner
Redemption mechanism	Determines whether the status screen shows a redeemed count. Does not block the build. Varies by retailer.	(1) EPOS integration — target(2) App-based QR confirmation — fallback(3) Loyalty auto-credit — long-term	Retailer + B2C product
Payload contract	Required for Algo1 to deliver promotions and route messages in real time. Must be agreed before engineering begins integration. No alternatives.	Must be agreed. Engineering to mock against a draft contract during initial build.	Algo1 engineering
Best-before date OCR accuracy	If phone camera OCR cannot reliably read printed best-before dates across packaging types, scan adds friction without value. Manual entry is the fallback in all cases.	Evaluate OCR accuracy during engineering spike. If unreliable, remove scan and default to manual entry for Trial 1.	Engineering
One active message behaviour	If a Store Manager sends a second Store Comms message while one is active, the system must either auto-replace or block. Behaviour not yet confirmed.	Auto-replace (new replaces old) or block (prompt to remove first). Either is acceptable — must be decided before build.	Product

Assumptions

Assumption	What we are assuming	What changes if wrong	Who confirms
Mobile for Store Manager	Store Managers use Quick Create and Store Comms on their personal or work smartphone. Mobile-first design required.	If desktop is needed, the interface requires redesign for larger screens.	Retailer (store ops)
Trolley tablet adoption	Sufficient shoppers are using trolley-mounted tablets to make in-store delivery viable during Trial 1.	If adoption is too low, the impact of both features is limited. Phase 2 shopper app becomes a higher priority.	Retailer (operations)
Customer group data	The retailer holds segmentation data (purchase patterns, household composition)	Customer group selectors are hidden across both features. All promotions and	Retailer + Product

Assumption	What we are assuming	What changes if wrong	Who confirms
	and makes it available to Algo1.	messages go to all active shoppers.	
Store Manager character limit	Working assumption of 280 characters for Store Comms messages. Exact limit confirmed during build.	Limit adjusted. Feature behaviour unchanged.	Engineering + Retailer
Status screen scope	Store Managers see active promotions and last 7 days only. Full historical analytics are out of scope for Trial 1.	If full visibility is required earlier, the status screen scope expands.	Product (confirmed)
Content moderation	Retailer provides a blocked-words list during onboarding. Applied to Store Comms.	If no list is provided, Store Comms launches without automated content filtering. Regional Manager retains manual removal.	Retailer (comms team)

Scale Considerations

Trial 1 is scoped to a small number of stores. The following concerns are documented for awareness — they do not affect the Trial 1 build.

Concern	What changes at scale	Trial 1 position
Aggregate discount visibility	If many stores run Quick Create simultaneously, the retailer needs total discount spend and promotion count across the estate.	Out of scope. Dashboard covers regional view only.
Estate-level guardrails	Retailers may want caps that apply across all stores, not just per-store.	Out of scope. Per-store guardrails only.
Store Comms consistency	Many stores sending different messages may feel inconsistent at brand level. Retailers may want templates or pre-approved message libraries.	Out of scope. Free-text only. Content moderation is the only safeguard.
Dashboard at scale	A Regional Manager overseeing 20–30 stores needs filtering, sorting, and export.	Trial 1 dashboard is a basic roll-up. Filtering and export are directional for Phase 2.
Agentic Quick Create data requirements	Agentic promotion suggestions require inventory or shelf-life data feeds from the retailer.	Out of scope for Trial 1. Data model should be designed to accommodate this feed in Phase 2.

Algo1 — Store Manager App PRD — Version 1.0 — Trial 1 Scope
This document is confidential and intended for internal product and engineering use only.