

Flixoo Mobile API

Developer reference — base URL <https://demo-b2b.drix.app/api>

REQUIRED HEADER ON EVERY REQUEST

```
apiKey: <your-api-key>
Accept: application/json
```

If missing: 401 {"message": "API Key is required"}. If wrong/disabled: 400 {"message": "Invalid or inactive API Key"}.

AUTHENTICATION

After login/signup you receive a token. Send it on every request marked **Auth**:

```
Authorization: Bearer <token>
```

Tokens expire after inactivity; on an auth error, send the user back to login.

RESPONSE ENVELOPE

```
{ "code": 200, "status": "success", "message": "...", "data": { } }
```

The API returns HTTP 200 for most responses; some "not found"/"empty" cases carry meaningful codes in the body. Always read code/status/message, not only the HTTP status. List endpoints return a Laravel paginator (current_page, data, last_page, per_page, total, next_page_url); pass ?page=.

Some read endpoints (movie-details, tv-show-details, watch-histories, payment-history, get-subscription, rent-video-list, user-details) need a user_id parameter so the response includes favorites, rental state and coin unlocks.

Authentication & Account

POST /signup/send-otp

Send a 6-digit registration OTP to a phone number.

Parameter	In	Required	Notes
phone	body	Yes	with country code, e.g. +8801700000000

EXAMPLE RESPONSE

```
{
  "code": 200, "status": "success",
  "message": "OTP sent successfully", "data": null
}
If SMS is not configured:
{
  "code": 422, "status": "error",
  "message": "SMS isn't available right now. Please try again later.", "data": []
}
```

POST /signup

Create the account after OTP verification and return an auth token.

Parameter	In	Required	Notes
first_name	body	Yes	
last_name	body	Yes	
phone	body	Yes	same number the OTP was sent to
otp	body	Yes	6 digits
password	body	Yes	min 8 characters
confirm_password	body	Yes	must match password
user_type	body	Yes	send "user"
email	body	No	placeholder generated if omitted
username	body	No	

EXAMPLE RESPONSE

```
{
  "code": 200, "status": "success", "message": "Sign Up successful",
  "data": {
    "token": "3|f59XkGjI0r3T6JONCrssohYfRcRE0tRuvzW8iBaVa6fa4dcb",
    "type": "Bearer",
    "user": {
      "first_name": "New", "last_name": "Member",
      "phone": "+8801800000000", "email": "phone.e48w5hi57i@phone.local",
      "status": 1, "client_id": 2, "user_type": "user", "id": 3
    }
  }
}
```

POST /login

Password login by phone or email. Rate-limited to 3 attempts/min per IP.

Parameter	In	Required	Notes
phone	body	one of phone/email	with country code
email	body	one of phone/email	used when phone is not sent
password	body	Yes	

EXAMPLE RESPONSE

```
{
  "code": 200, "status": "success", "message": "Login successful",
  "data": {
    "token": "4|kMYmXG0r9PLTPhqY20QeZ0g9ZfeLLq4bbQG04HUt02aac180",
    "type": "Bearer",
    "user": {
      "id": 2, "email": "testuser@flixoo.test",
      "first_name": "Test", "last_name": "User",
      "phone": "+8801700000000",
      "phone_verified_at": "2026-06-10T05:05:34.000000Z",
      "user_type": "user", "status": 1, "client_id": 1
    }
  }
}
```

Wrong password/unknown user -> 401 "Invalid credentials".
More than 3 attempts/min -> 429 "Too Many Attempts."

POST /phone-login

Send a login OTP to an existing user's phone (passwordless step 1).

Parameter	In	Required	Notes
phone	body	Yes	must belong to an existing account

POST /otp-verify

Verify a login OTP and return a token (passwordless step 2).

Parameter	In	Required	Notes
email_or_phone	body	Yes	phone or email
otp	body	Yes	

EXAMPLE RESPONSE

```
{ "data": { "user": { "...": "..." }, "token": "..." } }
```

Invalid OTP -> 400.

POST /forgot-password

Send a password-reset OTP to the phone number.

Parameter	In	Required	Notes
phone	body	Yes	must belong to an existing account

POST /update-password

Reset the password using the reset OTP.

Parameter	In	Required	Notes
phone	body	Yes	
otp	body	Yes	6 digits
password	body	Yes	min 8
confirm_password	body	Yes	must match password

POST /social-login

Log in or register a user from a Google/Facebook access token.

Parameter	In	Required	Notes
access_token	body	Yes	token from the Google/Facebook SDK
provider	body	Yes	google or facebook

EXAMPLE RESPONSE

```
{ "data": { "token": "...", "user": { "...": "..." } } }
```

POST /logout

Revoke the current access token.

Auth**EXAMPLE RESPONSE**

```
{ "message": "Logged out successfully" }
```

GET /user-details

Auth

Return the full profile, including subscription plan and coin balance.

Parameter	In	Required	Notes
id	query	Yes	user id

EXAMPLE RESPONSE

```
{
  "code": 200, "status": "success", "message": "Retrieve data successfully",
  "data": { "user": {
    "id": 2, "first_name": "Test", "last_name": "User",
    "email": "testuser@flixoo.test", "phone": "+8801700000000",
    "image": "https://<host>/images/default.png",
    "user_type": "user", "status": 1, "client_id": 1,
    "subscription_plan": "Free",
    "coin_system_enabled": true, "coin_balance": 0
  } }
}
```

POST /update-profile

Auth

Update the signed-in user's profile (multipart/form-data).

Parameter	In	Required	Notes
user_id	form	Yes	must equal the logged-in user
first_name	form	Yes	
last_name	form	Yes	
phone	form	Yes	with country code
email	form	Yes	
phone_change_otp	form	only if phone changed	6 digits, from /send-phone-change-otp
gender	form	No	number
profile	form	No	image file, max 2 MB

POST /send-phone-change-otp

Auth

Send an OTP to a new phone number before changing it.

Parameter	In	Required	Notes
phone	body	Yes	the new number

POST /change-password

Auth

Change the password for a signed-in user.

Parameter	In	Required	Notes
old_password	body	Yes	
new_password	body	Yes	min 8
confirm_password	body	Yes	must match new_password

GET /delete-account/{id}

Auth

Delete the user account and profile image.

Parameter	In	Required	Notes
id	path	Yes	user id

App Config & Ads

GET /config

Return startup settings: currency symbol, ad unit IDs, Stripe key, coin settings.

EXAMPLE RESPONSE

```
{
  "code": 200, "status": "success", "message": "Config retrieved successfully",
  "data": {
    "currency_symbol": "MT", "google_drive_api_key": "",
    "banner_ads": null, "banner_ads_id": null,
    "interstitial_ads": null, "interstitial_ads_id": null,
    "stripe_key": null, "stripe_secret": null,
    "coin_system_enabled": true, "coin_validity_days": 30,
    "default_coin_unlock_duration_hours": 48
  }
}
```

GET /ads

Return currently active ads with ready-to-use banner/poster URLs. 404 when none.

Home & Search

GET /home

Return the entire home screen aggregate in one call.

EXAMPLE RESPONSE

data contains: sliders, genres, new_release_movies, trending_movies, recommended_movies, featured_movies, popular_tv_shows, featured_tv_channels, tv_shows, top_artists, latest_blogs, countries, live_tv_categories, privacy_policy, payment_policy, terms_and_conditions.

GET /all-genre

Return all active genres.

EXAMPLE RESPONSE

```
{
  "data": { "genres": [
    { "id": 1, "name": "Action", "slug": "action", "featured": 0, "status": 1 },
    { "id": 2, "name": "Thriller", "slug": "thriller", "featured": 0, "status": 1 }
  ] }
}
```

GET /global-search

Search movies, TV shows and live TV together (combined paginated list).

Parameter	In	Required	Notes
search	query	No	text to match
category	query	No	category id
country	query	No	array of country ids
genre	query	No	array of genre ids
year	query	No	release year
type	query	No	movie tv_show live_tv
per_page	query	No	default 10
page	query	No	

EXAMPLE RESPONSE

data.searched_data is a paginator; each item has a "type" field.
data.filter carries categories, country, genre, year.
Note: in search results thumbnail/poster are raw JSON strings
("{ \"original_image\": \"https://...\" }") - parse original_image.

GET /faqs

Return FAQs grouped by category.

EXAMPLE RESPONSE

```
{ "data": [ ] }
```

POST /contact-us

Submit a contact/support message.

Parameter	In	Required	Notes
name	body	Yes	max 191
email	body	Yes	
subject	body	Yes	max 191
message	body	Yes	max 500

Movies

GET /movies

Return a paginated movie list plus a filter block.

Parameter	In	Required	Notes
type	query	No	omit=all; newRelease; or a flag e.g. featured, trending, free
per_page	query	No	default 20, max 100
page	query	No	

EXAMPLE RESPONSE

```
{
  "data": {
    "movies": {
      "current_page": 1,
      "data": [{
        "id": 1, "title": "Jurassic World Rebirth",
        "thumbnail": "https://placeholder.co/500x750",
        "poster": "https://placeholder.co/1920x1080",
        "slug": "jurassic-world-rebirth", "release": "2025-07-01",
        "genre": "[\"1\", \"2\", \"3\"]", "language": "[\"2\", \"5\"]",
        "runtime": "134", "is_trending": 1, "is_featured": 1,
        "coin_price": null, "imdb_rating": "6.399", "total_view": 1
      }],
      "last_page": 1, "per_page": 20, "total": 1
    },
    "filter": { "categories": [], "languages": [], "country": [],
      "genre": [], "year": [1975, "...", 2026],
      "sort": ["trending", "featured", "paid"] }
  }
}
```

Note: genre/language/country/stars are JSON-encoded string arrays - decode them.

GET /movie-details

Return full movie detail, sources, cast, related, reviews, rental and coin info. Pass user_id for per-user flags.

Parameter	In	Required	Notes
id	query	Yes	movie id
user_id	query	No	for is_favorite, is_rented, coin unlock state

EXAMPLE RESPONSE

```
{
  "data": {
    "details": { "id": 1, "title": "Jurassic World Rebirth",
      "runtime": "2h 14m", "is_free": 1, "is_favorite": false },
    "server": [],
    "cast": [{ "id": 1, "star_name": "Scarlett Johansson",
      "star_image": "https://placeholder.co/100x100" }],
    "director": [{ "id": 3, "star_name": "Mahershala Ali" }],
    "writer": [{ "id": 4, "star_name": "... " }],
    "related_movie": [], "recommended_movie": [], "playlist_ids": [],
    "video_tags": ["HD", "Blockbuster", "Action"],
    "reviews": [],
    "rental": { "price": "MT0", "validity": "", "expire_data": "2026-06-10 06:00:00" },
    "download": { "is_downloadable": 1, "details": [] },
    "is_rented": false,
    "coin": { "enabled": true, "coin_price": null,
      "unlock_duration_hours": null, "is_unlocked": false, "can_watch": true },
    "share_link": "https://<host>/movie/jurassic-world-rebirth"
  }
}
```

server holds playable file objects (empty when no media attached).
Use coin.can_watch to gate the player.

GET /movie-filter

Return a filtered, paginated movie list.

Parameter	In	Required	Notes
string	query	No	title search
category_id	query	No	video type
language_id	query	No	
genre	query	No	
country	query	No	
year	query	No	release year
sort	query	No	1=trending, 2=featured, 3=free

TV Shows

GET /tv-shows

Return a paginated TV show list plus a filter block (sort: 1=paid, 2=original).

Parameter	In	Required	Notes
per_page	query	No	default 20
page	query	No	

GET /tv-show-details

Return full show detail with seasons, episodes and per-episode access flags. Pass user_id for per-user flags.

Parameter	In	Required	Notes
id	query	Yes	show id
user_id	query	No	for favorite/rental/per-episode unlock state

EXAMPLE RESPONSE

data.shows has the show with seasons[].episodes[]. Each episode carries coin_price, coin_unlock_duration_hours, is_unlocked, can_play.
Also: cast, director, writer, related_tv_shows, video_tags, rental, is_rented, coin_system_enabled, share_link. Use can_play to gate the player.

GET /tv-show-filter

Return a filtered, paginated TV show list.

Parameter	In	Required	Notes
string	query	No	title search
category_id	query	No	
genre	query	No	
country	query	No	
language	query	No	
year	query	No	
sort	query	No	1=free, 2=original

Live TV

GET /live-tvs

Return a paginated channel list plus a filter block.

Parameter	In	Required	Notes
search	query	No	channel name
category_id	query	No	
country_id	query	No	

EXAMPLE RESPONSE

```
{
  "data": {
    "live_tvs": {
      "current_page": 1,
      "data": [{
        "id": 1, "tv_name": "channel", "slug": "channel",
        "live_tv_category_id": 1, "country_id": 14, "stream_label": "HD",
        "stream_url": "http://103.230.105.252:1935/live/btv/manifest.m3u8",
        "thumbnail": "https://placeholder.co/400x320",
        "featured": 1, "is_free": 1, "status": 1
      }],
      "last_page": 1, "per_page": 20, "total": 1
    },
    "filter": { "categories": [], "country": [] }
  }
}
```

GET /live-tv-details

Return one channel with its stream URLs and related channels. Pass user_id for is_favorite.

Parameter	In	Required	Notes
id	query	Yes	channel id
user_id	query	No	for is_favorite

EXAMPLE RESPONSE

data.stream is a list of { id, stream_url, stream_label }.
Also returns live_tv_details, related_live_tvs, share_link.

Audio Series

GET /audio-series

Return a paginated list of audio series cards.

Parameter	In	Required	Notes
type	query	No	featured latest/new default
per_page	query	No	default 12, max 100

EXAMPLE RESPONSE

```
{
  "data": { "series": { "current_page": 1, "data": [], "per_page": 12, "total": 0 } }
}
```

Each card: id, title, slug, is_free, is_featured, poster, thumbnail, share_link.

GET /audio-series-details

Return one series with its episode list and per-episode access flags.

Parameter	In	Required	Notes
slug	query	Yes	series slug

EXAMPLE RESPONSE

Returns series, is_favorite, coin_system, episodes[].
Each episode: can_play, is_locked, coin_price, and stream_url only when playable.
Unknown slug -> 404. Send Bearer token (optional) for accurate playability.

GET /audio-episode-stream

Auth

Return the playable stream payload for one episode, enforcing access.

Parameter	In	Required	Notes
slug	query	Yes	episode slug

EXAMPLE RESPONSE

403 if the user must subscribe/unlock first; 404 if not found.

Coins

GET /coin-packages

Return active coin packages for the buy-coins screen.

EXAMPLE RESPONSE

```
{ "data": { "packages": [] } }
```

Each package: { id, title, coins, price, currency }.

GET /coin-balance

Auth

Return the current coin balance.

EXAMPLE RESPONSE

```
{ "data": { "coin_system_enabled": true, "balance": 0 } }
```

GET /coin-transactions

Auth

Return paginated coin transaction history.

Parameter	In	Required	Notes
per_page	query	No	default 20

EXAMPLE RESPONSE

Each item: { id, amount, type, source, balance_after, created_at }.

POST /unlock-with-coins

Auth

Spend coins to unlock premium content for a limited time.

Parameter	In	Required	Notes
content_type	body	Yes	movie tv_episode audio_episode
content_id	body	Yes	content id (integer, min 1)

EXAMPLE RESPONSE

```
Success:
{ "data": { "expires_at": "2026-06-12 04:00:00", "balance": 70 } }
Validation error:
{
  "code": 422, "status": "error", "message": "Required field missing",
  "data": {
    "content_type": ["The selected content type is invalid."],
    "content_id": ["The content id field is required."]
  }
}
Insufficient balance or coin system off -> 422 with a message.
```

Subscriptions & Payments

GET /packages

Return active subscription plans with formatted price and a store id.

EXAMPLE RESPONSE

```
{
  "data": { "packages": [
    { "id": 1, "name": "Basic", "day": 7, "screens": 3, "type": "monthly",
      "price": "MT200", "discount": 0, "status": 1,
      "storeSubscriptionId": "basic_MT200_1m" },
    { "id": 3, "name": "Ultra ", "day": 28, "screens": 8, "type": "monthly",
      "price": "MT500", "storeSubscriptionId": "ultra_MT500_1m" }
  ] }
}
```

GET /get-subscription

Return the user's current subscription status.

Parameter	In	Required	Notes
user_id	query	Yes	

EXAMPLE RESPONSE

```
{
  "data": {
    "is_subscribed": true, "status": "active", "package_title": "Premium",
    "subscription_start": "2026-06-01 10:00:00",
    "subscription_end": "2026-07-01 10:00:00",
    "remaining_days": 21, "expire_date": "01-07-2026"
  }
}
No subscription -> is_subscribed:false, status:"inactive".
```

GET /payment-history

Auth

Return the user's paginated subscription/payment history.

Parameter	In	Required	Notes
user_id	query	Yes	

POST /offline-success

Finalize a purchase (subscription or rental) after payment.

Parameter	In	Required	Notes
transaction_key	body	Yes	transaction id
payment_type	body	No	rental, or blank for subscription
payment_method	body	No	offline = pending admin approval
status	body	No	1 = paid
plan_id	body	No	subscription plan id
user_id	body	No	the buyer

EXAMPLE RESPONSE

Online payments activate immediately; offline payments are pending approval.

Reviews & Ratings

GET /review-list

Return reviews for a piece of content. Send the Bearer token for accurate is_liked.

Parameter	In	Required	Notes
reviewable_type	query	Yes	movie tvshow blog
reviewable_id	query	Yes	content id

EXAMPLE RESPONSE

Each review: { id, review, rating, created_at, user, total_likes, is_liked }.

POST /rating**Auth**

Create a rating and review for a piece of content.

Parameter	In	Required	Notes
rating	body	Yes	1-5
review	body	Yes	text
reviewable_type	body	Yes	movie tvshow blog
reviewable_id	body	Yes	

POST /like-toggle

Auth

Toggle a like on a review.

Parameter	In	Required	Notes
review_id	body	Yes	

EXAMPLE RESPONSE

```
{ "liked": true|false, "count": <n> }
```

Playlists (Auth)

GET /playlists

Auth

Return the user's playlists.

EXAMPLE RESPONSE

```
{ "data": { "play_lists": [] } }
```

POST /create-playlist

Auth

Create a playlist (multipart/form-data).

Parameter	In	Required	Notes
name	form	Yes	max 255, unique per user
thumbnail	form	No	image (jpeg/png/jpg/gif)

POST /update-playlist/{id}

Auth

Rename/update a playlist.

Parameter	In	Required	Notes
id	path	Yes	playlist id
name	form	Yes	
thumbnail	form	No	

DELETE /delete-playlist/{id}

Auth

Delete a playlist.

Parameter	In	Required	Notes
id	path	Yes	playlist id

GET /get-play-list-movies/{id}

Auth

Return the playlist with its movies.

Parameter	In	Required	Notes
id	path	Yes	playlist id

EXAMPLE RESPONSE

```
Returns playlist_details and play_list_videos.
```

POST /playlists/add-movie

Auth

Add a movie to one or more playlists.

Parameter	In	Required	Notes
playlist_ids	body	Yes	array of playlist ids
movie_id	body	Yes	

POST /playlists/remove-movie

Auth

Remove a movie from a playlist.

Parameter	In	Required	Notes
playlist_id	body	Yes	
movie_id	body	Yes	

GET /get-playlist-ids/{movieId}

Auth

Return ids of playlists that contain the given movie.

Parameter	In	Required	Notes
movieId	path	Yes	movie id

EXAMPLE RESPONSE

```
{ "playlist_ids": [] }
```

Favorites (Auth)

POST /favorite/toggle

Auth

Add or remove an item from favorites.

Parameter	In	Required	Notes
type	body	Yes	movie tv_show live_tv audio_series
id	body	Yes	content id

GET /favorites

Auth

Return favorites grouped by type.

EXAMPLE RESPONSE

```
{ "data": { "movies": [], "tv_shows": [], "live_tvs": [], "audio_series": [] } }
```

Watch History (Auth)

GET /watch-histories

Auth

Return paginated watch history with title/thumbnail, watched minutes and completion %.

Parameter	In	Required	Notes
user_id	query	Yes	

EXAMPLE RESPONSE

```
Empty:
{ "code": 404, "status": "error", "message": "History is empty", "data": [] }
```

POST /watch-history-store

Auth

Save/update the resume position for a title. Call periodically during playback.

Parameter	In	Required	Notes
user_id	body	Yes	
watchable_type	body	Yes	movie episode tv_channel
watchable_id	body	Yes	must exist for that type
duration	body	Yes	total length in seconds
watched_seconds	body	Yes	current position in seconds

EXAMPLE RESPONSE

Only updates when the new position is further than the last saved.

Rentals (Auth)

GET /rent-video-list

Auth

Return the user's rented videos (movie/tv_show/live_tv) with title and image.

Parameter	In	Required	Notes
user_id	query	Yes	

Artists

GET /artists

Return a paginated artist list (20/page) plus a filter block.

Parameter	In	Required	Notes
name	query	No	name search
country	query	No	country id

EXAMPLE RESPONSE

```
{
  "data": {
    "artists": {
      "current_page": 1,
      "data": [{ "id": 1, "star_name": "Scarlett Johansson",
        "slug": "scarlett-johansson", "star_type": "actor",
        "star_image": "https://placeholder.co/100x100", "status": 1,
        "total_movies": 0, "total_tv_shows": 0 }],
      "last_page": 1, "per_page": 20, "total": 5
    },
    "filter": { "countries": [],
      "movie_industries": [
        { "id": 1, "name": "Hollywood", "status": 1 },
        { "id": 2, "name": "Bollywood", "status": 1 },
        { "id": 3, "name": "Tollywood", "status": 1 }
      ]
    }
  }
}
```

GET /artist-details

Return one artist plus the movies they appear in.

Parameter	In	Required	Notes
id	query	Yes	star id

POST /artist-filter

Return artists matching a name.

Parameter	In	Required	Notes
name	body	Yes	

Blogs

GET /blogs

Return a paginated blog list (10/page) plus a filter block.

GET /blog-categories

Return top-level blog categories with their active children.

GET /blog-details

Return one blog plus related blogs.

Parameter	In	Required	Notes
id	query	Yes	blog id

GET /blog-filter

Return a filtered blog list.

Parameter	In	Required	Notes
string	query	No	title search
category_id	query	No	
year	query	No	

Interests

GET /interest

Return the list of available interests.

EXAMPLE RESPONSE

```
{
  "data": { "interests": [
    { "id": 1, "title": "Action", "status": 1 },
    { "id": 2, "title": "Drama", "status": 1 }
  ] }
}
```

POST /interest-store

Save the user's selected interests.

Parameter	In	Required	Notes
email	body	Yes	identifies the user
interest_ids	body	Yes	array of interest ids