


Stock catalogue

Sind Bearing Agency (SBA): importers and stockists of Japanese bearings since 1982. Head office in Karachi; sales centres in Karachi and Lahore.


This catalogue lists the 506 part numbers shown on our website, with standard boundary dimensions where the series is an ISO standard. We hold many more numbers than are listed here. For prices and availability, send the part number and quantity on WhatsApp +92 300 2028297 or email sba@ktntn.com.



Range	Part numbers
Automotive Bearings	117
Deep Groove Ball Bearings	128
Tapered Roller Bearings	113
Spherical Roller Bearings	Series list
Thrust Ball Bearings	97
UC Insert Bearings	21
Bearing Blocks & Housings	30

Dimensions in millimetres: d = bore, D = outside diameter, B = width (T for tapered, H for thrust). Pictures show the bearing type. Issued 17 October 2026.



Automotive Bearings

Wheel hub bearings, wheel bearings, automotive tapered rollers and clutch release bearings for Japanese cars and light commercials.

Wheel hub unit bearings (AU) (55)

AU0504-13LXL	AU0603-2LLX/L588	AU0605-1LXL/L588
AU0607-2LLX/L588	AU0607-2LX4L/L588	AU0609-2LL/L588
AU0618-1LL/L588	AU0701-4LL/L588	AU0712-1/L588
AU0714-2LX3L/L588	AU0716-2LLX/L588	AU0716-2LX8L/L588
AU0721-2LL/L588	AU0725-1LL/L588	AU0726-3LXL/L588
AU0727-19LXL	AU0735-3LXL/L588	AU0736-1/L588
AU0742-2LXL/L588	AU0743-2LXL/L588	AU0750-2LL/L588
AU0750-2LXL/L588	AU0755-1LL/L588	AU0804-5LL/L588
AU0810-1LXL/L588	AU0814-3LLX/L588	AU0818-1LXL/L588
AU0818-2LLX2/L588	AU0822-2LL/L588	AU0823-1/L588
AU0826-1LL/L588	AU0827-4/L588	AU0831-2LX3LX7/L588
AU0837-1LX2L/L669	AU0838-5LXL/L588	AU0844-1LL/L588
AU0846-2LXL/L588	AU0847-6LLX2/L588	AU0847-6LX3L/L588
AU0901-4LXL/L588	AU0908-2LL/L588	AU0908-3LL/L588
AU0911-3LL/L588	AU0915-2LX5LX7/L588	AU0919-6LXL/L669
AU0920-1LXL/L588	AU0925-1LL/L588	AU0933-7LX2L/L588
AU1001-2LXL/L588	AU1006-9LX2L/L588	AU1021-1LXL/L588
AU1022-6LXL/L588	AU1101-3LX6L/L669	AU1103-2LXL/L588
AU1106-3LX2L/L669		

Wheel bearings (DE) (12)


DE0655NRCS08	DE0678CS12/5A	DE0681CS18PX1/L588
DE0763CS46PX1/5A	DE0769CS46PX1/5A	DE0829LLCS32PX1/5A
DE0871LLCS26PX1/#02	DE0892LLCS43/L58#01	DE08A30LLCS67PX2/#02
DE08A33CS38PX1/L588	DE0962LLCS70PX2/5A	DE0978LLCS64PX1/#01

Automotive tapered roller bearings (ET-CR1) (3)

ET-CR1-0678LLCS7#03	ET-CR1-0846LLCS1#01	ET-CR1-0846LXLCS#03

Clutch release bearings (FCR) (47)

FCR38-1G1/2E	FCR44-13-2G1/2E	FCR44-14-5G1/5K
FCR44-2G1/2E	FCR44-32-3G1/2E	FCR44-36-1G1/2E
FCR47-13-2G1/2E	FCR47-8-4G1/2E	FCR48-11-3G1/2E
FCR48-11-3G1/2E#01	FCR48-23-6G1/2E	FCR48-24-5G1/2E
FCR48-39-6G1/2E	FCR50-10-2G1/2E	FCR50-1-4G1/2E
FCR50-17-9G1/2E	FCR50-30-19G1/2E	FCR50-41-5G1/2E
FCR50-45-1G1/2E	FCR50-46-1G1/2E	FCR50-6-3G1/2E
FCR54-15G1/2E	FCR54-33-3G1/2E	FCR54-46-2G1/2E
FCR54-48-4G1/2E	FCR54-58-6G1/2E	FCR54-67-5G1/2E
FCR54-69-6G1/2E	FCR55-1-4G1/2E	FCR55-17-15G1/2E
FCR55-17-9G1/2E	FCR55-33-1G1/2E	FCR62-16-8G1/2E
FCR62-26-6G1/2E	FCR62-28-7G1/2E	FCR62-29-11G1/2E
FCR62-29-12G1/2E	FCR62-30-6G1/2E	FCR62-32-14G1/2E
FCR62-32-15G1/2E	FCR62-33-4G1/2E	FCR62-42-13G1/2E
FCR62-42-14G1/L756	FCR62-58-1G1/2E	FCR62-60-3G1/L756
FCR62-69-1G1/L756	FCR62-71-2G1/2E	



Deep Groove Ball Bearings

60, 62 and 63 series in sealed (LLU), shielded (ZZ), snap-ring (NR), motor-grade (CM) and open versions.

6000 series (25)

Part number	d	D	B	Version / note
6000LLU	10	26	8	Rubber sealed both sides
6000ZZ	10	26	8	Steel shielded both sides
6001LLU	12	28	8	Rubber sealed both sides
6001ZZ	12	28	8	Steel shielded both sides
6002LLU	15	32	9	Rubber sealed both sides
6002ZZ	15	32	9	Steel shielded both sides
6003LLU	17	35	10	Rubber sealed both sides
6003ZZ	17	35	10	Steel shielded both sides
6004LLU	20	42	12	Rubber sealed both sides
6004ZZ	20	42	12	Steel shielded both sides
6005LLU	25	47	12	Rubber sealed both sides
6005ZZ	25	47	12	Steel shielded both sides
6006LLU	30	55	13	Rubber sealed both sides
6006ZZ	30	55	13	Steel shielded both sides
6007LLU	35	62	14	Rubber sealed both sides
6007ZZ	35	62	14	Steel shielded both sides
6008LLU	40	68	15	Rubber sealed both sides
6008ZZ	40	68	15	Steel shielded both sides
6009ZZ	45	75	16	Steel shielded both sides
6010LLU	50	80	16	Rubber sealed both sides
6010ZZ	50	80	16	Steel shielded both sides
6011ZZ	55	90	18	Steel shielded both sides
6012ZZ	60	95	18	Steel shielded both sides
6013ZZ	65	100	18	Steel shielded both sides
6014ZZ	70	110	20	Steel shielded both sides

6200 series (46)

Part number	d	D	B	Version / note
62/22LLU	22	50	14	Rubber sealed both sides
6200LLU	10	30	9	Rubber sealed both sides
6200ZZ	10	30	9	Steel shielded both sides
6201LLU	12	32	10	Rubber sealed both sides
6201ZZ	12	32	10	Steel shielded both sides
6202LLU	15	35	11	Rubber sealed both sides
6202ZZ	15	35	11	Steel shielded both sides

Part number	d	D	B	Version / note
6203LLU	17	40	12	Rubber sealed both sides
6203ZZ	17	40	12	Steel shielded both sides
6204LLU	20	47	14	Rubber sealed both sides
6204NR	20	47	14	Snap ring groove with snap ring
6204ZZ	20	47	14	Steel shielded both sides
6205LLU	25	52	15	Rubber sealed both sides
6205ZZ	25	52	15	Steel shielded both sides
6206LLU	30	62	16	Rubber sealed both sides
6206ZZ	30	62	16	Steel shielded both sides
6207LLU	35	72	17	Rubber sealed both sides
6207NR	35	72	17	Snap ring groove with snap ring
6207U1	35	72	17	Special internal specification (U1)
6207ZZ	35	72	17	Steel shielded both sides
6208LLU	40	80	18	Rubber sealed both sides
6208U1	40	80	18	Special internal specification (U1)
6208ZZ	40	80	18	Steel shielded both sides
6209CM	45	85	19	Electric-motor grade clearance
6209LLU	45	85	19	Rubber sealed both sides
6209NR	45	85	19	Snap ring groove with snap ring
6209ZZ	45	85	19	Steel shielded both sides
6210LLU	50	90	20	Rubber sealed both sides
6210U1	50	90	20	Special internal specification (U1)
6210ZNR	50	90	20	Shield one side, with snap ring
6210ZZ	50	90	20	Steel shielded both sides
6211CM	55	100	21	Electric-motor grade clearance
6211LLU	55	100	21	Rubber sealed both sides
6211NR	55	100	21	Snap ring groove with snap ring
6211ZZ	55	100	21	Steel shielded both sides
6212LLU	60	110	22	Rubber sealed both sides
6212ZZ	60	110	22	Steel shielded both sides
6213LLU	65	120	23	Rubber sealed both sides
6213ZZ	65	120	23	Steel shielded both sides
6214LLU	70	125	24	Rubber sealed both sides
6214ZZ	70	125	24	Steel shielded both sides
6215LLU	75	130	25	Rubber sealed both sides
6215ZZ	75	130	25	Steel shielded both sides
6216ZZ	80	140	26	Steel shielded both sides
6217ZZ	85	150	28	Steel shielded both sides
6218ZZ	90	160	30	Steel shielded both sides

6300 series (57)

Part number	d	D	B	Version / note
63/28U1	28	68	18	Special internal specification (U1)
63/28Z	28	68	18	Steel shield one side
63/28LLU	28	68	18	Rubber sealed both sides
6300LLU	10	35	11	Rubber sealed both sides
6300ZZ	10	35	11	Steel shielded both sides
6301LLU	12	37	12	Rubber sealed both sides
6301ZZ	12	37	12	Steel shielded both sides
6302LLU	15	42	13	Rubber sealed both sides
6302ZZ	15	42	13	Steel shielded both sides
6303LLU	17	47	14	Rubber sealed both sides
6303ZZ	17	47	14	Steel shielded both sides
6304CM	20	52	15	Electric-motor grade clearance
6304LLU	20	52	15	Rubber sealed both sides
6304NR	20	52	15	Snap ring groove with snap ring
6304ZZ	20	52	15	Steel shielded both sides
6305CM	25	62	17	Electric-motor grade clearance
6305LLU	25	62	17	Rubber sealed both sides
6305ZZ	25	62	17	Steel shielded both sides
6306LLU	30	72	19	Rubber sealed both sides
6306NR	30	72	19	Snap ring groove with snap ring
6306U1	30	72	19	Special internal specification (U1)
6306ZZ	30	72	19	Steel shielded both sides
6307CM	35	80	21	Electric-motor grade clearance
6307LLU	35	80	21	Rubber sealed both sides
6307NR	35	80	21	Snap ring groove with snap ring
6307ZZ	35	80	21	Steel shielded both sides
6308CM	40	90	23	Electric-motor grade clearance
6308LLU	40	90	23	Rubber sealed both sides
6308ZNR	40	90	23	Shield one side, with snap ring
6308ZZ	40	90	23	Steel shielded both sides
6309CM	45	100	25	Electric-motor grade clearance
6309LLU	45	100	25	Rubber sealed both sides
6309ZZ	45	100	25	Steel shielded both sides
6310CM	50	110	27	Electric-motor grade clearance
6310LLU	50	110	27	Rubber sealed both sides
6310ZZ	50	110	27	Steel shielded both sides
6311LLU	55	120	29	Rubber sealed both sides
6311NR	55	120	29	Snap ring groove with snap ring
6311U1	55	120	29	Special internal specification (U1)
6311ZZ	55	120	29	Steel shielded both sides
6312U1	60	130	31	Special internal specification (U1)
6312LLU	60	130	31	Rubber sealed both sides

Part number	d	D	B	Version / note
6312ZZ	60	130	31	Steel shielded both sides
6313CM	65	140	33	Electric-motor grade clearance
6313LLU	65	140	33	Rubber sealed both sides
6313NR	65	140	33	Snap ring groove with snap ring
6313ZZ	65	140	33	Steel shielded both sides
6314LLU	70	150	35	Rubber sealed both sides
6314U1	70	150	35	Special internal specification (U1)
6314ZZ	70	150	35	Steel shielded both sides
6315LLU	75	160	37	Rubber sealed both sides
6315U1	75	160	37	Special internal specification (U1)
6315ZZ	75	160	37	Steel shielded both sides
6316LLU	80	170	39	Rubber sealed both sides
6316ZZ	80	170	39	Steel shielded both sides
6317ZZ	85	180	41	Steel shielded both sides
6318ZZ	90	190	43	Steel shielded both sides



Tapered Roller Bearings

Metric 302, 303, 320, 322, 323 and 330 series plus the popular inch cone-and-cup sets.


Metric series (75)

Part number	d	D	T	Version / note
30202	15	35	11.75	
30203	17	40	13.25	
30204	20	47	15.25	
30205	25	52	16.25	
30206	30	62	17.25	
30207	35	72	18.25	
30208	40	80	19.75	
30209	45	85	20.75	
30210	50	90	21.75	
30211	55	100	22.75	
30212	60	110	23.75	
30213	65	120	24.75	
30302	15	42	14.25	
30304A	20	52	16.25	
30305	25	62	18.25	
30306	30	72	20.75	
30307	35	80	22.75	
30308D	40	90	25.25	
30308	40	90	25.25	
30309D	45	100	27.25	
30309	45	100	27.25	
30310D	50	110	29.25	
30310	50	110	29.25	
30311D	55	120	31.5	
30311	55	120	31.5	
30312D	60	130	33.5	
30312	60	130	33.5	
30313D	65	140	36	
30313	65	140	36	
30314D	70	150	38	
30314U	70	150	38	
320/28X	28	52	16	
32004X	20	42	15	
32005X	25	47	15	
32006X	30	55	17	

Part number	d	D	T	Version / note
32007X	35	62	18	
32008X	40	68	19	
32009X	45	75	20	
32010XU	50	80	20	
32011X	55	90	23	
32012XU	60	95	23	
32013XU	65	100	23	
32014X	70	110	25	
3205A	–	–	–	
32204	20	47	19.25	
32205	25	52	19.25	
32206	30	62	21.25	
32207	35	72	24.25	
32208	40	80	24.75	
32209	45	85	24.75	
32210	50	90	24.75	
32211	55	100	26.75	
32212	60	110	29.75	
32213UX1	65	120	32.75	
32214	70	125	33.25	
32215	75	130	33.25	
32216U	80	140	35.25	
32217	85	150	38.5	
32218	90	160	42.5	
32305	25	62	25.25	
32306	30	72	28.75	
32307	35	80	32.75	
32308	40	90	35.25	
32309	45	100	38.25	
32310	50	110	42.25	
32311	55	120	45.5	
32312	60	130	48.5	
32313	65	140	51	
33010	50	80	24	
33012	60	95	27	
33013A	65	100	27	
33110	50	85	26	
33205	25	52	22	
33208	40	80	32	
33210	50	90	32	

Inch series (cone / cup) (38)


02474/02420	102949/10	104948/10
11749/11710	11949/11910	12649/12610
12749/12710	12749/12711	15123/245
17887/31	25590/25520	27687/20
2788/2720	28584/21	29685/29620
300849/300811	3579/3525	387/382
39581/39520	395A/394A	3982/3927X
3984/3920	44649/44610	45449/45410
462/453X	48548/48510	501349/501310
503349/503310	506849/506810	575/572
603049/603011	67048/67010	68149/68110
68149/68111	69349/69310	86649/10
88649/10	903249/903210	



Spherical Roller Bearings

222, 223 and 230 series, cylindrical and tapered bore, in steel and brass cage versions.

Series held: 222 series, 223 series, 230 series. The full spherical roller list is being updated. Send the number on WhatsApp and we will confirm stock.



Thrust Ball Bearings

Single-direction thrust bearings in the 511, 512, 513 and 514 series.

511 series (30)

Part number	d	D	H	Version / note
51100	10	24	9	
51101	12	26	9	
51102	15	28	9	
51103	17	30	9	
51104	20	35	10	
51105	25	42	11	
51106	30	47	11	
51107	35	52	12	
51108	40	60	13	
51109	45	65	14	
51110	50	70	14	
51111	55	78	16	
51112	60	85	17	
51113	65	90	18	
51114	70	95	18	
51115	75	100	19	
51116	80	105	19	
51117	85	110	19	
51118	90	120	22	
51120	100	135	25	
51122	110	145	25	
51124	120	155	25	
51126	130	170	30	
51128	140	180	31	
51130	150	190	31	
51132	160	200	31	
51134	170	215	34	
51138	190	240	37	
51140	200	250	37	
51144	220	270	37	

512 series (31)

Part number	d	D	H	Version / note
51200	10	26	11	
51201	12	28	11	


Part number	d	D	H	Version / note
51202	15	32	12	
51203	17	35	12	
51204	20	40	14	
51205	25	47	15	
51206	30	52	16	
51207	35	62	18	
51208	40	68	19	
51209	45	73	20	
51210	50	78	22	
51211	55	90	25	
51212	60	95	26	
51213	65	100	27	
51214	70	105	27	
51215	75	110	27	
51216	80	115	28	
51217	85	125	31	
51218	90	135	35	
51220	100	150	38	
51222	110	160	38	
51224	120	170	39	
51226	130	190	45	
51228	140	200	46	
51230	150	215	50	
51232	160	225	51	
51234	170	240	55	
51236	180	250	56	
51238	190	270	62	
51240	200	280	62	
51244	220	300	63	

513 series (23)

Part number	d	D	H	Version / note
51304	20	47	18	
51305	25	52	18	
51306	30	60	21	
51307	35	68	24	
51308	40	78	26	
51309	45	85	28	
51310	50	95	31	
51311	55	105	35	
51312	60	110	35	
51313	65	115	36	
51314	70	125	40	
51315	75	135	44	
51316	80	140	44	
51317	85	150	49	
51318	90	155	50	
51320	100	170	55	
51322	110	190	63	
51324	120	210	70	
51326	130	225	75	
51328	140	240	80	
51330	150	250	80	
51332	160	270	87	
51334	170	280	87	

514 series (13)

Part number	d	D	H	Version / note
51405	25	60	24	
51406	30	70	28	
51407	35	80	32	
51408	40	90	36	
51409	45	100	39	
51410A	50	110	43	
51411	55	120	48	
51412	60	130	51	
51413	65	140	56	
51414	70	150	60	
51415	75	160	65	
51416	80	170	68	
51417	85	180	72	




UC Insert Bearings

Set-screw insert bearings for pillow blocks and flange units, metric and inch bore.

UC 200 series (21)

UC204 (20 mm shaft)	**UC205 (25 mm shaft)**
UC205-16 (1 in shaft)	**UC206 (30 mm shaft)**
UC206-20 (1-1/4 in shaft)	**UC207 (35 mm shaft)**
UC207-20 (1-1/4 in shaft)	**UC208 (40 mm shaft)**
UC208-24 (1-1/2 in shaft)	**UC209 (45 mm shaft)**
UC210 (50 mm shaft)	**UC210-32 (2 in shaft)**
UC211 (55 mm shaft)	**UC211-32 (2 in shaft)**
UC212 (60 mm shaft)	**UC212-36 (2-1/4 in shaft)**
UC214 (70 mm shaft)	**UC214-44 (2-3/4 in shaft)**
UC216 (80 mm shaft)	**UC217 (85 mm shaft)**
UC218 (90 mm shaft)	



Bearing Blocks & Housings

Pillow blocks (P), square flange (F) and two-bolt flange (FL) housings for UC inserts.

Pillow blocks (P) (15)

P204 (Takes UC204 insert · 20 mm shaft)	**P205 (Takes UC205 insert · 25 mm shaft)**
P206 (Takes UC206 insert · 30 mm shaft)	**P207 (Takes UC207 insert · 35 mm shaft)**
P208 (Takes UC208 insert · 40 mm shaft)	**P209 (Takes UC209 insert · 45 mm shaft)**
P210 (Takes UC210 insert · 50 mm shaft)	**P211 (Takes UC211 insert · 55 mm shaft)**
P212 (Takes UC212 insert · 60 mm shaft)	**P213 (Takes UC213 insert · 65 mm shaft)**
P214 (Takes UC214 insert · 70 mm shaft)	**P215 (Takes UC215 insert · 75 mm shaft)**
P216 (Takes UC216 insert · 80 mm shaft)	**P217 (Takes UC217 insert · 85 mm shaft)**
P218 (Takes UC218 insert · 90 mm shaft)	

Square flange (F) (12)

F204 (Takes UC204 insert · 20 mm shaft)	**F205 (Takes UC205 insert · 25 mm shaft)**
F206 (Takes UC206 insert · 30 mm shaft)	**F207 (Takes UC207 insert · 35 mm shaft)**
F208 (Takes UC208 insert · 40 mm shaft)	**F209 (Takes UC209 insert · 45 mm shaft)**
F210 (Takes UC210 insert · 50 mm shaft)	**F211 (Takes UC211 insert · 55 mm shaft)**
F212 (Takes UC212 insert · 60 mm shaft)	**F213 (Takes UC213 insert · 65 mm shaft)**
F214 (Takes UC214 insert · 70 mm shaft)	**F215 (Takes UC215 insert · 75 mm shaft)**

Two-bolt flange (FL) (3)

FL204 (Takes UC204 insert · 20 mm shaft)	**FL205 (Takes UC205 insert · 25 mm shaft)**
FL206 (Takes UC206 insert · 30 mm shaft)	