# MathCity.org

Merging man and maths

## Exercise 2.1 (Solutions) Page 50

Calculus and Analytic Geometry, MATHEMATICS 12

Available online @ http://www.mathcity.org, Version: 3.1

#### Question # 1

Find the definition, the derivatives w.r.t 'x' of the following functions defined as:

(i) 
$$2x^2 + 1$$

$$2x^2 + 1$$
 (ii)  $2 - \sqrt{x}$ 

(iii) 
$$\frac{1}{\sqrt{x}}$$
 (iv)  $\frac{1}{x^3}$ 

(iv) 
$$\frac{1}{x^3}$$

$$(v) \quad \frac{1}{x-a} \qquad (vi) \quad x(x-3)$$

(vi) 
$$x(x-3)$$

(vii) 
$$\frac{2}{x^4}$$

(vii) 
$$\frac{2}{x^4}$$
 (viii)  $(x+4)^{\frac{1}{3}}$ 

(ix) 
$$x^{\frac{3}{2}}$$

$$(x) x^{5/2}$$

(xi) 
$$x^m, m \in N$$
 (xii)  $\frac{1}{x^m}, m \in N$ 

(xii) 
$$\frac{1}{x^m}$$
,  $m \in N$ 

(xiii) 
$$x^{40}$$

(xiv) 
$$x^{-100}$$

#### Solution

(i) Let 
$$y = 2x^2 + 1$$
  

$$\Rightarrow y + \delta y = 2(x + \delta x)^2 + 1 \Rightarrow \delta y = 2(x + \delta x)^2 + 1 - y$$

$$\Rightarrow \delta y = 2(x^2 + 2x\delta x + \delta x^2) + 1 - 2x^2 - 1 \qquad \because y = 2x^2 + 1$$

$$\Rightarrow \delta y = 2x^2 + 4x\delta x + 2\delta x^2 - 2x^2 \Rightarrow \delta y = 2x^2 + 4x\delta x + 2\delta x^2 - 2x^2$$

$$\Rightarrow \delta y = 4x\delta x + 2\delta x^2$$

$$= \delta x (4x + 2\delta x)$$

Dividing by  $\delta x$ 

$$\frac{\delta y}{\delta x} = 4x + 2\delta x$$

Taking limit when  $\delta x \rightarrow 0$ 

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} (4x + 2\delta x)$$

$$\Rightarrow \frac{dy}{dx} = 4x + 2(0)$$

$$\Rightarrow \frac{dy}{dx} = 4x \quad \text{i.e.} \quad \boxed{\frac{d}{dx} (2x^2 + 1) = 4x}$$

(ii) Let 
$$y = 2 - \sqrt{x}$$
  
 $\Rightarrow y + \delta y = 2 - \sqrt{x + \delta x} \Rightarrow \delta y = 2 - \sqrt{x + \delta x} - y$   
 $\Rightarrow \delta y = 2 - \sqrt{x + \delta x} - 2 + \sqrt{x} \Rightarrow \delta y = x^{\frac{1}{2}} - (x + \delta x)^{\frac{1}{2}}$   
 $\Rightarrow \delta y = x^{\frac{1}{2}} - x^{\frac{1}{2}} \left(1 + \frac{\delta x}{x}\right)^{\frac{1}{2}}$   
 $\Rightarrow \delta y = x^{\frac{1}{2}} - x^{\frac{1}{2}} \left(1 + \frac{1}{2} \cdot \frac{\delta x}{x} + \frac{\frac{1}{2}(\frac{1}{2} - 1)}{2!} \left(\frac{\delta x}{x}\right)^2 + \dots\right)$ 

$$= x^{\frac{1}{2}} - x^{\frac{1}{2}} - x^{\frac{1}{2}} \left( \frac{\delta x}{2x} + \frac{\frac{1}{2}(-\frac{1}{2})}{2} \frac{\delta x^2}{x^2} + \dots \right)$$
$$= -x^{\frac{1}{2}} \delta x \left( \frac{1}{2x} - \frac{1}{8} \frac{\delta x}{x^2} + \dots \right)$$

Dividing by  $\delta x$ , we have

$$\frac{\delta y}{\delta x} = -x^{\frac{1}{2}} \left( \frac{1}{2x} - \frac{1}{8} \frac{\delta x}{x^2} + \dots \right)$$

Taking limit as

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = -x^{\frac{1}{2}} \lim_{\delta x \to 0} \left( \frac{1}{2x} - \frac{1}{8} \frac{\delta x}{x^2} + \dots \right)$$

$$\Rightarrow \frac{dy}{dx} = -x^{\frac{1}{2}} \left( \frac{1}{2x} - 0 + 0 - \dots \right)$$

$$= -x^{\frac{1}{2}} \cdot \frac{1}{2x} = -\frac{1}{2} x^{\frac{1}{2} - 1} \Rightarrow \boxed{\frac{dy}{dx} = -\frac{1}{2} x^{-\frac{1}{2}}}$$

(iii) Let 
$$y = \frac{1}{\sqrt{x}}$$
  $\Rightarrow y = x^{-\frac{1}{2}}$ 

Now do yourself as above

(iv) Let 
$$y = \frac{1}{x^3}$$
  $\Rightarrow y = x^{-3}$   
 $\Rightarrow y + \delta y = (x + \delta x)^{-3}$   
 $\Rightarrow \delta y = (x + \delta x)^{-3} - x^{-3}$   
 $\Rightarrow \delta y = x^{-3} \left[ \left( 1 + \frac{\delta x}{x} \right)^{-3} - 1 \right]$   
 $= x^{-3} \left[ \left( 1 - \frac{3\delta x}{x} + \frac{-3(-3 - 1)}{2!} \left( \frac{\delta x}{x} \right)^2 + \dots \right) - 1 \right]$   
 $= x^{-3} \left[ 1 - \frac{3\delta x}{x} + \frac{-3(-4)}{2} \left( \frac{\delta x}{x} \right)^2 + \dots - 1 \right]$   
 $= x^{-3} \left[ -\frac{3\delta x}{x} + \frac{-3(-4)}{2} \left( \frac{\delta x}{x} \right)^2 + \dots \right]$   
 $= x^{-3} \cdot \frac{\delta x}{x} \left[ -3 + 6 \left( \frac{\delta x}{x} \right) - \dots \right]$ 

Dividing both sides by  $\delta x$ , we get

$$\frac{\delta y}{\delta x} = x^{-3-1} \left[ -3 + 6 \left( \frac{\delta x}{x} \right) - \dots \right]$$

Taking limit on both sided, we get

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} x^{-4} \left[ -3 + 6 \left( \frac{\delta x}{x} \right) - \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = x^{-4} \left[ -3 + 0 - 0 + \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = -3x^{-4} \quad \text{or} \quad \left[ \frac{dy}{dx} = -\frac{3}{x^4} \right]$$

(v) Let 
$$y = \frac{1}{x-a}$$
  
 $\Rightarrow y = (x-a)^{-1}$   
 $\Rightarrow y + \delta y = (x + \delta x - a)^{-1}$   
 $\Rightarrow \delta y = (x - a + \delta x)^{-1} - y$   
 $\Rightarrow \delta y = (x - a + \delta x)^{-1} - (x - a)^{-1}$   
 $= (x-a)^{-1} \left[ \left( 1 + \frac{\delta x}{x-a} \right)^{-1} - 1 \right]$   
 $= (x-a)^{-1} \left[ 1 - \frac{\delta x}{x-a} + \frac{-1(-1-1)}{2!} \left( \frac{\delta x}{x-a} \right)^2 + \dots \right] - 1$   
 $\Rightarrow \delta y = (x-a)^{-1} \left[ 1 - \frac{\delta x}{x-a} + \frac{-1(-1-1)}{2!} \left( \frac{\delta x}{x-a} \right)^2 + \dots \right]$   
 $= (x-a)^{-1} \left[ -\frac{\delta x}{x-a} + \frac{-1(-2)}{2} \left( \frac{\delta x}{x-a} \right)^2 + \dots \right]$   
 $= (x-a)^{-1} \cdot \frac{\delta x}{x-a} \left[ -1 + \left( \frac{\delta x}{x-a} \right) - \dots \right]$ 

Dividing by  $\delta x$ 

$$\frac{\delta y}{\delta x} = (x - a)^{-1-1} \left[ -1 + \left( \frac{\delta x}{x - a} \right) - \dots \right]$$

Taking limit when  $\delta x \rightarrow 0$ , we have

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} (x - a)^{-1-1} \left[ -1 + \left( \frac{\delta x}{x - a} \right) - \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = (x - a)^{-2} \left[ -1 + 0 - 0 + \dots \right] \qquad \Rightarrow \boxed{\frac{dy}{dx} = \frac{-1}{(x - a)^2}}$$

FSc-II / Ex- 2.1 - 4

(vi) Let 
$$y = x(x-3)$$
  
=  $x^2-3x$   
Do yourself

(vii) Let 
$$y = \frac{2}{x^4} = 2x^{-4}$$
  
 $\Rightarrow y + \delta y = 2(x + \delta x)^{-4}$   
Do yourself

(viii) Let 
$$y = (x+4)^{\frac{1}{3}}$$
  
 $\Rightarrow y + \delta y = (x+\delta x+4)^{\frac{1}{3}}$   
 $\Rightarrow \delta y = (x+\delta x+4)^{\frac{1}{3}} - y$   
 $= (x+4+\delta x)^{\frac{1}{3}} - (x+4)^{\frac{1}{3}}$   
 $= (x+4)^{\frac{1}{3}} \left[ \left( 1 + \frac{\delta x}{x+4} \right)^{\frac{1}{3}} - 1 \right]$   
 $= (x+4)^{\frac{1}{3}} \left[ \left( 1 + \frac{1}{3} \frac{\delta x}{x+4} + \frac{1}{3} \frac{1}{3} \frac{1}{3} - 1 \right) \left( \frac{\delta x}{x+4} \right)^{2} + \dots \right] - 1$   
 $= (x+4)^{\frac{1}{3}} \left[ \frac{\delta x}{3(x+4)} + \frac{1}{3} \frac{1}{3} \frac{1}{3} \left( \frac{\delta x}{3(x+4)} \right)^{2} + \dots \right]$   
 $= (x+4)^{\frac{1}{3}} \cdot \frac{\delta x}{x+4} \left[ \frac{1}{3} - \frac{1}{9} \left( \frac{\delta x}{x+4} \right) + \dots \right]$ 

Dividing by  $\delta x$ 

$$\frac{\delta y}{\delta x} = (x+4)^{\frac{1}{3}-1} \left[ \frac{1}{3} - \frac{1}{9} \left( \frac{\delta x}{x+4} \right) + \dots \right]$$

Taking limit when  $\delta x \rightarrow 0$ 

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} (x+4)^{-\frac{2}{3}} \left[ \frac{1}{3} - \frac{1}{9} \left( \frac{\delta x}{x+4} \right) + \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = (x+4)^{-\frac{2}{3}} \left[ \frac{1}{3} - 0 + 0 - \dots \right] \qquad \Rightarrow \boxed{\frac{dy}{dx} = \frac{1}{3} (x+4)^{-\frac{2}{3}}}$$

(ix) Let 
$$y = x^{\frac{3}{2}}$$
  

$$\Rightarrow y + \delta y = (x + \delta x)^{\frac{3}{2}}$$

$$\Rightarrow \delta y = (x + \delta x)^{\frac{3}{2}} - x^{\frac{3}{2}}$$

$$= x^{\frac{3}{2}} \left[ \left( 1 + \frac{\delta x}{x} \right)^{\frac{3}{2}} - 1 \right]$$

$$= x^{\frac{3}{2}} \left[ \left( 1 + \frac{3}{2} \frac{\delta x}{x} + \frac{\frac{3}{2} \left( \frac{3}{2} - 1 \right)}{2!} \left( \frac{\delta x}{x} \right)^{2} + \dots \right] - 1 \right]$$

$$= x^{\frac{3}{2}} \left[ \frac{3\delta x}{2x} + \frac{\frac{3}{2} \left( \frac{1}{2} \right)}{2} \left( \frac{\delta x}{x} \right)^{2} + \dots \right]$$

$$= x^{\frac{3}{2}} \cdot \frac{\delta x}{x} \left[ \frac{3}{2} + \frac{3}{8} \left( \frac{\delta x}{x} \right) + \dots \right]$$

Dividing by  $\delta x$ 

$$\frac{\delta y}{\delta x} = x^{\frac{3}{2}-1} \left[ \frac{3}{2} + \frac{3}{8} \left( \frac{\delta x}{x} \right) + \dots \right]$$

Taking limit when  $\delta x \rightarrow 0$ 

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} x^{\frac{1}{2}} \left[ \frac{3}{2} + \frac{3}{8} \left( \frac{\delta x}{x} \right) + \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = x^{\frac{1}{2}} \left[ \frac{3}{2} - 0 + 0 - \dots \right] \qquad \Rightarrow \boxed{\frac{dy}{dx} = \frac{3}{2} x^{\frac{1}{2}}}$$

(x) Let  $y = x^{5/2}$ Do yourself as above.

(xi) Let 
$$y = x^m$$
  
 $\Rightarrow y + \delta y = (x + \delta x)^m$   
 $\Rightarrow \delta y = (x + \delta x)^m - x^m$   
 $= x^m \left[ \left( 1 + \frac{\delta x}{x} \right)^m - 1 \right]$   
 $= x^m \left[ \left( 1 + m \cdot \frac{\delta x}{x} + \frac{m(m-1)}{2!} \left( \frac{\delta x}{x} \right)^2 + \dots \right] - 1 \right]$   
 $= x^m \left[ \frac{m \delta x}{x} + \frac{m(m-1)}{2} \left( \frac{\delta x}{x} \right)^2 + \dots \right]$   
 $= x^m \cdot \frac{\delta x}{x} \left[ m + \frac{m(m-1)}{2} \left( \frac{\delta x}{x} \right) + \dots \right]$ 

Dividing by  $\delta x$ 

FSc-II / Ex- 2.1 - 6

$$\frac{\delta y}{\delta x} = x^{m-1} \left[ m + \frac{m(m-1)}{2} \left( \frac{\delta x}{x} \right) + \dots \right]$$

Taking limit when  $\delta x \rightarrow 0$ 

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} x^{m-1} \left[ m + \frac{m(m-1)}{2} \left( \frac{\delta x}{x} \right) + \dots \right]$$

$$\Rightarrow \frac{dy}{dx} = x^{m-1} \left[ m + 0 + 0 \dots \right] \Rightarrow \left[ \frac{dy}{dx} = mx^{m-1} \right]$$

(xii) Let 
$$y = \frac{1}{x^m} = x^{-m}$$

Do yourself as above, just change the m by -m in above question.

(xiii) Let 
$$y = x^{40}$$
  
 $\Rightarrow y + \delta y = (x + \delta x)^{40}$   
 $\Rightarrow \delta y = (x + \delta x)^{40} - x^{40}$   
 $= \left[ \binom{40}{0} x^{40} + \binom{40}{1} x^{39} \delta x + \binom{40}{2} x^{38} \delta x^2 + \dots + \binom{40}{40} \delta x^{40} \right] - x^{40}$   
 $= (1) x^{40} + \binom{40}{1} x^{39} \delta x + \binom{40}{2} x^{38} \delta x^2 + \dots + \binom{40}{40} \delta x^{40} - x^{40}$   
 $= \binom{40}{1} x^{39} \delta x + \binom{40}{2} x^{38} \delta x^2 + \dots + \binom{40}{40} \delta x^{40}$ 

Dividing by  $\delta x$ 

$$\frac{\delta y}{\delta x} = {40 \choose 1} x^{39} + {40 \choose 2} x^{38} \delta x + \dots + {40 \choose 40} \delta x^{39}$$

Taking limit as  $\delta x \to 0$ 

$$\lim_{\delta x \to 0} \frac{\delta y}{\delta x} = \lim_{\delta x \to 0} \left[ \binom{40}{1} x^{39} + \binom{40}{2} x^{38} \delta x + \dots + \binom{40}{40} \delta x^{39} \right]$$

$$\frac{dy}{dx} = \left[ \binom{40}{1} x^{39} + 0 + 0 + \dots + 0 \right]$$

$$\Rightarrow \frac{dy}{dx} = \binom{40}{1} x^{39} \quad \text{or} \quad \left[ \frac{dy}{dx} = 40 x^{39} \right]$$

(xiv) Let 
$$y = x^{-100}$$

Do yourself Question # 1(xii), Replace m by -100.

#### **Question #2**

Find  $\frac{dy}{dx}$  from the first principles if

(i) 
$$\sqrt{x+2}$$

(ii) 
$$\frac{1}{\sqrt{x+a}}$$

**Solution** 

(i) Let 
$$y = \sqrt{x+2} = (x+2)^{\frac{1}{2}}$$
  
Now do yourself as Question # 1(ix)

(ii) Let 
$$y = \frac{1}{\sqrt{x+a}} = (x+a)^{-\frac{1}{2}}$$

*Now do yourself as Question # 1 (ix)* 

Please report us error at www.mathcity.org/error

Error Analyst	
Emad Ud Din (2017)	

### **Book:** *Exercise* 2.1 (Page 50)

Text Book of Algebra and Trigonometry Class XII Punjab Textbook Board, Lahore.

Available online at http://www.MathCity.org in PDF Format (Picture format to view online).

Updated: November 11, 2017.



These resources are shared under the licence Attribution-NonCommercial-NoDerivatives 4.0 International <a href="https://creativecommons.org/licenses/by-nc-nd/4.0/">https://creativecommons.org/licenses/by-nc-nd/4.0/</a>
Under this licence if you remix, transform, or build upon the material, you may not distribute the modified material.