лабораторная работа 11

Абдуллахи Абдул Вахид 19 Апреля 2024

Российский университет дружбы народов, Москва, Россия

Цель работы

• Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

Задание

- 1. Ознакомиться с теоретическим материалом.
- 2. Ознакомиться с редактором emacs.
- 3. Выполнить упражнения.
- 4. Ответить на контрольные вопросы.

Открыть emacs

```
*GNU Emacs* - GNU Emacs at aabdullakhi
[aabdullakhi@aabdullakhi ~]$ emacs &
                                              File Edit Options Buffers Tools Help
[1] 5150

↓ Save

「aabdullakhi@aabdullakhi ~]$ MESA: error:
ZINK: failed to choose pdev
                                              Welcome to GNU Emacs, one component of t
glx: failed to create drisw screen
                                             She GNU/Linux operating system.
failed to load driver: zink
                                              Emacs Tutorial Learn basic keystroke com
[aabdullakhi@aabdullakhi ~]$
                                             ¶mands (Учебник Emacs)
(emacs:5150): Gtk-CRITICAL **: 20:49:13.38
                                              Emacs Guided Tour
                                                                           Overview of P
 : gtk_distribute_natural_allocation: asse Emacs features at gnu.org
rtion 'extra_space >= 0' failed
                                              View Emacs Manual
                                                                           View the Em P
                                             Gacs manual using Info
                                              Absence of Warranty
                                                                           GNU Emacs c₽
                                             comes with ABSOLUTELY NO WARRANTY
                                             Cappying Conditions
                                                                           Conditions f
                                             or redistributing and changing Emacs
                                              Ordering Manuals
                                                                           Purchasing P
                                             Sprinted copies of manuals
                                              To start...
                                                             Open a File
                                                 Open Home Directory
                                                             Customize Startup
                                                 Explore Packages
                                              To guit a partially entered command, type CP
                                             ⊈ontrol-g.
                                              This is GNU Emacs 29.3 (build 1, x86 64-red₽
                                             ⊊hat-linux-gnu, GTK+ Version
                                              3.24.41, cairo version 1.18.0) of 2024-03 2
                                             g-25
```

Copyright (C) 2024 Free Software Foundation, Inc.

Создать файл lab07.sh

```
To quit a partially entered command, type Control
AL **: 20:49 g-g.
:13.384: gtk
              This is GNU Emacs 29.3 (build 1, x86_64-redhat-linu
_distribute_

¶x-gnu, GTK+ Version

natural_allo
               3.24.41, cairo version 1.18.0) of 2024-03-25
cation: asse
              Copyright (C) 2024 Free Software Foundation, Inc.
rtion 'extra
space >= 0'
 failed
[aabdullakhi
@aabdullakhi
 ~]$ [
                      *GNU Emacs*
                                       All
                                              L17
                                                      (Fundamental)
               U:%%-
               Find file: ~/lab07.sh
```

охранить файл с помощью комбинации Ctrl-x Ctrl-s (C-x C-s)

```
U:--- lab07.sh All L8 (Shell-script Wrote /home/aabdullakhi/lab07.sh
```

Переместите курсор в начало строки (С-а)

```
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
```

Переместите курсор в конец строки (С-е)

```
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
```

Переместите курсор в начало буфера (М-<)

```
lab07.sh - GNU Emacs at aabdullakhi
File Edit Options Buffers Tools Sh-Script
                                              Help
                                   ←Undo
#!/bin/bash
HELL=Hello
function hello {
LOCAL HELLO=World
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
```


Переместите курсор в конец буфера

```
lab07.sh - GNU Emacs at aabdullakhi
File Edit
           Options
                   Buffers Tools Sh-Script
                                              Help
                                   ←Undo
#!/bin/bash
HELL=Hello
function hello {
LOCAL HELLO=World
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
```

Поделите фрейм на 4 части



Режим поиска



спасибо за внимание