


Integrasi API Zoho Books & Inventory

Zoho Books: Sales Order → Invoice → Payment · Zoho Inventory: data item (terpisah)

Zoho Books API v3 · Zoho Inventory API v1 · Base URL: <https://www.zohoapis.com>

Dokumen ini berisi dua bagian yang tidak saling terkait:

- **Zoho Books (Bagian 2-4):** alur SO → Invoice → Payment yang saling terkait, dengan meneruskan ID dari response satu langkah ke request langkah berikutnya (tulisan biru di diagram).
- **Zoho Inventory (Bagian 5):** List dan Retrieve Item, berdiri sendiri.



1. Auth

Prasyarat (sudah tersedia)

- client_id, client_secret, refresh_token (scope Books & Inventory), dan organization_id.
- Tidak perlu proses OAuth dari awal. Developer cukup menukar refresh token menjadi access token.

Keperluan	URL
Token OAuth	https://accounts.zoho.com/oauth/v2/token
Zoho Books	https://www.zohoapis.com/books/v3
Zoho Inventory	https://www.zohoapis.com/inventory/v1

Ambil access token (berlaku 1 jam)

POST https://accounts.zoho.com/oauth/v2/token

Parameter	Keterangan	
refresh_token	Wajib	
client_id	Wajib	
client_secret	Wajib	
grant_type	Wajib	refresh_token

Response

```
{
  "access_token": "1000.xxxxxxx.yyyyyyy",
  "api_domain": "https://www.zohoapis.com",
  "token_type": "Bearer",
  "expires_in": 3600
}
```

Simpan (cache) access token dan pakai ulang sampai hampir expired. Jangan generate token baru di setiap request, karena Zoho membatasi jumlah pembuatan access token dalam waktu singkat.

Header di setiap request

```
Authorization: Zoho-oauthtoken {access_token}
Content-Type: application/json
```

Query organization_id wajib di semua endpoint Books & Inventory. Kalau dapat HTTP 401, ambil access token baru lalu ulangi request.

Master data yang dibutuhkan

ID	Ambil dari	Dipakai di
customer_id	GET /books/v3/contacts	SO, Invoice, Payment
item_id	GET /books/v3/items	Line item SO
tax_id	GET /books/v3/settings/taxes	Line item (jika pakai PPN)
location_id	GET /books/v3/locations	Jika multi-lokasi aktif
account_id	GET /books/v3/bankaccounts	Payment (akun kas/bank)

2. Create Sales Order

POST /books/v3/salesorders

Field	Keterangan	
customer_id	Wajib	
line_items[].item_id	Wajib	Dari GET /books/v3/items.
line_items[].quantity, rate	Opsional	rate kosong = harga default item.
line_items[].tax_id	Opsional	Jika pakai pajak.
custom_fields[].api_name	Wajib	Isi cf_source.
custom_fields[].value	Wajib	Nilai cf_source.
date	Opsional	yyyy-mm-dd
reference_number	Opsional	ID dari sistem kamu (untuk tracking & cegah doble).
location_id	Opsional	Wajib jika multi-lokasi aktif.

Custom field cf_source (wajib)

- Tanpa cf_source, create SO akan ditolak.
- Kalau cf_source bertipe dropdown, value harus sama persis dengan salah satu opsi di Zoho.
- Format payload: "custom_fields": [{ "api_name": "cf_source", "value": "..."}].

Response (diringkas)

```
{
  "code": 0,
  "message": "Sales Order has been created.",
  "salesorder": {
    "salesorder_id": "460000000050001",
    "salesorder_number": "SO-00001",
    "status": "draft",
    "customer_id": "460000000011111",
    "custom_fields": [
      { "api_name": "cf_source", "value": "API" }
    ],
    "line_items": [
      { "line_item_id": "460000000050003", "item_id": "460000000030001",
        "quantity": 2, "rate": 1500000 }
    ]
  }
}
```

Simpan

salesorder_id dan line_items[].line_item_id.line_item_id dipakai sebagai salesorder_item_id di invoice.

Konfirmasi SO (draft → open)

POST /books/v3/salesorders/{salesorder_id}/status/open

Tanpa body. Sukses jika "code": 0.

3. Create Invoice dari SO

POST /books/v3/invoices

Field		Keterangan
customer_id	Wajib	Sama dengan SO.
line_items[].item_id	Wajib	Sama dengan baris SO.
line_items[].salesorder_item_id	Kunci	= line_item_id dari SO. Ini yang menautkan invoice ke SO.
line_items[].quantity, rate	Opsional	Qty boleh kurang dari SO (invoice sebagian).
date, payment_terms	Opsional	payment_terms dalam hari.
reference_number	Opsional	Disarankan isi nomor SO.

Query opsional: send=true (langsung email ke customer), ignore_auto_number_generation=true (pakai invoice_number sendiri).

Response (diringkas)

```
{
  "code": 0,
  "message": "The invoice has been created.",
  "invoice": {
    "invoice_id": "460000000060001",
    "invoice_number": "INV-00001",
    "status": "draft",
    "customer_id": "460000000011111",
    "total": 3000000,
    "balance": 3000000
  }
}
```

Simpan

invoice_id dan balance untuk dipakai di payment.

Tandai invoice terkirim (draft → sent)

POST /books/v3/invoices/{invoice_id}/status/sent

Tanpa body. Invoice draft belum tercatat sebagai piutang, jadi ubah ke sent sebelum dibayar (tidak perlu jika create memakai send=true).

4. Create Payment untuk invoice

POST /books/v3/customerpayments

Field		Keterangan
customer_id	Wajib	Sama dengan invoice.
payment_mode	Wajib	cash, check, creditcard, banktransfer, bankremittance, autotransaction, others
amount	Wajib	Total uang diterima.
date	Wajib	yyyy-mm-dd
invoices[].invoice_id	Kunci	Dari response invoice.
invoices[].amount_applied	Wajib	Maksimal = balance invoice.
reference_number	Opsional	No. bukti transfer.
account_id	Opsional	Akun kas/bank tujuan setoran.

Response (diringkas)

```
{
  "code": 0,
  "message": "The payment has been created.",
  "payment": {
    "payment_id": "460000000070001",
    "payment_mode": "banktransfer",
    "amount": 3000000,
    "invoices": [
      { "invoice_id": "460000000060001", "invoice_number": "INV-00001",
        "amount_applied": 3000000, "balance_amount": 0 }
    ]
  }
}
```

- amount_applied < balance → invoice jadi partially_paid.
- amount > total amount_applied → sisanya jadi kelebihan bayar (unused credit) customer.
- Cek hasil: GET /books/v3/salesorders/{salesorder_id} → invoiced_status & paid_status.

5. Zoho Inventory: List & Retrieve Item

Terpisah dari alur Zoho Books di atas. Base URL <https://www.zohoapis.com/inventory/v1>, tetap wajib kirim `organization_id`.

List all the items

GET	/inventory/v1/items
Query param	Keterangan
<code>organization_id</code>	Wajib
<code>page</code> , <code>per_page</code>	Paginasi. Default <code>per_page</code> = 200.
<code>search_text</code>	Cari berdasarkan nama, SKU, dll.
<code>sku</code> , <code>name_contains</code> , <code>sku_contains</code>	Filter spesifik.
<code>filter_by</code>	Status.All, Status.Active, Status.Inactive, Status.Lowstock, ItemType.Inventory, ItemType.Service, dll.
<code>sort_column</code> , <code>sort_order</code>	<code>sort_column</code> : name, sku, rate, created_time, last_modified_time, stock_on_hand. <code>sort_order</code> : A / D.

Response (diringkas)

```
{
  "code": 0,
  "message": "success",
  "items": [
    { "item_id": "460000000030001", "name": "Barang A", "sku": "SKU-001",
      "rate": 1500000, "unit": "pcs", "status": "active", "stock_on_hand": 25 }
  ],
  "page_context": { "page": 1, "per_page": 200, "has_more_page": false }
}
```

Lanjut ke halaman berikutnya selama `page_context.has_more_page` = true.

Retrieve an item

GET	/inventory/v1/items/{item_id}
-----	-------------------------------

Path param `item_id` (wajib), query `organization_id` (wajib).

Response (diringkas)

```
{
  "code": 0,
  "message": "success",
  "item": {
    "item_id": "460000000030001",
    "name": "Barang A",
    "sku": "SKU-001",
    "rate": 1500000,
    "purchase_rate": 1100000,
    "unit": "pcs",
    "status": "active",
    "stock_on_hand": 25,
    "available_stock": 20
  }
}
```

6. Catatan

- Sukses kalau "code": 0. Selain itu, baca message.
- 401 = token expired, refresh lalu ulangi. 429 = rate limit (± 100 request/menit per organisasi), retry dengan jeda.
- Simpan mapping ID (internal $\rightarrow$ salesorder_id $\rightarrow$ invoice_id $\rightarrow$ payment_id). Kalau request timeout, cek dulu via GET sebelum create ulang supaya tidak dobel.
- ID & nominal di contoh response hanya ilustrasi; response asli berisi lebih banyak field.

Referensi

- <https://www.zoho.com/books/api/v3/sales-order/#create-a-sales-order>
- <https://www.zoho.com/books/api/v3/invoices/#create-an-invoice>
- <https://www.zoho.com/books/api/v3/customer-payments/#create-a-payment>
- <https://www.zoho.com/inventory/api/v1/items/#list-all-the-items>
- <https://www.zoho.com/inventory/api/v1/items/#retrieve-an-item>