

# Cucumber Report

14 nov. 2023, 15:39:49

**Start : nov. 14, 3:38:59.026 PM**

**End : nov. 14, 3:39:48.552 PM**

**Duration : 49.526 s**

Features






PASSED - 1  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 1  
FAILED - 1  
SKIPPED - 0

Steps

PASSED - 4  
FAILED - 1  
SKIPPED - 1




| <b>Feature</b>   |  |                 |  | <b>Scenario</b> |          |          |          | <b>Step</b> |          |          |          |
|--|--|-----------------|--|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| <b>Name</b>  |  | <b>Duration</b> |  | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>    | <b>P</b> | <b>F</b> | <b>S</b> |
| <i>Verify that all links lead to the correct pages</i> |  | 12.098 s        |  | 1               | 1        | 0        | 0        | 3           | 3        | 0        | 0        |
| <i>Verify Womens Menu and page functionality</i>       |  | 37.399 s        |  | 1               | 0        | 1        | 0        | 3           | 1        | 1        | 1        |

| <b>Tag</b>   | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|--------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
|              | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| <b>Name</b>  |                 |          |          |          |                |          |          |          |
| @test        | 2               | 1        | 1        | 0        | 2              | 1        | 1        | 0        |
| @accueilPage | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @women       | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |



| # | Feature Name   | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Verify that all links lead to the correct pages</u> | 1 | 1 | 0 | 0 | 12.098 s |
| 2 | <u>Verify Womens Menu and page functionality</u>       | 1 | 0 | 1 | 0 | 37.399 s |




| # | Feature Name   | Scenario Name                            | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>Verify that all links lead to the correct pages</u> | <u>check WHATS NEW link</u>              | 3 | 3 | 0 | 0 | 12.094 s |
| 2 | <u>Verify Womens Menu and page functionality</u>       | <u>check Jakets links in womens menu</u> | 3 | 1 | 1 | 1 | 37.399 s |

## Verify that all links lead to the correct pages


|                                      |                     |  |  |  |  |
|--------------------------------------|---------------------|--|--|--|--|
| PASSED                               | DURATION - 12.098 s | Scenarios<br>Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 3:38:59.026 PM // 3:39:11.124 PM / |                     |  |  |  |  |

## check WHATS NEW link


|   |                     |  |  |  |  |
|---|---------------------|--|--|--|--|
| PASSED  | DURATION - 12.094 s | Scenarios<br>Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 3:38:59.030 PM // 3:39:11.124 PM /            |                     |  |  |  |  |
| Verify that all links lead to the correct pages |                     |  |  |  |  |
| @test @accueilPage                              |                     |  |  |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the Accueil page  | PASSED | 4.463 s  |
| 2 | When I click on whats new link  | PASSED | 0.905 s  |
| 3 | Then I should be redirected to whats new page   | PASSED | 0.146 s  |
|   | AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario) | PASSED | 6.552 s  |
|   | image   |        |          |
|   |        |        |          |

## Verify Womens Menu and page fonctionality



### check Jakets links in womens menu



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on the Accueil page  | PASSED | 3.447 s  |
| 2 | <p>When I click on the link Women Jakets through the hidden menu</p> <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [858d7182e9e5d3a846b99c9653d9ef81, actions {actions=[org.openqa.selenium.interactions.Sequence@42fc4ac4]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.124, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\WAJDIA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50435}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50435/devtoo..., se:cdpVersion: 119.0.6045.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 858d7182e9e5d3a846b99c9653d9ef81 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</pre> | FAILED | 25.102 s |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74) at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25)   at ?.I click on the link Women Jakets through the hidden menu(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:8)  Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: driver.version: RemoteWebDriver   at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)   at org.openqa.selenium.json.Json.toJson(Json.java:40)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)   at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)   at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)   at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74)   at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl </pre> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method.java:568)      at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)      at io.cucumber.java.Invoker.invoke(Invoker.java:24)      at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)      at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)      at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)      at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)      at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)      at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)      at io.cucumber.core.runner.TestStep.run(TestStep.java:64)      at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)      at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)      at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:110)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)      at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)      at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)      at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at org.junit.runner.JUnitCore.run(JUnitCore.java:160)      at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)      at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)      at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)      at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)      at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) </pre> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)<br>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)<br>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)<br>at org.openqa.selenium.json.Json.toJson(Json.java:42)<br>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)<br>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)<br>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)<br>at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)<br>at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74)<br>at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)<br>at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:110)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)<br>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)<br>at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)<br>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)<br>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)<br>at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)<br>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:309) |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.junit.runner.JUnitCore.run(JUnitCore.java:160) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/body[1]/div[1]/div[1]/div[2]/nav[1]/ul[1]/li[2]/a[1]/span[2]"} (Session info: chrome=119.0.6045.124) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [858d7182e9e5d3a846b99c9653d9ef81, findElement {using=xpath, value=/body[1]/div[1]/div[1]/div[2]/nav[1]/ul[1]/li[2]/a[1]/span[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.124, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\WAJDIA~1\AppData\Local\Temp\scoped_dir3108_15140}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50435}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50435/devtoo. ..., se:cdpVersion: 119.0.6045.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 858d7182e9e5d3a846b99c9653d9ef81 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) </pre> |        |          |

| # | Step / Hook Details  | Status            | Duration           |
|---|--|-------------------|--------------------|
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.\$Proxy20.getWrappedElement(Unknown Source)<br>at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269)<br>at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218)<br>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)<br>* Not displayable characters are replaced by '?'. |                   |                    |
| 3 | Then I should be redirected to Jackets page<br>AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)<br>image<br>   | SKIPPED<br>PASSED | 0.002 s<br>8.839 s |