

# Cucumber Report

14 nov. 2023, 16:05:25

**Start : nov. 14, 4:04:33.911 PM**

**End : nov. 14, 4:05:25.093 PM**

**Duration : 51.182 s**

Features






PASSED - 1  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 1  
FAILED - 1  
SKIPPED - 0

Steps

PASSED - 4  
FAILED - 1  
SKIPPED - 1




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Verify that all links lead to the correct pages</u>	13.374 s	1	1	0	0	3	3	0	0
<u>Verify Womens Menu and page functionality</u>	37.782 s	1	0	1	0	3	1	1	1

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@test	2	1	1	0	2	1	1	0
@accueilPage	1	1	0	0	1	1	0	0
@women	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Verify that all links lead to the correct pages</u>	1	1	0	0	13.374 s
2	<u>Verify Womens Menu and page functionality</u>	1	0	1	0	37.782 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify that all links lead to the correct pages</u>	<u>check WHATS NEW link</u>	3	3	0	0	13.372 s
2	<u>Verify Womens Menu and page functionality</u>	<u>check Jakets links in womens menu</u>	3	1	1	1	37.782 s

## Verify that all links lead to the correct pages


PASSED	DURATION - 13.374 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:04:33.911 PM // 4:04:47.285 PM /					

## check WHATS NEW link


PASSED	DURATION - 13.372 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:04:33.913 PM // 4:04:47.285 PM /					
Verify that all links lead to the correct pages					
@test @accueilPage					

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	PASSED	5.930 s
2	When I click on whats new link	PASSED	0.911 s
3	Then I should be redirected to whats new page	PASSED	0.108 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	PASSED	6.396 s
	image		
			

## Verify Womens Menu and page fonctionality



### check Jakets links in womens menu



#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	PASSED	3.700 s
2	<p>When I click on the link Women Jakets through the hidden menu</p> <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [399b9d917ffa62f2636cdd0fcfb3ac70, actions {actions=[org.openqa.selenium.interactions.Sequence@24d8f87a]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.124, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\WAJDIA~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51069}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51069/devtoo..., se:cdpVersion: 119.0.6045.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 399b9d917ffa62f2636cdd0fcfb3ac70 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</pre>	FAILED	25.057 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74) at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25)   at ?.I click on the link Women Jakets through the hidden menu(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:8)  Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: driver.version: RemoteWebDriver   at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)   at org.openqa.selenium.json.Json.toJson(Json.java:40)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)   at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)   at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)   at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)   at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74)   at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl </pre>		

#	Step / Hook Details	Status	Duration
	<pre> invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method.java:568)      at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66)      at io.cucumber.java.Invoker.invoke(Invoker.java:24)      at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)      at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)      at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)      at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)      at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)      at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)      at io.cucumber.core.runner.TestStep.run(TestStep.java:64)      at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)      at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)      at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:110)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)      at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)      at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)      at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)      at org.junit.runners.ParentRunner.run(ParentRunner.java:309)      at org.junit.runner.JUnitCore.run(JUnitCore.java:160)      at org.junit.runner.JUnitCore.run(JUnitCore.java:138)      at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:82)      at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:70)      at org.testng.TestRunner\$1.run(TestRunner.java:570)      at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:717)      at org.testng.TestRunner.privateRunJUnit(TestRunner.java:601)      at org.testng.TestRunner.run(TestRunner.java:502)      at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)      at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)      at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)      at org.testng.SuiteRunner.run(SuiteRunner.java:364)      at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)      at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)      at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187)      at org.testng.TestNG.runSuitesLocally(TestNG.java:1116)      at org.testng.TestNG.runSuites(TestNG.java:1028)      at org.testng.TestNG.run(TestNG.java:996)      at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155)      at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102)      at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91)      at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)      at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)      at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)      at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.e2eTests.pageObjects.WomenOpbejcts.clickOnHiddenJakets(WomenOpbejcts.java:74) at com.e2eTests.stepDefinition.WomenSteps.i_click_on_the_link_women_jakets_through_the_hidden_menu(WomenSteps.java:25) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$WithStepDescriptions.run(PickleRunners.java:110) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.junit.runner.JUnitCore.run(JUnitCore.java:160) at org.junit.runner.JUnitCore.run(JUnitCore.java:138) at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:82) at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:70) at org.testng.TestRunner\$1.run(TestRunner.java:570) at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:717) at org.testng.TestRunner.privateRunJUnit(TestRunner.java:601) at org.testng.TestRunner.run(TestRunner.java:502) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1116) at org.testng.TestNG.runSuites(TestNG.java:1028) at org.testng.TestNG.run(TestNG.java:996) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)		

#	Step / Hook Details	Status	Duration
	<pre> at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162) at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body[1]/div[1]/div[1]/div[2]/nav[1]/ul[1]/li[2]/a[1]/span[2]"} (Session info: chrome=119.0.6045.124) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [399b9d917ffa62f2636cdd0fcfb3ac70, findElement {using=xpath, value="//body[1]/div[1]/div[1]/div[2]/nav[1]/ul[1]/li[2]/a[1]/span[2]"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.124, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\WAJDIA~1\AppData\Local\Temp\scoped_dir31964_2441\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51069}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51069/devtoo... , se:cdpVersion: 119.0.6045.124, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 399b9d917ffa62f2636cdd0fcfb3ac70 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy20.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asList(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
3	Then I should be redirected to Jackets page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	9.015 s