Cucumber Report

| Start : sept. 13, 2:01:41.773 PM	End : sept. 13, 2:02:12.300 PM	Duration : 30.527 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 14 SKIPPED - 0	PASSED - 0 FAILED - 14 SKIPPED - 36

Features: 1

Scenarios: 14

Steps: 50

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verify Womens Menu and page fonctionality	*30.527 s*	*14*	*0*	*14*	*0*	*50*	*0*	*14*	*36*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test	1	0	1	0	1	0	1	0
@women	14	0	14	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Verify Womens Menu and page fonctionality	14	0	14	0	30.527 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify Womens Menu and page fonctionality	check Jakets links in womens menu	3	0	1	2	3.671 s
2	Verify Womens Menu and page fonctionality	check Hoodies and Sweatshirts links in womens menu	3	0	1	2	2.331 s
3	Verify Womens Menu and page fonctionality	check Tees links in womens menu	3	0	1	2	1.997 s
4	Verify Womens Menu and page fonctionality	check Bras and Tanks links in womens menu	3	0	1	2	2.273 s
5	Verify Womens Menu and page fonctionality	check Pants links in womens menu	3	0	1	2	2.454 s
6	Verify Womens Menu and page fonctionality	check Shorts links in womens menu	3	0	1	2	1.982 s
7	Verify Womens Menu and page fonctionality	check Top link in Women page	4	0	1	3	1.980 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Verify Womens Menu and page fonctionality	check Bottoms link in Women page	4	0	1	3	1.834 s
9	Verify Womens Menu and page fonctionality	check Hoodies and SweatShirts in Women page	4	0	1	3	1.815 s
10	Verify Womens Menu and page fonctionality	check Jackets in Women page	4	0	1	3	1.903 s
11	Verify Womens Menu and page fonctionality	check Tees in Women page	4	0	1	3	2.368 s
12	Verify Womens Menu and page fonctionality	check Bras and Tanks in Women page	4	0	1	3	1.898 s
13	Verify Womens Menu and page fonctionality	check Pants in Women page	4	0	1	3	1.874 s
14	Verify Womens Menu and page fonctionality	check Shorts in Women page	4	0	1	3	1.999 s

Verify Womens Menu and page fonctionality

FAILED	DURATION - 30.527 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0	14	Steps Total - 50 Pass - 0 Fail - 14 Skip - 36	50
/ 2:01:41.773 PM // 2:02:12.300 PM /					

check Jakets links in womens menu

FAILED	DURATION - 3.671 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	3
/ 2:01:41.778 PM // 2:01:45.449 PM /				
Verify Womens Menu and page fonctionality				
@test @women				

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	3.628 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)		
	at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)		
	at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When I click on the link Women Jakets through the hidden menu	SKIPPED	0.003 s
3	Then I should be redirected to Jackets page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Hoodies and Sweatshirts links in womens menu

FAILED	DURATION - 2.331 s		Steps	
/ 2:01:45.467 PM // 2:01:47.798 PM /			Total - 3	
			Pass - 0	
Verify Womens Menu and page fonctionality			Fail - 1	3
			Skip - 2	
@women				

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	2.324 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	    at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	    at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on the link Women Hoodies and Sweatshirts through the hidden menu	SKIPPED	0.001 s
3	Then I should be redirected to Hoodies and Sweatshirts page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.002 s

	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	    at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)
	    at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)
	    at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	    at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		

#	Step / Hook Details	Status	Duration
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		

| #	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Tees links in womens menu

FAILED	DURATION - 1.997 s
/ 2:01:47.811 PM // 2:01:49.808 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.991 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)		
	at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)		
	at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)		
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
2	When I click on the link Tees through the hidden menu	SKIPPED	0.001 s
3	Then I should be redirected to Tees page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.000 s

	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	    at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)
	    at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)
	    at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	    at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)
	    at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)
	    at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)
	    at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	    at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	    at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:110)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)
	    at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)
	    at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)
	    at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)
	    at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)
	    at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		

| #	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Bras and Tanks links in womens menu

FAILED	DURATION - 2.273 s
/ 2:01:49.818 PM // 2:01:52.091 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	2.266 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)		
	at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)		
	at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When I click on the link Bras and Tanks through the hidden menu	SKIPPED	0.001 s
3	Then I should be redirected to Bras and Tanks page	SKIPPED	0.001 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Pants links in womens menu

FAILED	DURATION - 2.454 s
/ 2:01:52.099 PM // 2:01:54.553 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	2.448 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	    at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	    at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on the link Pants through the hidden menu	SKIPPED	0.000 s
3	Then I should be redirected to Pants page	SKIPPED	0.001 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String,		

#	Step / Hook Details	Status	Duration
	Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		

| #	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Shorts links in womens menu

FAILED	DURATION - 1.982 s
/ 2:01:54.563 PM // 2:01:56.545 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.975 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41) at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24) at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5) * Not displayable characters are replaced by '?'.		
2	When I click on the link Shorts through the hidden menu	SKIPPED	0.001 s
3	Then I should be redirected to Shorts page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Top link in Women page

FAILED	DURATION - 1.980 s
/ 2:01:56.559 PM // 2:01:58.539 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.968 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	    at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	    at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on women link	SKIPPED	0.000 s
3	And I click on top button	SKIPPED	0.001 s
4	Then I should be redirected to Top page	SKIPPED	0.001 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Bottoms link in Women page

FAILED	DURATION - 1.834 s
/ 2:01:58.560 PM // 2:02:00.394 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.829 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)		
	at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)		
	at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When I click on women link	SKIPPED	0.000 s
3	And I click on Bottoms button	SKIPPED	0.000 s
4	Then I should be redirected to Bottoms page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Hoodies and SweatShirts in Women page

FAILED	DURATION - 1.815 s
/ 2:02:00.400 PM // 2:02:02.215 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.811 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	    at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	    at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on women link	SKIPPED	0.000 s
3	And I click on Hoodies and SweatShirts button	SKIPPED	0.001 s
4	Then I should be redirected to Hoodies and SweatShirts page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Jackets in Women page

FAILED	DURATION - 1.903 s		Steps
/ 2:02:02.224 PM // 2:02:04.127 PM /			Total - 4
			Pass - 0
Verify Womens Menu and page fonctionality			Fail - 1
@women			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.900 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41) at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24) at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5) * Not displayable characters are replaced by '?'.		
2	When I click on women link	SKIPPED	0.000 s
3	And I click on Jackets button	SKIPPED	0.000 s
4	Then I should be redirected to Jackets page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Tees in Women page

FAILED	DURATION - 2.368 s

/ 2:02:04.133 PM // 2:02:06.501 PM /

Verify Womens Menu and page fonctionality

@women

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	2.363 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	    at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	    at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	    at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on women link	SKIPPED	0.000 s
3	And I click on Tees button	SKIPPED	0.000 s
4	Then I should be redirected to Tees page	SKIPPED	0.001 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Bras and Tanks in Women page

FAILED	DURATION - 1.898 s
/ 2:02:06.507 PM // 2:02:08.405 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.891 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41) at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24) at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5) * Not displayable characters are replaced by '?'.		
2	When I click on women link	SKIPPED	0.001 s
3	And I click on Bras and Tanks button	SKIPPED	0.001 s
4	Then I should be redirected to Bras and Tanks page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41) at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35) at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145) at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Pants in Women page

FAILED	DURATION - 1.874 s

/ 2:02:08.421 PM // 2:02:10.295 PM /

Verify Womens Menu and page fonctionality

@women

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.868 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)
	  at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)
	  at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)
	  at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click on women link	SKIPPED	0.000 s
3	And I click on Pants button	SKIPPED	0.001 s
4	Then I should be redirected to Pants page	SKIPPED	0.000 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration

	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	   at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)
	   at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)
	   at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null
	   at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)
	   at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)
	   at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)
	   at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	   at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	   at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:64)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:110)
	   at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)
	   at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)
	   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)
	   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)
	   at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)
	   at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)
	   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)
	   at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)
	   at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)
	   at org.junit.runners.ParentRunner.run(ParentRunner.java:309)
	   at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

check Shorts in Women page

FAILED	DURATION - 1.999 s
/ 2:02:10.301 PM // 2:02:12.300 PM /	
Verify Womens Menu and page fonctionality	
@women	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on the Accueil page	FAILED	1.997 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.179 with binary path C:\Users\WajdiABDELHAFIDH\AppData\Local\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-RKT0V6J', ip: '192.168.128.30' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)		
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52)		
	at com.e2e.lumaProject.Base.lunchBrowser(Base.java:41)		
	at com.e2eTests.stepDefinition.AccueilPageSteps.i_am_on_the_accueil_page(AccueilPageSteps.java:24)		
	at ?.I am on the Accueil page(file:///C:/Users/WajdiABDELHAFIDH/eclipse-workspace/Luma_Project/src/specs/features/Women.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When I click on women link	SKIPPED	0.000 s
3	And I click on Shorts button	SKIPPED	0.000 s
4	Then I should be redirected to Shorts page	SKIPPED	0.001 s
	AFTER - com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.RuntimeException: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:32)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "driver" is null		
	at ru.yandex.qatools.ashot.util.InnerScript.execute(InnerScript.java:30)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getFullHeight(ViewportPastingDecorator.java:67)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:41)		
	at ru.yandex.qatools.ashot.shooting.ViewportPastingDecorator.getScreenshot(ViewportPastingDecorator.java:35)		
	at ru.yandex.qatools.ashot.AShot.takeScreenshot(AShot.java:145)		
	at com.e2eTests.stepDefinition.Hooks.runsAfterAnyScenario(Hooks.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		