

```
var number = from num in values
```

```
    where num > 50
```

```
    select num;
```

```
var number = values.Where(x => x > 50);
```

```
var number = from num in values
```

```
    select num * 2;
```

```
var number = values.Select(x => x * x);
```

```
var number = from num in values
```

```
    where num % 2 == 0
```

```
    select num;
```

```
var number = values.Where(x => x % 2 == 0);
```

```
var number = from num in values
```

```
    select num * num;
```

```
var number = values.Select(x => x * x);
```

```
var result = from naam in products
```

```
where naam.Price > 1000
```

```
select naam;
```

```
var topEmployeesByDept = Employee
```

```
.GroupBy(e => e.Department)
```

```
.Select(g => new
```

```
{
```

```
    Department = g.Key,
```

```
    TopEmployees = g
```

```
        .OrderByDescending(e => e.Salary)
```

```
        .Take(5)
```

```
        .Select(e => new
```

```
{
```

```
    e.Name,
```

```
    e.Salary,
```

```
    Monthly = e.Salary / 12
```

```
    })
```

```
});
```

```
var result1 = from c in customers
```

```
    join o in orders
```

```
    on c.CustomerId equals o.CustomerId
```

```
select new
{
    c.Name,
    o.OrderDate
};
```

```
var query = from c in customers
            join o in orders on c.CustomerId equals o.CustomerId into g
            select new { c.Name, Orders = g };
```

```
var result = salerec.GroupBy(a => a.person)
                .Select(s => new
                {
                    Person = s.Key,

                    totalsales = s.Sum(q => q.amount)

                }).OrderByDescending(x => x.totalsales).Take(2);
```

```
var result = salerec.GroupBy(s => s.person)
                .Select(a => new
                {
                    person = a.Key,
```

```
avgamount = a.Average(x => x.amount)
```

```
});
```

```
var result = salerec.GroupBy(x => x.person)
    .Select(s => new
    {
        person = s.Key,
        totalamount = s.Sum(x => x.amount)
    })
    .OrderBy(x => x.totalamount).Take(2);
```

```
var result = from n in salerec
    group n by n.region into g
    select new
    {
        region = g.Key,
        tsales = g.Sum(x => x.amount)
    };

```

```
var result = (from n in salerec
    group n by n.person into g
    orderby g.Sum(x => x.amount) descending
```

```
select new
{
    person = g.Key,
    totalamount = g.Sum(x => x.amount)
}).Take(2);
;
```

```
var result2 = from n in salerec
               group n by n.person into g
               select new
               {
                   person = g.Key,
                   avgamount = g.Average(x => x.amount)
               };
;
```

```
var totalSales =
from n in SalesRecord
group n by n.region into g
select new
{
    region = g.Key,
    tsales = g.Sum(x => x.amount)
};
;
```