

CASE_001


GT页码: 2, 10, 12

编辑指令: On slide 2, in the Abstract paragraph describing septic-tank service life, change the share for tanks less than three years old from 17.06% to 35.00% and the share with unknown service life from 22.66% to 4.72%. Keep every related statement and visual in the deck consistent, without changing the other service-life groups.




Abstract

The type of septic tank material used can vary but must be impermeable to water. Septic tanks made of cast concrete but at the bottom are not cast and deliberately made seepage should not be used because they pollute from its seepage. The use of this particular material also directly impacts the service life and affects the performance of the septic tank even though there is no standard regarding its usage time limit. This research aims to identify the use of material and life service of the septic tank in Kelurahan Pademangan Barat, which is the area with the highest biological pollution of groundwater in the study conducted by BPLHD in 2015. The results of this research identified more than half of the respondents, as many as 65.99%, used septic tanks with partially cast concrete, 33.31% usefully cast material, and the rest from other types of materials. The highest yield was 29.60% had septic tanks that were more than ten years old. The rest is as much 22.66% not knowing the service life, 19.16% with service life 5 - 10 years of use, 11.53% with 3 - 5 years of use, and 17.06%, which are less than three years old.




Abstract

The type of septic tank material used can vary but must be impermeable to water. Septic tanks made of cast concrete but at the bottom are not cast and deliberately made seepage should not be used because they pollute from its seepage. The use of this particular material also directly impacts the service life and affects the performance of the septic tank even though there is no standard regarding its usage time limit. This research aims to identify the use of material and life service of the septic tank in Kelurahan Pademangan Barat, which is the area with the highest biological pollution of groundwater in the study conducted by BPLHD in 2015. The results of this research identified more than half of the respondents, as many as 65.99%, used septic tanks with partially cast concrete, 33.31% usefully cast material, and the rest from other types of materials. The highest yield was 29.60% had septic tanks that were more than ten years old. The rest is as much 4.72% not knowing the service life, 19.16% with service life 5 - 10 years of use, 11.53% with 3 - 5 years of use, and 35.00%, which are less than three years old.



Abstract

The type of septic tank material used can vary but must be impermeable to water. Septic tanks made of cast concrete but at the bottom are not cast and deliberately made seepage should not be used because they pollute from its seepage. The use of this particular material also directly impacts the service life and affects the performance of the septic tank even though there is no standard regarding its usage time limit. This research aims to identify the use of material and life service of the septic tank in Kelurahan Pademangan Barat, which is the area with the highest biological pollution of groundwater in the study conducted by BPLHD in 2015. The results of this research identified more than half of the respondents, as many as 65.99%, used septic tanks with partially cast concrete, 33.31% usefully cast material, and the rest from other types of materials. The largest group, 35.00%, had septic tanks less than three years old. The rest comprised 29.60% more than ten years old, 19.16% with 5 - 10 years of use, 11.53% with 3 - 5 years of use, and 4.72% not knowing the service life.



Relation Between Type and Service Life

- Most of the houses or buildings of residents in Kelurahan Pademangan Barat have septic tanks that are more than ten years old, as much as 29.60%;
- 22.66% not knowing the service life of their septic tank, 19.16% mentioned that their septic tank has a service life of 5 - 10 years, the rest, i.e., 11.53% with 3 - 5 years of use and 17.06% which are less than three years old;
- The type of material used in the design of a septic tank affects the septic tank's life and its resistance to collecting wastewater (Adegoke & Stenstrom, 2019);
- The type of material for using the septic tank can vary, but it must be ensured that they are waterproof.




Figure 5. Service Life of Septic Tank at Kelurahan Pademangan Barat



Relation Between Type and Service Life

- Most of the houses or buildings of residents in Kelurahan Pademangan Barat have septic tanks that are more than ten years old, as much as 29.60%;
- 4.72% not knowing the service life of their septic tank, 19.16% mentioned that their septic tank has a service life of 5 - 10 years, the rest, i.e., 11.53% with 3 - 5 years of use and 35.00% which are less than three years old;
- The type of material used in the design of a septic tank affects the septic tank's life and its resistance to collecting wastewater (Adegoke & Stenstrom, 2019);
- The type of material for using the septic tank can vary, but it must be ensured that they are waterproof.




Figure 5. Service Life of Septic Tank at Kelurahan Pademangan Barat



Relation Between Type and Service Life

- The largest group of houses or buildings of residents in Kelurahan Pademangan Barat have septic tanks that are less than three years old, as much as 35.00%;
- 4.72% not knowing the service life of their septic tank, 19.16% mentioned that their septic tank has a service life of 5 - 10 years, the rest, i.e., 11.53% with 3 - 5 years of use and 29.60% which are more than ten years old;
- The type of material used in the design of a septic tank affects the septic tank's life and its resistance to collecting wastewater (Adegoke & Stenstrom, 2019);
- The type of material for using the septic tank can vary, but it must be ensured that they are waterproof.






Figure 5. Service Life of Septic Tank at Kelurahan Pademangan Barat



Conclusion

From a survey of 1,273 respondents regarding the design and service life of their septic tank at the study area;


- 65.99 % of respondents using a septic tank made from partially cast concrete, 33.31% of respondents using fully cast material and the rest uses others.
- 94.94% of respondents use groundwater as their daily clean water; only 5% use services from local government-owned drinking water companies.
- For the life of the septic tank, as much as 29,60 % have septic tanks that are more than ten years old, 22.66% not knowing the service life of their septic tank, 19.16% have a septic tank that is 5 - 10 years old, 11.53% with 3 - 5 years of use and 17.06% which are less than three years old.



Conclusion

From a survey of 1,273 respondents regarding the design and service life of their septic tank at the study area;

- 65.99 % of respondents using a septic tank made from partially cast concrete, 33.31% of respondents using fully cast material and the rest uses others.
- 94.94% of respondents use groundwater as their daily clean water; only 5% use services from local government-owned drinking water companies.
- For the life of the septic tank, as much as 29,60 % have septic tanks that are more than ten years old, 4.72% not knowing the service life of their septic tank, 19.16% have a septic tank that is 5 - 10 years old, 11.53% with 3 - 5 years of use and 35.00% which are less than three years old.



Conclusion

From a survey of 1,273 respondents regarding the design and service life of their septic tank at the study area;

- 65.99 % of respondents using a septic tank made from partially cast concrete, 33.31% of respondents using fully cast material and the rest uses others.
- 94.94% of respondents use groundwater as their daily clean water; only 5% use services from local government-owned drinking water companies.
- For the life of the septic tank, as much as 29,60 % have septic tanks that are more than ten years old, 4.72% not knowing the service life of their septic tank, 19.16% have a septic tank that is 5 - 10 years old, 11.53% with 3 - 5 years of use and 35.00% which are less than three years old.


CASE_002

GT页码: 6, 7

编辑指令: On slide 6, in the Basecase summary block, change the stated IRR from 19.72% to 30.00%. Keep all related content in the deck consistent while leaving the NPV and non-base scenarios unchanged.

Results

6




Basecase

- NPV: VND 73,155.35 billion
- IRR: 19.72%

☐ The project is financially viable

Results

6




Basecase

- NPV: VND 73,155.35 billion
- IRR: 30.00%

☐ The project is financially viable

Results

6




Basecase

- NPV: VND 73,155.35 billion
- IRR: 30.00%

☐ The project is financially viable


Influence of Power Purchase Ratio and LNG price

7




Influence of Power Purchase Ratio and LNG price

7



Influence of Power Purchase Ratio and LNG price

7




CASE_003


GT页码: 11, 12

编辑指令: On slide 12, in the paragraph summarizing questionnaire ratings, change 'good enough' from 12.50% to 30.00% and 'good' from 42.09% to 24.59%. Keep every related statement and visual consistent and preserve the other rating categories.


Easy Access To Schools



Easy Access To Schools



Easy Access To Schools



The research results from the questionnaire filled out by students stated that 40.21% of the access indicators were very good, 42.09% were good, 12.50% were good enough, 4.82% were not good, and 0.38 was very bad. This shows that in general the access indicators fall into the very good category with a percentage of 40.21% and 42.09%. This is also confirmed by the results of qualitative research that schools are affordable from home, and there are at least 2 schools in one village.

The research results from the questionnaire filled out by students stated that 40.21% of the access indicators were very good, 24.59% were good, 30.00% were good enough, 4.82% were not good, and 0.38 was very bad. This shows that in general the access indicators fall into the very good category with a percentage of 40.21% and 24.59%. This is also confirmed by the results of qualitative research that schools are affordable from home, and there are at least 2 schools in one village.

The research results from the questionnaire filled out by students stated that 40.21% of the access indicators were very good, 24.59% were good, 30.00% were good enough, 4.82% were not good, and 0.38% was very bad. This shows that very good is the largest category at 40.21%, followed by good enough at 30.00% and good at 24.59%. This is also confirmed by the results of qualitative research that schools are affordable from home, and there are at least 2 schools in one village.


CASE_004

GT页码: 5, 6, 7

编辑指令: On slide 7, in the Main insights and Conclusion text, change the base-case IRR from 20.3% to 30.0%. Keep all related content in the deck consistent, but retain the reduced-production IRR of 19% and all other scenario values.


Results

5




Results

5




Results

5




Results

6




Results

6



Results

6



Conclusions and Policy Insights

7

Main insights and Conclusion

- ❑ Base case model is profitable
- ❑ With reduced plant production and sales price profitability is still ensured (NPV and IRR)
- ❑ An example : For 5% reduction i.e. from 27.5GW to 26.15GW, NPV decreases by 14% from 185.9 to 164.7 and IRR from 20.3% to 19%.
- ❑ Dividend to shareholders reduces as plant production and sales price reduce.
- ❑ For example: 10% reduction in sales price of electricity, from 0.045 to 0.0405 decreases dividend from 18.6 to 15 i. e a 19% drop.
- ❑ Irrespective of all the decreases, the project is financially viable(with marginal dividend and IRR) even with up to 25% reductions in electricity price sales and yearly production.

Government actions

- ❑ Encourage investors to invest in solar technologies – high profitability
- ❑ Electricity sales price of 0.045 USD kW/h can be reduced between 5%-20%

Future work

- ❑ Further expansion of the size of the plant by 5MW or more

Conclusions and Policy Insights

7

Main insights and Conclusion

- ❑ Base case model is profitable
- ❑ With reduced plant production and sales price profitability is still ensured (NPV and IRR)
- ❑ An example : For 5% reduction i.e. from 27.5GW to 26.15GW, NPV decreases by 14% from 185.9 to 164.7 and IRR from 30.0% to 19%.
- ❑ Dividend to shareholders reduces as plant production and sales price reduce.
- ❑ For example: 10% reduction in sales price of electricity, from 0.045 to 0.0405 decreases dividend from 18.6 to 15 i. e a 19% drop.
- ❑ Irrespective of all the decreases, the project is financially viable(with marginal dividend and IRR) even with up to 25% reductions in electricity price sales and yearly production.

Government actions

- ❑ Encourage investors to invest in solar technologies – high profitability
- ❑ Electricity sales price of 0.045 USD kW/h can be reduced between 5%-20%

Future work

- ❑ Further expansion of the size of the plant by 5MW or more

Conclusions and Policy Insights

7

Main insights and Conclusion

- ❑ Base case model is profitable
- ❑ With reduced plant production and sales price profitability is still ensured (NPV and IRR)
- ❑ An example : For 5% reduction i.e. from 27.5GW to 26.15GW, NPV decreases by 14% from 185.9 to 164.7 and IRR from 30.0% to 19%.
- ❑ Dividend to shareholders reduces as plant production and sales price reduce.
- ❑ For example: 10% reduction in sales price of electricity, from 0.045 to 0.0405 decreases dividend from 18.6 to 15 i. e a 19% drop.
- ❑ Irrespective of all the decreases, the project is financially viable(with marginal dividend and IRR) even with up to 25% reductions in electricity price sales and yearly production.

Government actions

- ❑ Encourage investors to invest in solar technologies – high profitability
- ❑ Electricity sales price of 0.045 USD kW/h can be reduced between 5%-20%

Future work

- ❑ Further expansion of the size of the plant by 5MW or more

CASE_005


GT页码: 5, 8

编辑指令: On slide 8, revise the Conclusions statement so the 5 km scenario uses a 70% grid share instead of 89%. The corresponding 5 km allocation is now Grid / Mini-grid / Stand-alone PV = 70% / 15% / 15%. Keep all related content consistent and preserve the separate 10 km result of 94%.


Bottom Up demand scenario : Results

5

	Grid	Mini Grid	SA PV	Total
Population in 2030	20215257 (94%)	460275 (2,14%)	826604 (3,86%)	21 502 139 (100%)
Total investment (million USD)	2034,1 (89%)	113,73 (4%)	197,35 (7%)	2858,13 (100%)
Total new connections	6779408 (89%)	462154 (4%)	829338 (7%)	8070900 (100%)
Total Capacity (MW)	344 (78%)	54 (12%)	43 (10%)	441 (100%)




- Number of mini-grids : **1037**
- Number of SHS : **14 902**
- Annual investment required : **\$357 million**
- The electrification rate achieved in 2025 is 90%
- 89% of new connections are On-Grid vs 11% PV off grid




Bottom Up demand scenario : Results

5

	Grid	Mini Grid	SA PV	Total
Population in 2030	20215257 (94%)	460275 (2,14%)	826604 (3,86%)	21 502 139 (100%)
Total investment (million USD)	2034,1 (89%)	113,73 (4%)	197,35 (7%)	2858,13 (100%)
Total new connections	6779408 (89%)	462154 (4%)	829338 (7%)	8070900 (100%)
Total Capacity (MW)	344 (78%)	54 (12%)	43 (10%)	441 (100%)




- Number of mini-grids : **1037**
- Number of SHS : **14 902**
- Annual investment required : **\$357 million**
- The electrification rate achieved in 2025 is 90%
- 89% of new connections are On-Grid vs 11% PV off grid




Bottom Up demand scenario : Results

5

	Grid	Mini Grid	SA PV	Total
Population in 2030	20215257 (94%)	460275 (2,14%)	826604 (3,86%)	21 502 139 (100%)
Total investment (million USD)	2000,69 (70%)	428,72 (15%)	428,72 (15%)	2858,13 (100%)
Total new connections	6779408 (89%)	462154 (4%)	829338 (7%)	8070900 (100%)
Total Capacity (MW)	344 (78%)	54 (12%)	43 (10%)	441 (100%)



- Number of mini-grids : **1037**
- Number of SHS : **14 902**
- Annual investment required : **\$357 million**
- The electrification rate achieved in 2025 is 90%
- 89% of new connections are On-Grid vs 11% PV off grid



Conclusions and Policy Insights

- Conclusions
 - The share of the grid (densification + extension) is very significant in achieving universal access by 2030 due to the robustness of existing grid
 - The share of the grid grow (89% -> 94%) with the increase of the forced grid buffer (5 km -> 10 km)
 - A larger forced grid buffer increase the total investment cost
 - A higher demand increase the share of the grid and mini-grid connections
- Policy Insights
 - The government needs to prioritize investment in modernizing the grid in order to achieve universal access
 - Definition of a regulatory framework for the development SA PV
 - Intensification of rural electrification programs and projects
 - Mobilization funds to achieve electrification goal

Conclusions and Policy Insights

- Conclusions
 - The share of the grid (densification + extension) is very significant in achieving universal access by 2030 due to the robustness of existing grid
 - The share of the grid grow (70% -> 94%) with the increase of the forced grid buffer (5 km -> 10 km)
 - A larger forced grid buffer increase the total investment cost
 - A higher demand increase the share of the grid and mini-grid connections
- Policy Insights
 - The government needs to prioritize investment in modernizing the grid in order to achieve universal access
 - Definition of a regulatory framework for the development SA PV
 - Intensification of rural electrification programs and projects
 - Mobilization funds to achieve electrification goal

Conclusions and Policy Insights




- Conclusions
 - The share of the grid (densification + extension) is very significant in achieving universal access by 2030 due to the robustness of existing grid
 - The share of the grid grow (70% -> 94%) with the increase of the forced grid buffer (5 km -> 10 km)
 - A larger forced grid buffer increase the total investment cost
 - A higher demand increase the share of the grid and mini-grid connections
- Policy Insights
 - The government needs to prioritize investment in modernizing the grid in order to achieve universal access
 - Definition of a regulatory framework for the development SA PV
 - Intensification of rural electrification programs and projects
 - Mobilization funds to achieve electrification goal

CASE_006




GT页码: 7, 9

编辑指令: On slide 9, change the concluding sentence about the projected renewable-energy share in 2030 from 34.2% to 40.0%. Keep every related statement and visual consistent, while leaving the 25% goal and other years unchanged.



Scenario 25% by 2030.



Scenario 25% by 2030.



Scenario 25% by 2030.



Conclusion and Policy Insights

If the new Renewable Projects fulfil their commitment DR will be able to reach the goal of supply 25% of the demand form RES by 2030.

When a Zero-Emissions scenario is set, the transport demand is moved to the electrical sector and the model recommend new capacity from Biomass technology. It suggests that BECS could be a good option to reach Net-Zero by 2050.

The government should continue encouraging new investments to install new RES capacity but should beware of diversify the matrix not only with Solar PV technology, as it is happening now.

Future Work

Even though this model can be used as example in future works, its needed to improved the transport input data and split the electricity demand.

The scenario chart projects renewable energy at 34.2% of demand in 2030.

Conclusion and Policy Insights

If the new Renewable Projects fulfil their commitment DR will be able to reach the goal of supply 25% of the demand form RES by 2030.

When a Zero-Emissions scenario is set, the transport demand is moved to the electrical sector and the model recommend new capacity from Biomass technology. It suggests that BECS could be a good option to reach Net-Zero by 2050.

The government should continue encouraging new investments to install new RES capacity but should beware of diversify the matrix not only with Solar PV technology, as it is happening now.

Future Work

Even though this model can be used as example in future works, its needed to improved the transport input data and split the electricity demand.

The scenario chart projects renewable energy at 40.0% of demand in 2030.

Conclusion and Policy Insights

If the new Renewable Projects fulfil their commitment DR will be able to reach the goal of supply 25% of the demand form RES by 2030.

When a Zero-Emissions scenario is set, the transport demand is moved to the electrical sector and the model recommend new capacity from Biomass technology. It suggests that BECS could be a good option to reach Net-Zero by 2050.

The government should continue encouraging new investments to install new RES capacity but should beware of diversify the matrix not only with Solar PV technology, as it is happening now.

Future Work

Even though this model can be used as example in future works, its needed to improved the transport input data and split the electricity demand.

The scenario chart projects renewable energy at 40.0% of demand in 2030.


CASE_007

GT页码: 15, 16

编辑指令: On slide 16, in the essential-use discussion, change the statement about industrial applications for which substitution is not yet possible from 25 applications to 50 applications. Keep all related content in the deck consistent and leave other use categories unchanged.


Are the alternatives suitable and available?

- Overall, no suitable alternatives available for ~25% of PFAS applications




Are the alternatives suitable and available?

- Overall, no suitable alternatives available for ~25% of PFAS applications




Are the alternatives suitable and available?

- Overall, no suitable alternatives available for ~25% of PFAS applications




Are uses of PFAS essential?

- Information in the database useful for evaluation of the need for the technical function
- **Based on availability of alternatives**, ~25% of uses of PFAS could be considered non-essential
- The suitability chart shows that substitution is not yet possible for **25 industrial applications**.




Are uses of PFAS essential?

- Information in the database useful for evaluation of the need for the technical function
- **Based on availability of alternatives**, ~25% of uses of PFAS could be considered non-essential
- The suitability chart shows that substitution is not yet possible for **50 industrial applications**.



Are uses of PFAS essential?

- Information in the database useful for evaluation of the need for the technical function
- **Based on availability of alternatives**, ~25% of uses of PFAS could be considered non-essential
- The suitability chart shows that substitution is not yet possible for **50 industrial applications**.



CASE_008


GT页码: 6, 20

编辑指令: On slide 20, in the policy discussion, change the publication-language split from 64% English and 25% Finnish to 45% English and 44% Finnish. Keep all related text and visuals consistent without changing the smaller language categories.




Publishing activity of Finnish universities - languages

- From the total number of publications 64 % were written in English.
- 25 % in Finnish




Publishing activity of Finnish universities - languages

- From the total number of publications 45 % were written in English.
- 44 % in Finnish



Publishing activity of Finnish universities - languages

- From the total number of publications 45 % were written in English.
- 44 % in Finnish





The pressure for finding a national solution for Open Access is growing.

But national languages and locally important research must be kept alive!

Important questions:

The language chart shows that 64% of publications are in English and 25% are in Finnish; this imbalance underscores why national languages must be protected in the transition to open access.

Will national publishers and learned societies survive in fully open publishing environment?

Where will the money come from when there´s no paying subscribers?

In Finland, the government is not willing to fund publishers no more than they already do. Will we find a common understanding inside the scholarly community?



The pressure for finding a national solution for Open Access is growing.

But national languages and locally important research must be kept alive!

Important questions:

The language chart shows that 45% of publications are in English and 44% are in Finnish; this imbalance underscores why national languages must be protected in the transition to open access.

Will national publishers and learned societies survive in fully open publishing environment?

Where will the money come from when there´s no paying subscribers?

In Finland, the government is not willing to fund publishers no more than they already do. Will we find a common understanding inside the scholarly community?



The pressure for finding a national solution for Open Access is growing.

But national languages and locally important research must be kept alive!

Important questions:

The language chart shows that 45% of publications are in English and 44% are in Finnish; these figures underscore why national languages must be protected in the transition to open access.

Will national publishers and learned societies survive in fully open publishing environment?




Where will the money come from when there´s no paying subscribers?

In Finland, the government is not willing to fund publishers no more than they already do. Will we find a common understanding inside the scholarly community?

CASE_009

GT页码: 5, 9

编辑指令: On slide 9, change the concluding statement about New Delhi respondents selecting yoga from 78 respondents to 40 respondents. Keep every related statement and visual consistent while leaving other cities and practices unchanged.



Conclusion

- ❖ Student interest in promoting self care and preventative medicine could be seen in their selection and usage of CAM therapies.
- ❖ **Although some students tried CAM to address a health concern they had, majority of them used CAM for other reasons.**
- ❖ **In India, CAM has a financial advantage of costing less than conventional medicine.** Many Indians never receive the services of allopathic physicians at all.
- ❖ But in Western countries with socialized healthcare systems and prevalent medical insurance policies, CAM practices have a higher out-of-pocket expense, hence it is less popular. However, more prevalent CAM practices were those that cost less than others including dietary and vitamin supplements, yoga, and meditation.
- ❖ The cross-city usage chart reports 78 New Delhi respondents selecting yoga.

Conclusion

- ❖ Student interest in promoting self care and preventative medicine could be seen in their selection and usage of CAM therapies.
- ❖ **Although some students tried CAM to address a health concern they had, majority of them used CAM for other reasons.**
- ❖ **In India, CAM has a financial advantage of costing less than conventional medicine.** Many Indians never receive the services of allopathic physicians at all.
- ❖ But in Western countries with socialized healthcare systems and prevalent medical insurance policies, CAM practices have a higher out-of-pocket expense, hence it is less popular. However, more prevalent CAM practices were those that cost less than others including dietary and vitamin supplements, yoga, and meditation.
- ❖ The cross-city usage chart reports 40 New Delhi respondents selecting yoga.

Conclusion

- ❖ Student interest in promoting self care and preventative medicine could be seen in their selection and usage of CAM therapies.
- ❖ **Although some students tried CAM to address a health concern they had, majority of them used CAM for other reasons.**
- ❖ **In India, CAM has a financial advantage of costing less than conventional medicine.** Many Indians never receive the services of allopathic physicians at all.
- ❖ But in Western countries with socialized healthcare systems and prevalent medical insurance policies, CAM practices have a higher out-of-pocket expense, hence it is less popular. However, more prevalent CAM practices were those that cost less than others including dietary and vitamin supplements, yoga, and meditation.
- ❖ The cross-city usage chart reports 40 New Delhi respondents selecting yoga.

CASE_010

GT页码: 2, 12

编辑指令: On slide 2, in the study-objective sentence, change the reported counts from 24 infants due for DPT 3 / Polio 4 and 12 infants due for measles to 36 and 0 respectively. Keep all related content in the deck consistent while preserving the total sample and other immunization stages.

Abstract

During the covid-19 pandemic, many parents are worried about providing basic immunizations for their infants. This caused the basic immunization coverage at Gandusari Public Health Service in Blitar Regency in April 2020 to decrease by **4.9%**, and in May 2020 to decrease by **19.7%**. Study objective: relate Covid-19 knowledge to immunization timeliness; the stage chart includes 24 infants due for DPT 3 / Polio 4 and 12 infants due for measles.



Abstract

During the covid-19 pandemic, many parents are worried about providing basic immunizations for their infants. This caused the basic immunization coverage at Gandusari Public Health Service in Blitar Regency in April 2020 to decrease by **4.9%**, and in May 2020 to decrease by **19.7%**. Study objective: relate Covid-19 knowledge to immunization timeliness; the stage chart includes 36 infants due for DPT 3 / Polio 4 and 0 infants due for measles.



Abstract

During the covid-19 pandemic, many parents are worried about providing basic immunizations for their infants. This caused the basic immunization coverage at Gandusari Public Health Service in Blitar Regency in April 2020 to decrease by **4.9%**, and in May 2020 to decrease by **19.7%**. Study objective: relate Covid-19 knowledge to immunization timeliness; the stage chart includes 36 infants due for DPT 3 / Polio 4 and 0 infants due for measles.




Result & Discussion

General Data

- Based on diagram 4, it was found that out of 71 respondents it showed that a number of 24 respondents (34%) were should given DPT 3 Polio 4 to their infants.
- In the maternal and child health handbook, there is a table that lists what types of immunizations in infants should get and at what age immunizations should be done.
- The immunization schedule is made based on the course of the disease, so that when it is given too late, the results are not optimal.

FIGURE

Diagram 4. Types of Immunization



■ Hepatitis 0 ■ BCG Polio 1 ■ DPT 1 Polio 2
■ DPT 2 Polio 3 ■ DPT 3 Polio 4 ■ Measles


Result & Discussion

General Data

- Based on diagram 4, it was found that out of 71 respondents it showed that a number of 36 respondents (51%) were should given DPT 3 Polio 4 to their infants.
- In the maternal and child health handbook, there is a table that lists what types of immunizations in infants should get and at what age immunizations should be done.
- The immunization schedule is made based on the course of the disease, so that when it is given too late, the results are not optimal.

FIGURE

Diagram 4. Types of Immunization



■ Hepatitis 0 ■ BCG Polio 1 ■ DPT 1 Polio 2
■ DPT 2 Polio 3 ■ DPT 3 Polio 4 ■ Measles


Result & Discussion

General Data

- Based on diagram 4, it was found that out of 71 respondents it showed that a number of 36 respondents (51%) were should given DPT 3 Polio 4 to their infants.
- In the maternal and child health handbook, there is a table that lists what types of immunizations in infants should get and at what age immunizations should be done.
- The immunization schedule is made based on the course of the disease, so that when it is given too late, the results are not optimal.

FIGURE

Diagram 4. Types of Immunization



■ Hepatitis 0 ■ BCG Polio 1 ■ DPT 1 Polio 2
■ DPT 2 Polio 3 ■ DPT 3 Polio 4 ■ Measles