

Drain

Source

GATE

1


IRLML6402 Q1

D+5V

Rev:
Id: 2/13


MIDI Interface Rx

MIDI送受信回路で使うオプトアイソレータはどれが良い？
<https://b.meso.tokyo/post/722104583178092544/opt-isolator-selection-guide-for-midi>
 ⇒TLP2361,TLP2304



Vcc=5Vで動作確認済(Vcc=3.3Vだと動作できない事も確認した)

MIDI Interface Tx



Sheet: /MIDIRxTx/
 File: MIDIRx.kicad_sch

Title:

Size: A4


Date:

Rev:

KiCad E.D.A. 8.0.8

Id: 3/13

F-RAM 16KByte



Sheet: /FRAM/
File: FRAM.kicad_sch

Title:

Size: A4


Date:

Rev:

KiCad E.D.A. 8.0.8

Id: 4/13

CV PMW to DAC Convert



Sheet: /CV/
File: CV.kicad_sch



Title:

Size: A4
KiCad E.D.A. 8.0.8

Date:

Rev:

Id: 5/13



Sheet: /LevelConvert/
File: LevelConvert.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. 8.0.8

Rev:

Id: 6/13



Sheet: /Jack/
File: Jack.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 8.0.8

Rev:

Id: 7/13

12V ACアダプター-15V0.8A LTE10UW-S3-BS01
<https://akizukidenshi.com/catalog/g/g107774/>

Analog PowerSupply

15VPre
 15V
 12V
 5.333V

Digital PowerSupply

5VPre
 5V
 5.333V

BP5293-50の実験
<https://brainvision.digick.jp/wordpress/bp5293-50%E3%81%AE%E5%AE%9F%E9%A8%93/>

Sheet: /PowerSupply/ File: PowerSupply.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.8	Id: 8/13	

Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.8		Id: 8/13

