Name: - Atul Ratnakar Wakle

Program Name: - Hibernate-App-oneToMany & Hibernate-App-ManyToOne

```
package com.app.model;
import java.util.List;
import javax.persistence.CascadeType;
import javax.persistence.Column;
import javax.persistence.Entity;
import javax.persistence.ld;
import javax.persistence.JoinColumn;
import javax.persistence.OneToMany;
import javax.persistence.OrderColumn;
import javax.persistence.Table;
@Entity
@Table(name = "user_table")
public class User {
       @ld
       @Column(name = "user_id")
       private int userId;
       @Column(name = "first_name")
       private String fName;
       @Column(name = "last_Name")
       private String Iname;
       @OneToMany(targetEntity = PhoneNumber.class, cascade = CascadeType.ALL,
                      orphanRemoval = true)
       @JoinColumn(name="unid",referencedColumnName = "user id")
       @OrderColumn(name = "list_index")
       private List<PhoneNumber> phoneNumber;
       public int getUserId() {
               return userId;
```

```
public void setUserId(int userId) {
               this.userId = userId;
       }
       public String getfName() {
               return fName;
       }
       public void setfName(String fName) {
               this.fName = fName;
       }
       public String getLname() {
               return Iname;
       }
       public void setLname(String Iname) {
               this.lname = lname;
       }
       @Override
       public String toString() {
               return "User [userId=" + userId + ", fName=" + fName + ", Iname=" + Iname + ", phoneNumber=" +
phoneNumber
                               +"]";
       }
       public User() {
               super();
               // TODO Auto-generated constructor stub
       }
       public User(int userId, String fName, String Iname, List<PhoneNumber> phoneNumber) {
               super();
               this.userId = 001;
               this.fName = "abc";
               this.lname = "xyz";
               this.phoneNumber = phoneNumber;
       }
       public List<PhoneNumber> getPhoneNumber() {
```

}

```
return phoneNumber;
       }
       public void setPhoneNumber(List<PhoneNumber> phoneNumber) {
               this.phoneNumber = phoneNumber;
       }
}
package com.app.model;
import javax.persistence.Entity;
import javax.persistence.ld;
@Entity
public class Department {
@ld
       private int deptno;
       private String deptName;
       private String deptHead;
       public int getDeptno() {
               return deptno;
       }
       public void setDeptno(int deptno) {
               this.deptno = deptno;
       }
       public String getDeptName() {
               return deptName;
       }
       public void setDeptName(String deptName) {
               this.deptName = deptName;
       }
       public String getDeptHead() {
               return deptHead;
       }
       public void setDeptHead(String deptHead) {
               this.deptHead = deptHead;
```

```
}
       public Department() {
               super();
               // TODO Auto-generated constructor stub
       }
       public Department(int deptno, String deptName, String deptHead) {
               super();
               this.deptno = deptno;
               this.deptName = deptName;
               this.deptHead = deptHead;
       }
package com.app.model;
import javax.persistence.Column;
import javax.persistence.Entity;
import javax.persistence.ld;
import javax.persistence.Table;
@Entity
@Table(name = "phoneNumber")
public class PhoneNumber {
@Id
       private int phone;
       @Column(name = "number_type")
       private String numberType;
       public int getPhone() {
               return phone;
       }
       public void setPhone(int phone) {
               this.phone = phone;
       }
       public String getNumberType() {
               return numberType;
```

```
}
       public void setNumberType(String numberType) {
               this.numberType = numberType;
       }
       @Override
       public String toString() {
               return "PhoneNumber [phone=" + phone + ", numberType=" + numberType + "]";
       }
package com.app.model;
import javax.persistence.CascadeType;
import javax.persistence.Entity;
import javax.persistence.FetchType;
import javax.persistence.ld;
import javax.persistence.JoinColumn;
import javax.persistence.ManyToOne;
@Entity
public class EmpDetails {
@Id
       private int eno;
       private String ename;
       private long salary;
       @ManyToOne(targetEntity = Department.class, cascade=CascadeType.ALL,fetch =FetchType.EAGER)
       @JoinColumn(name = "deptno",referencedColumnName = "deptno")
       private Department department;
       public int getEno() {
               return eno;
       }
       public void setEno(int eno) {
               this.eno = eno;
       }
```

```
public String getEname() {
        return ename;
}
public void setEname(String ename) {
       this.ename = ename;
}
public long getSalary() {
        return salary;
}
public void setSalary(long salary) {
       this.salary = salary;
}
public Department getDepartment() {
        return department;
}
public void setDepartment(Department department) {
       this.department = department;
}
public EmpDetails(int eno, String ename, long salary, Department department) {
       super();
       this.eno = eno;
        this.ename = ename;
       this.salary = salary;
        this.department = department;
}
public EmpDetails() {
       // TODO Auto-generated constructor stub
}
public void setDepartment() {
       // TODO Auto-generated method stub
}
```

```
package com.app.model;
import javax.persistence.CascadeType;
import javax.persistence.Entity;
import javax.persistence.FetchType;
import javax.persistence.ld;
import javax.persistence.JoinColumn;
import javax.persistence.ManyToOne;
@Entity
public class EmpDetails {
@Id
       private int eno;
       private String ename;
       private long salary;
       @ManyToOne(targetEntity = Department.class, cascade=CascadeType.ALL,fetch =FetchType.EAGER)
       @JoinColumn(name = "deptno",referencedColumnName = "deptno")
       private Department department;
       public int getEno() {
               return eno;
       }
       public void setEno(int eno) {
               this.eno = eno;
       }
       public String getEname() {
               return ename;
       }
       public void setEname(String ename) {
               this.ename = ename;
       }
       public long getSalary() {
               return salary;
       }
       public void setSalary(long salary) {
```

```
}
       public Department getDepartment() {
              return department;
       }
       public void setDepartment(Department department) {
              this.department = department;
       }
       public EmpDetails(int eno, String ename, long salary, Department department) {
              super();
              this.eno = eno;
              this.ename = ename;
              this.salary = salary;
              this.department = department;
       }
       public EmpDetails() {
              // TODO Auto-generated constructor stub
       }
       public void setDepartment() {
              // TODO Auto-generated method stub
       }
package com.app.factory;
import com.app.dao.ManyToOneDao;
import com.app.dao.OneToManyDao;
import com.app.dao.impl.ManyToOneDaoImpl;
import com.app.dao.impl.OneToManyDaoImpl;
       //OneToManyDao one= new OneToManyDaoImpl();
public class OneToManyFactory {
       public static OneToManyDao getInstance() {
              return new OneToManyDaoImpl();
```

this.salary = salary;

```
}
       public static ManyToOneDao getManyInstance() {
              return new ManyToOneDaoImpl();
       }
}
package com.app.dao;
public interface ManyToOneDao {
       void addEmployeeWithDept();
package com.app.dao;
public interface OneToManyDao {
       void insertData(); //public Abstract void insertData;
       void listofData();
package com.app.dao.impl;
import java.util.ArrayList;
import java.util.List;
import org.hibernate.Session;
import org.hibernate.Transaction;
import com.app.dao.ManyToOneDao;
import com.app.model.Department;
import com.app.model.EmpDetails;
import com.app.util.UtilityClass;
public class ManyToOneDaoImpl implements ManyToOneDao {
       public void addEmployeeWithDept() {
              // TODO Auto-generated method stub
              Session session=UtilityClass.getSession();
              Department dept1= new Department(1,"HR","Wakle");
              Department dept2=new Department(2,"Production","Shinde");
```

```
dept.add(dept1);
               dept.add(dept2);
               //EmpDetails emp1=new EmpDetails(5001,"atul",50098,dept);
               //EmpDetails emp2=new EmpDetails(5002, "Anant", 6542, dept2);
               EmpDetails em=new EmpDetails();
               em.setDepartment(dept2);
               em.setSalary(2020);
               em.setEname("Pallavi");
               em.setEno(5003);
               Transaction tx=session.beginTransaction();
               session.update(em);
               //session.saveOrUpdate(emp1);
               tx.commit();
               UtilityClass.closeSession();
       }
package com.app.dao.impl;
import java.util.ArrayList;
import java.util.List;
import org.hibernate.Transaction;
import org.hibernate.query.Query;
import org.hibernate.Session;
import com.app.dao.OneToManyDao;
```

List<Department> dept=new ArrayList<Department>();

```
import com.app.model.PhoneNumber;
import com.app.model.User;
import com.app.util.UtilityClass;
public class OneToManyDaoImpl implements OneToManyDao {
       public void insertData() {
              // TODO Auto-generated method stub
              Session session=UtilityClass.getSession();
              Transaction tx=session.beginTransaction();
              PhoneNumber phoneNumber=new PhoneNumber();
              phoneNumber.setNumberType("home");
              phoneNumber.setPhone(97671343);
              PhoneNumber phoneNumber1=new PhoneNumber();
              phoneNumber1.setNumberType("office");
              phoneNumber1.setPhone(876543);
              List<PhoneNumber> list= new ArrayList<PhoneNumber> ();
              list.add(phoneNumber1);
              list.add(phoneNumber);
              User user=new User();
              user.setfName("Atul");
              user.setLname("Wakle");
              user.setUserId(101);
              user.setPhoneNumber(list);
              session.save(user);
              tx.commit();
              UtilityClass.closeSession();
       }
       public void listofData() {
```

```
// TODO Auto-generated method stub
                Session session=UtilityClass.getSession();
                Query<User>query=session.createQuery("from User");
                List<User>list=query.list();
                for(User user:list) {
        System.out.println(user.getUserId()+"\t"+user.getfName()+"\t"+user.getLname()+"\t"+user.getPhoneNumber
r());
               }
                UtilityClass.closeSession();
       }
}
package com.app.util;
import org.hibernate.Session;
import org.hibernate.SessionFactory;
import org.hibernate.cfg.Configuration;
public class UtilityClass {
        private static SessionFactory factory;
        static {
               try {
                       factory=new Configuration().configure("Hibernet-cfg.xml").buildSessionFactory();
                /*
                       Configuration configuration=new Configuration();
                       configuration.configure("Hibernate-cfg.xml");
                       factory=configuration.buildSessionFactory();
                */
               } catch (Exception e) {
                        e.printStackTrace();
               }
```

```
static ThreadLocal<Session> local=new ThreadLocal();
       static Session session=null;
       public static Session getSession() {
               try {
                       if(local.get()==null) {
                                session=factory.openSession();
                                local.set(session);
                                return session;
                       }else {
                                return local.get();
                       }
               } catch (Exception e) {
                       // TODO: handle exception
                       return null;
               }
       }
       public static void closeSession() {
               try {
                       session.close();
               } catch (Exception e) {
                       // TODO: handle exception
                       e.printStackTrace();
               }
       }
package com.app.client;
import com.app.dao.ManyToOneDao;
import com.app.dao.OneToManyDao;
import com.app.factory.OneToManyFactory;
public class Test {
```

}

Output

