THINK TEST TREAT TB

Continued on page 2


Continued on page 2

1

Continued on page 2

Continued on page 2

Continued on page 2



Continued on page 3

Continued on page 3

Continued from source page 1

Why should I get tested for Latent Tuberculosis (TB)?

Tuberculosis, or TB disease, is highly contagious and can be deadly. The TB bacteria can **live in your body for many years** without causing symptoms. This is called latent TB or hidden TB infection. If untreated, latent TB can become active TB at any time and cause illness. When TB becomes active, it can spread to others through the **air. By testing and treating** latent TB, you can protect yourself, your family and friends, **and your community.**

Is it possible for you to catch TB?

Think

Millions of people in the United States have latent TB but are unaware of it.

Anyone can get TB, but the likelihood is higher that

you will have TB if you are:

born in or frequently

that travel to countries where it is common

TB, including those in Asia, Africa, and Latin

America

work in places that

live or have lived in large groups where more

have a higher risk of TB infection, such as those

TB is common, such as the

homeless shelters,

Continued from source page 1

hospital, homeless shelters, facilities of

jails, or prisons.

jails, and homes of

care

You may still be at risk of getting TB even if you have already received the TB vaccine (also called the BCG vaccine) because the protection weakens

over time.

Recently spent time with a person who has active TB disease

has a weaker

immune system

due to certain specific medications

or health conditions such as diabetes, cancer, and

HIV


2

Continued on page 5

Continued on page 5

Continued on page 5






3

Continued on page 5

Continued on page 5



Continued on page 5

Continued on page 5

Continued on page 5

Continued from source page 2

Get Tested How are you tested for

TB infection?

There are two types of tests for TB infection. Talk to your healthcare provider about which test is best for you.

For the skin test, a small needle will be used to place a small amount of material under the skin. You will need to return to your healthcare provider within 2-3 days to see if there is a reaction.

Your healthcare provider may recommend a TB blood test because it can be done in a single visit, and it is more accurate if you have already been vaccinated for TB. The blood test measures how your immune system responds to the bacteria that cause TB.

TB Skin Test

TB Blood Test

Get Treated

What are the **treatment options? If you have latent TB, there are short and convenient treatments available** that can **help protect you from the illness caused by active TB disease.**

Treatment of latent TB infection is the best way to protect you from developing active TB disease. Talk with your healthcare provider about your medications and community resources available to support you in your treatment plan.

Public and private health plans may cover the costs of screening and

treatment for TB infection.

To learn more about TB and how to protect yourself and others, visit www.cdc.gov/thinktesttreattb