TriLingua Test Cases Template

Test inputs and expected outcomes are prepared for TriLingua. Complete the environment and tester fields before execution. Leave Actual Result and Status blank until a test is run; enter observed evidence and Pass, Fail or Blocked afterward.

Scope and preparation

User and Admin workflows cover English, Filipino and Cebuano in all six directions. Accepted inputs are DOCX, PDF, TXT, MD, RTF, ODT, CSV, PPTX and XLSX. RTF and ODT produce DOCX; other configured formats retain their extension. Processing choices are fast, balanced, thorough and auto. PDF column choices are auto, single, left and right.

Default validation limits are 8000 text characters and 51200 KB per upload. Daily document quotas default to 25 files and 262144000 bytes per user. Record actual environment overrides before boundary tests. Provider, OCR, mail, Google OAuth, storage and queue tests require their corresponding services to be configured.

Use disposable users and documents for mutation, deletion, quota and failure tests. Sample addresses and passwords are test inputs, not existing accounts. Prepare each named fixture before execution; these fixtures are not included in this template. Record the build revision, provider, browser and service configuration in Environment. Agree performance and language-quality criteria before acceptance tests.

Coverage

User Registration and Authentication (8) | User Dashboard and Profile (2) | Text Translation Directions (6)

Text Controls and Validation (5) | Document Format Translation (9) | PDF Columns and Document Fidelity (3)

Upload Validation and Quotas (4) | Document Jobs and Recovery (5) | Translation History and Bookmarks (4)

My Documents and Re Translation (4) | Notifications and Account Settings (4) | Admin Access and Analytics (3)

Admin Review Queue and Text Review (4) | Admin Document Draft and Publication (6) | Admin Jobs User Directory and Audit (3)

Security Usability and Non Functional Checks (7)

Prepared 12 October 2026 | 77 test cases | No execution results recorded

User Registration and Authentication

PROJECT NAME:	TriLingua
MODULE NAME:	User Registration and Authentication
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-A01 to U-A08
TEST SCENARIO:	Verify registration, login, session handling and logout

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-A01	Register valid user	Logged out; email is unused.	1. Open Register. 2. Enter data and matching confirmation. 3. Submit; open Dashboard.	Name: Test User Email: user.a@example.test Password: TestOnly!2026	User account is created and authenticated; Dashboard opens. Use a disposable account.		
U-A02	Reject invalid registration	Logged out.	1. Submit separately with invalid name, duplicate email and weak password.	Name: User123 Existing email Password: abc	Each invalid field is rejected with a validation message; no account is created.		
U-A03	User login	Disposable user exists.	1. Open Login. 2. Enter valid credentials. 3. Submit.	User A credentials	User becomes authenticated and can access Dashboard and Translate.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-A04	Reject invalid or empty login	Logged out; test user exists.	1. Try wrong password. 2. Try blank fields and invalid email.	Wrong password; blank values; invalid email	Login is rejected; protected pages remain unavailable; validation or credential error is shown.		
U-A05	Limit failed login attempts	Isolated test IP and account.	1. Submit five wrong passwords. 2. Submit a sixth attempt.	Same test email and IP	Further attempts are temporarily blocked according to the configured login limit; no protected access is granted.		
U-A06	Session refresh and logout	User A is logged in.	1. Refresh Dashboard. 2. Log out. 3. Reopen a protected URL.	/dashboard; /history	Refresh retains the session. After logout, protected content requires login again.		
U-A07	Password reset	Reset mail is configured; disposable account exists.	1. Request reset email. 2. Use valid link and matching new password. 3. Try the old password and reuse the link.	Test inbox; new strong password	Reset changes the password; old credentials and reused reset token are rejected. Mail delivery must be checked.		
U-A08	Google sign in	Google OAuth is configured in the test environment.	1. Select Google sign in. 2. Complete consent. 3. Repeat and cancel a sign-in.	Authorized test Google account	Successful callback authenticates the intended user without duplicate accounts. Cancellation returns a usable login flow.		

User Dashboard and Profile

PROJECT NAME:	TriLingua
MODULE NAME:	User Dashboard and Profile
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-D01 to U-D02
TEST SCENARIO:	Verify user statistics, navigation and empty states

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-D01	Dashboard empty state	User has no translations.	1. Open Dashboard and Profile. 2. Follow Translate and History links.	New test user	Pages render without errors; counts reflect zero records and navigation opens the intended pages.		
U-D02	Dashboard totals	Known text and document records exist for User A.	1. Count all owned records. 2. Open Dashboard and Profile. 3. Compare totals and recent activity.	More than 200 records; known document and word totals	Aggregates match all applicable owned records, including older records; recent activity is limited and ordered correctly.		

Text Translation Directions

PROJECT NAME:	TriLingua
MODULE NAME:	Text Translation Directions
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-T01 to U-T06
TEST SCENARIO:	Verify all six supported language directions

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-T01	English to Filipino	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	English -> Filipino Please submit the report tomorrow. The meeting starts at nine.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		
U-T02	English to Cebuano	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	English -> Cebuano Please submit the report tomorrow. The meeting starts at nine.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-T03	Filipino to English	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	Filipino -> English Pakisumite ang ulat bukas. Magsisimula ang pulong sa alas nuwebe.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		
U-T04	Filipino to Cebuano	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	Filipino -> Cebuano Pakisumite ang ulat bukas. Magsisimula ang pulong sa alas nuwebe.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		
U-T05	Cebuano to English	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	Cebuano -> English Palihog isumite ang taho ugma. Magsugod ang miting sa alas nuwebe.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		
U-T06	Cebuano to Filipino	User logged in; engine and selected provider available.	1. Open Translate. 2. Choose the language pair; enter text. 3. Translate; compare with a bilingual reference.	Cebuano -> Filipino Palihog isumite ang taho ugma. Magsugod ang miting sa alas nuwebe.	Output uses the target language and preserves the request, date and time meaning; history stores the pair and result. Human language review is required.		

Text Controls and Validation

PROJECT NAME:	TriLingua
MODULE NAME:	Text Controls and Validation
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-V01 to U-V05
TEST SCENARIO:	Verify text actions, limits and processing modes

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-V01	Processing modes	Engine and required analysis services are available.	1. Translate the sample separately in each mode. 2. Inspect output and returned mode information.	fast; balanced; thorough; auto English -> Filipino Please submit the report tomorrow.	Configured modes return translated output; reported or resolved mode follows selection. Auto selects a supported mode; no exact wording equality is required.		
U-V02	Reject invalid languages and modes	Authenticated test client.	1. Submit same source and target. 2. Submit unsupported language and mode.	English -> English; Spanish; mode=invalid	Invalid pair or option is rejected; no translation is stored.		
U-V03	Empty and boundary text	Record the environment text limit L. Default L is 8000 characters.	1. Submit no input. 2. Submit L and L+1 characters separately.	No file or text L characters; L+1 characters	Empty input and L+1 are rejected. L passes length validation and is processed subject to service availability.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-V04	Copy download and clear	Successful text result displayed; clipboard allowed.	1. Copy output and paste it. 2. Download text. 3. Clear the editor.	One completed text translation	Copied and downloaded text match the visible result; Clear resets the relevant text fields and errors.		
U-V05	Refresh capability contract	User logged in.	1. Open Translate and its capability endpoint. 2. Compare options and limits.	/translate/capabilities	Browser and server advertise matching languages, formats, modes and limits. Defaults are 8000 characters and 51200 KB per upload; environment overrides are respected.		

Document Format Translation

PROJECT NAME:	TriLingua
MODULE NAME:	Document Format Translation
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-F01 to U-F09
TEST SCENARIO:	Verify every accepted format and its output structure

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-F01	Translate DOCX	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.docx with heading, bold text, table, image, header and footer	DOCX opens; translation preserves content order and inspectable document structure. Images and non-text content remain usable.		
U-F02	Translate PDF	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.pdf with selectable text, heading and table	PDF opens with translated readable text; check page order, overlap and clipping against the original.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-F03	Translate TXT	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.txt with UTF-8 text and multiple lines	TXT opens with translated text; Unicode and line structure remain readable.		
U-F04	Translate MD	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.md with heading, list, link and fenced code	MD remains usable; check translated prose and intact Markdown syntax, link destinations and code.		
U-F05	Translate RTF	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.rtf with paragraphs and a table	Output is DOCX, opens correctly and contains the translated content; compare formatting and content order.		
U-F06	Translate ODT	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.odt with heading and table	Output is DOCX, opens correctly and contains the translated content; compare structure and formatting.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-F07	Translate CSV	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.csv with header, quoted commas and empty cells	CSV opens; row/column counts and quoting remain valid; text is translated without shifting cells.		
U-F08	Translate PPTX	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.pptx with title, body text, table and image	PPTX opens; translated text is readable in the original slide structure; compare shapes, tables and images.		
U-F09	Translate XLSX	User logged in; valid fixture prepared; engine, worker and storage available.	1. Upload fixture. 2. Select English -> Filipino and balanced mode. 3. Wait for completion; download and reopen output.	sample.xlsx with text, number, date, formula and merged cells	XLSX opens; prose is translated; numbers, formulas, dates and workbook structure remain intact. Recalculate and compare formulas.		

PDF Columns and Document Fidelity

PROJECT NAME:	TriLingua
MODULE NAME:	PDF Columns and Document Fidelity
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-P01 to U-P03
TEST SCENARIO:	Verify column choices and complex document content

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-P01	PDF column choices	Two-column PDF has distinct left and right text.	1. Translate separate copies with each column choice. 2. Compare text order and selected content.	auto; single; left; right Distinct column markers	Each supported choice is accepted; output follows the chosen extraction scope. Left and right select the intended column; auto detection must be checked against the fixture.		
U-P02	Scanned PDF behavior	Scanned fixture prepared; record whether OCR dependencies are installed.	1. Upload image-only PDF. 2. Inspect completion or error. 3. Compare recognized text if output is produced.	Scanned readable English page	With working OCR, output contains translated recognized text. If OCR is unavailable or no text can be extracted, show an explicit failure; do not silently produce a blank successful file.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-P03	Long document consistency	Long fixture and bilingual reference prepared.	1. Translate in balanced and thorough modes. 2. Compare first, middle and last sections. 3. Inspect repeated terminology and numbering.	Multi-page report; repeated names, dates and terms	No sections are silently omitted or duplicated; factual tokens and recurring terms remain consistent. A reviewer checks meaning, tables, page layout and overflow.		

Upload Validation and Quotas

PROJECT NAME:	TriLingua
MODULE NAME:	Upload Validation and Quotas
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-Q01 to U-Q04
TEST SCENARIO:	Verify file validation and per-user upload limits

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-Q01	Reject unsupported or disguised file	Disposable user; no running upload.	1. Upload unsupported file. 2. Rename binary file to an accepted extension and upload.	sample.exe; binary renamed to sample.docx	Uploads are rejected by extension or content validation; no translation job or accepted history record is created.		
U-Q02	Reject corrupt document	Damaged fixture prepared.	1. Upload corrupt DOCX or PDF. 2. Observe job and error.	Truncated OOXML archive or damaged PDF	Invalid content is rejected or the job fails explicitly; no successful downloadable result is advertised.		
U-Q03	Upload size boundary	Record configured upload limit L; valid fixtures prepared. Default is 51200 KB.	1. Upload a valid fixture at L. 2. Upload a valid fixture above L.	L KB; L+1 KB	At-limit fixture passes size validation. Above-limit fixture is rejected before translation; hosting request limits must also be recorded.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-Q04	Daily count and byte quotas	Isolated account; record configured quotas. Defaults: 25 files and 262144000 bytes per day.	1. Reach each quota independently. 2. Try another upload and re-translation.	Count limit; cumulative byte limit	Requests exceeding either quota are rejected. Re-translation consumes quota; reused or rejected duplicate work is not charged twice.		

Document Jobs and Recovery

PROJECT NAME:	TriLingua
MODULE NAME:	Document Jobs and Recovery
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-J01 to U-J05
TEST SCENARIO:	Verify asynchronous progress, duplicates and failures

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-J01	Queued document completion	Worker and engine are running.	1. Upload a valid document. 2. Observe progress. 3. Download result; check History.	sample.docx; English -> Cebuano	Submission returns a job identifier; terminal completion exposes a usable result and one corresponding history record.		
U-J02	Repeated document submission	A translation is queued or processing.	1. Submit the identical file and options twice rapidly. 2. Inspect returned identifiers and job records.	Same user, bytes, pair, mode and PDF setting	The active duplicate reuses the existing job; one active job and one quota reservation represent the request.		
U-J03	Refresh during processing	Document job is processing.	1. Refresh Translate. 2. Wait for completion. 3. Compare job identifier.	Existing job identifier	The page resumes status tracking for the same job; refresh does not submit a duplicate translation.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-J04	Provider or engine failure	Disposable environment with controllable provider failure.	1. Cause timeout, provider stop or engine unavailability. 2. Submit text and document jobs. 3. Inspect errors and terminal states.	Timeout; quota/authentication failure; engine offline	Failure is visible and traceable; no false successful history or download is returned. Recoverable service outages do not destroy previous translations.		
U-J05	Completion with unavailable storage	Completed record exists; storage availability can be controlled.	1. Temporarily make output unavailable. 2. Poll status and request download. 3. Restore storage; retry.	Missing file and temporary storage outage tested separately	Download unavailability is reported honestly; no broken ready link is shown. Temporary outage and missing data are distinguished; restored output becomes downloadable.		

Translation History and Bookmarks

PROJECT NAME:	TriLingua
MODULE NAME:	Translation History and Bookmarks
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-H01 to U-H04
TEST SCENARIO:	Verify owned history, actions and record navigation

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-H01	History and pagination	User has text and document history, including more than 50 records.	1. Open History. 2. Navigate pages. 3. Open text and document details.	Known record IDs and timestamps	Owned records are accessible through pagination; pair, type, status and result match each record; details open the selected record.		
U-H02	Rename bookmark and priority	User owns a disposable record.	1. Rename it. 2. Add and remove bookmark. 3. Toggle priority review. 4. Refresh related lists.	Name: Reviewed report	Changes persist for the selected owned record; Bookmarks reflects the toggle and priority state is visible to review workflows.		
U-H03	Original and translated downloads	Completed owned document has original and output files.	1. Download original and translated file. 2. Open previews and files.	Known source and result hashes	Correct files are returned with usable names and types; original content remains unchanged. Previews render safely.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-H04	Delete history record	Disposable owned document; identify any linked translations.	1. Delete selected record. 2. Refresh History, Documents and Bookmarks. 3. Try its former download links.	Disposable record and related file references	Deleted record disappears from owned lists and cannot be accessed. Cleanup must preserve files still referenced by other records or active jobs.		

My Documents and Re Translation

PROJECT NAME:	TriLingua
MODULE NAME:	My Documents and Re Translation
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-M01 to U-M04
TEST SCENARIO:	Verify grouping, filters and stored-original translation

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-M01	Document grouping and filters	Multiple originals and translations span more than one page.	1. Open My Documents. 2. Use name, pair, date and type filters. 3. Navigate pages and clear filters.	Different names, language pairs, dates and types	Page shows owned originals with the correct translations; filters behave consistently within their displayed scope and older records remain reachable through pagination.		
U-M02	Translate original to another language	Owned English original and Filipino result exist in storage.	1. Request Cebuano from the existing original. 2. Wait for completion. 3. Open its grouped result.	Original English document; target Cebuano	Stored original is reused; completed child is linked to the correct source document and is downloadable.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-M03	Repeated re-translation	Owned original exists; same target is processing or completed.	1. Repeat the same re-translation request. 2. Inspect job and returned result.	Same original and target	Active work is reused; a completed matching result is reused when available. No duplicate provider work or quota charge is created.		
U-M04	Unavailable original	Control original-file storage in test environment.	1. Request re-translation with missing original. 2. Repeat during temporary storage outage.	Missing original; unknown storage availability	Missing original prompts re-upload. Temporary availability uncertainty prompts retry; it is not reported as permanent loss.		

Notifications and Account Settings

PROJECT NAME:	TriLingua
MODULE NAME:	Notifications and Account Settings
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	U-S01 to U-S04
TEST SCENARIO:	Verify notification state, account changes and themes

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-S01	Notifications	User has read and unread test notifications.	1. Open Notifications and unread filter. 2. Follow an owned translation link. 3. Mark one then all as read.	Known owned notification IDs	Notifications link to the intended records; unread state and count update correctly and persist after refresh.		
U-S02	Update account details	Disposable User A; User B has a different email.	1. Update name and unused email. 2. Refresh Profile. 3. Attempt duplicate email.	Test User Updated; unused email; User B email	Valid changes persist; duplicate or invalid email is rejected; another account is not modified.		
U-S03	Change password	Disposable user knows current password.	1. Submit wrong current password. 2. Submit valid current and matching new password. 3. Log in with old then new password.	Test-only current and new passwords	Wrong current password is rejected. Valid change succeeds; old password fails and new password authenticates.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
U-S04	Light and dark themes	User logged in.	1. Save light then dark theme. 2. Open Translate, History and Settings. 3. Refresh.	theme=light; theme=dark	Chosen theme persists and remains readable across pages; controls and messages maintain usable contrast.		

Admin Access and Analytics

PROJECT NAME:	TriLingua
MODULE NAME:	Admin Access and Analytics
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	A-D01 to A-D03
TEST SCENARIO:	Verify admin access, aggregates and CSV exports

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-D01	Admin login and access	Provisioned test admin exists.	1. Log in with admin credentials. 2. Open /admin and each admin navigation item.	Test admin credentials	Admin pages open for the authorized role; navigation and data render without errors.		
A-D02	Admin dashboard aggregates	Known pending, verified, edited and flagged records exist.	1. Open Admin Dashboard. 2. Apply supported date controls. 3. Compare totals and trends with fixture records.	Known review counts, dates and metrics	Dashboard summaries, trends and health information reflect their applicable records and filters; absent metrics are not presented as measured performance.		
A-D03	CSV exports	Admin and known review/user/flag fixtures exist.	1. Export review trends, flags and users. 2. Reopen CSV files. 3. Compare rows with source records.	Three export endpoints; cells beginning with =, +, -, @	Exports open with correct headers and applicable data. Spreadsheet formula-like user input is escaped safely.		

Admin Review Queue and Text Review

PROJECT NAME:	TriLingua
MODULE NAME:	Admin Review Queue and Text Review
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	A-T01 to A-T04
TEST SCENARIO:	Verify review selection, text correction, flags and verification

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-T01	Review queue and filters	Admin; mixed translation types and review states.	1. Open Review queue. 2. Apply visible search/status/type controls. 3. Open selected item.	Text/document; pending/verified/edited/flagged; priority item	Filters show matching records; selected review opens the correct original, output and review metadata.		
A-T02	Verify text translation	Admin; pending text item.	1. Compare original and translation. 2. Verify. 3. Refresh review and owner History.	Known pending text ID	Review status becomes verified and an audit entry identifies the actor and action; owner sees the updated status.		
A-T03	Edit text translation	Admin; text item with known output.	1. Change translated text and add note. 2. Save. 3. Compare owner result and audit trail.	Corrected target text; review note	Corrected text persists, review status reflects editing, and the audit trail retains the change; owner receives the saved result.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-T04	Flag text translation	Admin; text item.	1. Enter supported reason and note. 2. Flag. 3. Inspect queue and audit trail.	Meaning error; reviewer note	Flag reason, status and note persist and are auditable; invalid or missing required reason is rejected.		

Admin Document Draft and Publication

PROJECT NAME:	TriLingua
MODULE NAME:	Admin Document Draft and Publication
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	A-P01 to A-P06
TEST SCENARIO:	Verify safe edits, regeneration, verification and concurrent review

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-P01	Open document review	Admin; document with original, output, sidecar and blocks.	1. Open review. 2. Inspect original, translated file and ordered blocks.	Known DOCX document and block IDs	Review displays the correct original and published translation; block order and text match the document.		
A-P02	Save block as draft	Admin; editable document block; baseline output saved for comparison.	1. Edit a block and save draft. 2. Reload editor. 3. Download as owner.	Corrected text; current draft revision	Draft persists and revision advances; owner download remains the last published version until regeneration publishes the edit.		
A-P03	Publish regenerated file	Admin; current draft and storage pointer.	1. Use Save and Regenerate. 2. Reopen returned file and owner download. 3. Compare draft and published revisions.	Current block draft; valid regeneration dependencies	A readable new file contains the edits; publication updates file pointer and published block text atomically; original remains available.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-P04	Verify and flag document	Admin; first a document with unpublished edits, then a published document.	1. Try Verify before publication. 2. Publish edits and Verify. 3. Flag a separate document with reason.	Unpublished draft; published document; flag reason	Unpublished edits prevent verification. Published content can be verified; flag status/reason persist with audit entries.		
A-P05	Concurrent admin edits	Two test admins open the same document revision.	1. Admin A saves an edit. 2. Admin B saves stale revision. 3. Repeat with competing publication.	Same block; stale draft revision or storage pointer	Stale writes return a conflict and prompt reload; newer draft and published content are not overwritten.		
A-P06	Failed regeneration or storage	Admin; published file exists; controlled engine/storage failure.	1. Save a draft. 2. Cause regeneration or readback failure. 3. Attempt publication; download prior output.	Engine error; failed upload/readback	Publication fails explicitly; prior published file and pointer remain usable; draft is retained and orphan cleanup is tracked.		

Admin Jobs User Directory and Audit

PROJECT NAME:	TriLingua
MODULE NAME:	Admin Jobs User Directory and Audit
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	A-O01 to A-O03
TEST SCENARIO:	Verify operational monitoring and read-only directories

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
A-O01	Job monitoring and retry	Admin; recoverable failed document job with original payload.	1. Open Jobs; filter by status/search. 2. Retry recoverable failure once. 3. Inspect completion and repeated retry.	Known failed job; retained source file	Retry requeues eligible work without duplicate completion; missing payload or ineligible retry is refused clearly.		
A-O02	User directory and totals	Admin; users with known translations, including more than 200.	1. Search and sort users. 2. Open user overview and translations. 3. Apply available filters and pagination.	Name/email; recent/name/translations sort	Directory remains read-only; correct user records and full aggregates appear; filters and pagination reach applicable translations.		
A-O03	Audit trail	Login, account change, review edit, flag and publish fixtures exist.	1. Open Audit. 2. Filter review/account type, action and date. 3. Inspect actor, target and change details.	Known audit IDs and dates	Entries match recorded events and actors; filters return relevant actions without exposing passwords or service secrets.		

Security Usability and Non Functional Checks

PROJECT NAME:	TriLingua
MODULE NAME:	Security Usability and Non Functional Checks
ENVIRONMENT:	
CREATED BY:	
DATE OF CREATION:	12 October 2026
DATE OF REVIEW:	

TEST CASE ID:	N-X01 to N-X07
TEST SCENARIO:	Verify isolation, safe previews, accessibility and measured behavior

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
N-X01	Guest and role restrictions	Logged-out session and regular User A.	1. As guest, open protected URLs. 2. As User A, request admin pages and write actions.	/dashboard; /history; /admin; admin review POST	Guests must authenticate; regular users cannot read admin data or perform admin mutations.		
N-X02	Ownership isolation	Users A and B own different files, jobs and notifications.	1. As A, request B detail, file, status and actions. 2. Attempt rename, bookmark, delete and re-translation for B.	User B record/job/notification IDs	Cross-user access is denied or treated as unavailable; B records, files and notification state are unchanged.		
N-X03	Safe document previews	Fixtures contain HTML-like text and script payloads.	1. Preview original and translated documents. 2. Open history details and review blocks.	Text: <script>alert(1)</script> HTML event handlers	Untrusted document text renders safely; scripts or event handlers do not execute in the application origin.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
N-X04	CSRF and engine authorization	Authenticated client; configured engine service token.	1. Submit write request without CSRF token. 2. Call protected engine endpoints without and with invalid service token.	Missing CSRF; missing/wrong X-Service-Token	Unauthorized writes and engine calls are rejected; no translation, review or account mutation occurs.		
N-X05	Responsive keyboard and empty states	Desktop and mobile browsers; keyboard-only session.	1. Open main user and admin pages at 360 and 1280 px widths. 2. Navigate forms/dialogs by keyboard. 3. Inspect empty and error states.	360 px; 1280 px; Tab/Enter/Escape	Required actions remain reachable; focus and labels are usable; no clipped controls; empty/error states explain the next action.		
N-X06	Performance and concurrent work	Record hardware, provider, fixture size and agreed acceptance limits before running.	1. Measure page loads and text/document completion. 2. Submit concurrent work from two users. 3. Inspect states, totals and outputs.	Small and long documents; two users; approved timing limits	Record measured timings against the approved limits. Work stays associated with its owner; no duplicate or lost completion. No timing threshold is assumed by this template.		

TEST CASE ID	TEST CASE	PRE-CONDITION(S)	PROCEDURE(S)	SAMPLE TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
N-X07	Human translation acceptance	Bilingual reviewers and agreed reference corpus/rubric prepared.	1. Review six directions and all relevant formats. 2. Check meaning, terms, names, numbers and omissions. 3. Record errors against the approved rubric.	Prepared bilingual references; approved quality criteria	Translations meet the agreed human quality criteria; automated scores alone do not establish acceptance.		

Identified Concerns

Record findings only after executing tests. Link each finding to the relevant test case and attach evidence separately.

User Role	Module / Function	Identified Concern

Capability sources

TriLingua source review date 12 October 2026. Capability inputs were checked in the current working copy, including local changes. Test expectations are acceptance criteria and are not evidence of successful execution. Reference format: PrimeraAI TestCases, Google document 1UTsKchbl8YzRzGTKWecYd1rxS1eQrXM3V0p6VxrlbtI. The role/module metadata, eight test columns, blue headers and legal landscape page format are retained for TriLingua.

U-A routes/web.php; app/Http/Controllers/Auth
U-D app/Http/Controllers/DashboardController.php; ProfileController.php; app/Services/TranslationStatsService.php
U-T config/translation.php; app/Http/Controllers/TranslationController.php; Model/dto/requests.py
U-V TranslationController.php; resources/views/translation.blade.php; config/translation.php
U-F config/translation.php; Model/document/extractor.py; Model/document/reconstructor.py
U-P config/translation.php; Model/document/document_analyzer.py; Model/document/reconstructor.py; Model/document_translator_v3.py
U-Q config/translation.php; TranslationController.php; app/Services/QuotaService.php; DocumentsController.php
U-J TranslationController.php; app/Jobs/TranslateDocumentJob.php; TranslationJob.php; resources/views/translation.blade.php
U-H HistoryController.php; BookmarksController.php; app/Services/HistoryService.php
U-M DocumentsController.php; resources/views/my-documents.blade.php; app/Services/HistoryService.php
U-S NotificationController.php; SettingsController.php; ProfileController.php
A-D routes/web.php; app/Http/Controllers/Admin/DashboardController.php; app/Http/Middleware/EnsureUserIsAdmin.php
A-T Admin/ReviewController.php; Admin/TextReviewController.php; app/Services/Admin/ReviewService.php
A-P Admin/DocumentReviewController.php; app/Services/Admin/ReviewService.php; Model/document/regenerator.py
A-O Admin/JobController.php; Admin/UserController.php; Admin/AuditLogController.php
N-X routes/web.php; HistoryController.php; NotificationController.php; Model/server.py; resources/views