



Name : Ati Derhem

| A) Answer 5 of the following questions: (5) |                                                                                               |
|---------------------------------------------|-----------------------------------------------------------------------------------------------|
| 1-                                          | Write what you know about PHP and why we use it?                                              |
| 2-                                          | How php works?                                                                                |
| 3-                                          | Why we use variable in php, list down the variable naming syntactical rules?                  |
| 4-                                          | What is constant in PHP, how to create it and how to print it?                                |
| 5-                                          | What do we mean when we say "this script will be handling the form", explain it with example? |
| 6-                                          | Write about validating form data and list down some of the functions we use to do that?       |
| 7-                                          | Write about Array in PHP, and explain one of its kind with example?                           |
| 8-                                          | List down superglobal arrays in php, compare between two of them?                             |

① - php is server scripting language → it's script run on server side  
- it's a powerful tool for making dynamic attractive web pages  
- php nowadays is stand for "PHP: Hypertext preprocessor"  
- php is an amazing and most popular server scripting language

why → when it come to developing dynamic web sites

- php is better - faster - and easy to learn than alternative one
- php is open source and free to download it and use.
- php work with all database - and also all server (Apache - IIS - ec2.)
- php run in different various platform (OS)
- high performance run effectively in server side

③ - variable - is as container to store temporary value

- naming rule
- a variable name must start with dollar sign EX \$name.
- it can contain a combination of letters underscore numbers
- Ex - \$my\_Report
- it start with letter or underscore after \$ but not numbers
- variable name it's case-sensitive in php which mean \$name is differ than \$Name

④ Constant variable -

- unlike a variable - due to it's value cannot be change during script
- it doesn't start with \$ dollar sign like a variable.
- it has global access across the entire script
- to create it you can use define() function
- define (name, value, case-insensitive)

Constant name      ↓      it's value      ↓      default False

and to <sup>access</sup> print it. Does not need to enclose it within quotation mark like echo name;

⑥ absolutely we never start with HTML form submitted data  
- one standard is to use `isset()` function - to test if the variable has value including (0, empty string, false but not null).

⑦ - to check if the user typed something in textual element. we ~~can~~ ~~you~~ used `empty()` function - to check if the variable has an empty value or not real value like (empty string, 0, false and also null)

7. Array can store multiple piece of information or element, items to define Array in PHP we ~~can~~ used `array()` function

→ two type of array

- indexed array → which <sup>used</sup> stored number as keys.

- Associative array → which ~~stored~~ used a string as keys

Ex ~~months~~ = `array('Age' => '20', 'name' => 'Ali');`

string Key <sup>or</sup> Custom Key <sub>its value</sub>

B) Choose the correct answer from the following:

(5)

- 1- PHP is an \_\_\_\_\_ scripting language, meaning that you can intermingle PHP and HTML code within the same file.  
a) client-side      ☒ b) HTML-embedded      c) Java-like
- 2- PHP is \_\_\_\_\_ when it comes to function names.  
a) case-sensitive      b) not case-insensitive      ☒ c) case-insensitive
- 3- PHP supports three \_\_\_\_\_.  
☒ a) comment syntaxes      b) variable syntaxes      c) data types
- 4- To determine the number of elements in an array, use \_\_\_\_\_.  
a) `size()`      b) `length`      ☒ c) `count()`
- 5- The `range()` function can \_\_\_\_\_ an array of sequential letters.  
☒ a) create      ☒ b) display      c) arrange

Wish you all the best,  
Course Instructor  
Hany Alghaithi





Name : Hesham Abdullah Alswaidi

3.5

A) Answer 5 of the following questions:

(5)

- 1- What do you know about dynamic web page?
  - 2- How to send data to the client in php?
  - 3- How to concatenating strings in php, explain more with example?
  - 4- What do you prefer to use a single or double quotation, explain why?
  - 5- List down the most common methods used with form and distinguish between them?
  - 6- Is data validation important in php, why, how to do so?
  - 7- Write about Array in PHP, then compare between its kinds with example?
  - 8- What are superglobal arrays in php, write more about one of them?
1. Dynamic web pages are flexible and potent creatures, described more as an applications than merely sites.
- It responds to different parameters.
  - Has a memory ~~allowing~~ allowing user to login
  - often have interfaces.

0,5

2. There are many ways to send data to the client "server" in PHP but the most common ways are "echo" and "print".

1

3. in PHP to concatenating string use "." sign.
- echo "x" . "y";

0,5

4. Single quotation treated literally.  
Double quotation ~~is~~ interpreted.

Prefer Double quotation because it allowing processes inside it so I can ~~us~~ print output with process results

5. ~~Get~~ Get and post.

Get is not secure as post and it is limited  
Post is more secure and has unlimited number to put inside.

Get show in the URL.  
Post are inside the code.

8. ~~\$-REQUEST~~, \$-SERVER, \$-REQUEST, \$-COOKIE  
\$-ENV, \$-GET and \$-POST.

\$-SERVER stores information about the server in PHP running on

\$-GET stores information from Get method.

B) Choose the correct answer from the following:

- 1- Most Web \_\_\_\_\_ use .html for standard HTML pages and .php for PHP files.  
a) servers b) browser c) designer
- 2- You can embed multiple sections of PHP code within a single HTML \_\_\_\_\_.  
a) tag b) request c) document
- 3- PHP supports eight types of \_\_\_\_\_.  
a) functions b) variables c) comments
- 4- NULL is a special type that has \_\_\_\_\_.  
a) empty string b) 0 value c) no value
- 5- To randomize the order of an array, use \_\_\_\_\_.  
a) rand() b) shuffle() c) rand\_order()

Wish you all the best,  
Course Instructor  
Hany Alghaithi