Date 22-12-2025 Assignment No 02



Foundation University School of Science & Technology

TOPIC

Cyber Kill-Chain

Submitted By

Muhammad Waleed

Submitted To

Mr. Usman Ahmed

Registration No.

FA23-BSIET-086(B)

7) **Action on Objectives:-** The attacker achieves their final goal.

Examples:-

→ Ransomware encrypts all company files and demands Bitcoin.

→ Customer data is stolen and sold on the dark Web.

Goal:- Completes the attack mission.

"Urgent salary Slip" with an attachment. The email looks like it came from HR.
Goal:- Get the malware to the victim.

4) Exploitation:-
The malware exploits a vulnerability to execute code.
Example:-
The employee opens the attachment. The file exploits an unpatched microsoft office vulnerability allowing the malware to run automatically.
Goal:- Gain initial access to the system.

5) Installation:-
Malware installs itself on the victim's system and establishes persistence.
Example:-
A keylogger or backdoor installs silently and restarts every time the computer boots.
Goal:- Maintain long-term acces.

6) Command and Control:-
The infected system connects to the attacker's server to recieve commands.
Examples:-
The compromised computer secretly communicates with a foreign server every few minutes, sending stolen credentials.
Goal:- Remote control of the victim's system.

Cyber Security.

Cyber Kill-chain:-

1) **Reconnaissance:-**

The attacker collects information about the target such as employees, email address, IP ranges, etc.

Example:-

A hacker check a company's LinkedIn Profiles to find ID admins and learns the company uses Microsoft 365. They also scan the company websites for exposed emails.

Goal:- Find weakness and potential entry points

4) **Weaponization:-**

The attacker creates a malicious payload (virus, trojan) and combines it with a delivery method.

Example:-

The attacker creates a fake invoice PDF containing a malicious macro or embeds malware in a word document that looks legitimate.

Goal:- Prepare a weapon that can exploit the target.

3) **Delivery:-**

The attacker delivers the malicious payload to the target.

Example:-

An employee recieves an email titled