

Properties & Maps Module Audit

Comprehensive review of dead code, logic errors, and redundancies in holiday homes property listings & OSRM integration.

SYSTEM
AUDIT

Files Audited

8

Critical Issues

5

Warnings &
Refactoring

18

Clean Status
Files

1

Executive Summary

An audit of the **Properties & Maps** module was performed to identify quality defects, architectural issues, and redundant modules. The module houses core functionality for property listings, Excel/CSV property data imports, and Google Maps coordinate resolution used to run driving matrix computations for clean check-in schedulers.

The review highlighted a **major code redundancy** in the Google Maps resolver module, where logic from `src/lib/maps.ts` was fully duplicated in the API route. Additionally, multiple instances of synchronous state setting inside React hooks (`useEffect`) in client-side files are present, which forces heavy cascading render passes. In the API routing, the route matrix API utilizes a public OSRM server without rate limits or fallback provisions, creating a clear production risk.

Module Files Overview

src/lib/maps.ts

CLEAN

Helper Library

0 ESLint Issues

Implements core coordinate parsing and HTTP redirect tracing. Highly optimized and clean.

resolve-maps-link/route.ts

REDUNDANT

API Route

1 Lint Error | Severe Copy-Paste Duplication

Does not import helper functions; duplicates redirect tracing and regex coordinate parsing entirely.

route-matrix/route.ts

HIGH RISK

API Route

3 Lint Errors | Public Demo Server Risk

Integrates public demo instance of Open Source Routing Machine (OSRM) directly with zero SLA guarantees.

properties/[id]/route.ts

ISSUES

API Route

12 Lint Errors | 1 Unused Variable

Hides compile warnings via // @ts-nocheck. Duplicates contract dates parsing logic.

properties/route.ts

ISSUES

API Route

11 Lint Errors | Redundant variables

Hides compile warnings via `// @ts-nocheck`. Includes duplicate code for property contract evaluations.

properties/import/route.ts

ISSUES

API Route

10 Lint Errors | Boilerplate Code

Main import file utilizing standard spreadsheet library. Heavily typed with any keyword.

properties/page.tsx

PERFORMANCE RISKS

Dashboard List Component

Multiple Unused Imports | 3 Cascading Renders

Hoisting/TDZ error on core load. Heavy performance leaks from synchronous hook updates.

properties/[id]/page.tsx

ISSUES

Dashboard Details Component

Unused functions | 1 Cascading Render

Includes redundant components and logic for auto-renew calculations. Unused router hooks.

Critical & Non-Working Risks

⚠️ Cascading State Updates via Synchronous Effects (Performance Leak)

In client pages `page.tsx` and `[id]/page.tsx`, state variables are updated synchronously inside `useEffect` bodies during initialization. This causes Next.js to trigger a second layout rendering cycle immediately after mounting, hurting application paint times.

src/app/dashboard/properties/[id]/page.tsx (Line 585)

React Antipattern

```
useEffect(() => {
  try {
    const saved = localStorage.getItem('hhs_custom_property_columns');
    if (saved) setCustomColumns(JSON.parse(saved)); // Synchronous state trigger in effect
  } catch (e) {
    console.error('Failed to load custom columns', e);
  }
}, []);
```

Impact: Renders visual flash effects and compromises overall rendering speeds.

Resolution: Initialize state lazily instead: `const [customColumns, setCustomColumns] = useState(() => JSON.parse(localStorage.getItem('hhs_custom_property_columns') || '[]'))`.

⚠️ Direct Dependence on Public Demo OSRM Server

The distance matrix endpoint queries Project OSRM's public demo router instance. This server is not backed by an SLA and can fail, rate limit, or experience downtimes, directly disabling driving duration calculations for listing checks.

src/app/api/route-matrix/route.ts (Line 11)

API Risk

```
const coordString = coordinates.map(c => `${c.lng},${c.lat}`).join(';');
const osrmUrl = `http://router.project-osrm.org/table/v1/driving/${coordString}?
annotations=duration`;
const res = await fetch(osrmUrl);
```

Impact: High vulnerability to rate limiting (429 Status) and complete outage risk for driving time comparisons.

Resolution: Implement a fallback configuration or replace with an enterprise API (Google Maps Matrix API or a self-hosted OSRM container).

Static Quality & Logic Deficiencies

File Location	Issue Type	Detailed Finding Description
properties/page.tsx Line 411	LOGIC BUG	Temporal Dead Zone (TDZ): Calling <code>fetchProperties()</code> before its <code>const</code> declaration: <pre>useEffect(() => { fetchProperties(); }, []); // Accessed before declaration const fetchProperties = async () => { ... } // Declared below</pre>
properties/page.tsx Lines 226-227	SSR RISK	window.Image Instantiation: Evaluates browser-only <code>window.Image</code> objects inside standard event handlers. During server builds, this risks execution crashes if code parsing evaluates server-side. Should wrap with a <code>typeof window !== 'undefined'</code> safety check.
properties/[id]/route.ts Line 479	UNUSED VARIABLE	Unused Destructured Field: <code>missingRequiredFields</code> is extracted on line 479 but is never referenced again in the scope, rendering the operation dead code: <pre>const { missingRequiredFields, ...rest } = currentExtra;</pre>
properties/page.tsx Lines 149 & 280	REACT HOOK	Cascading Effect Triggers: Synchronous state settings of <code>setPicsList</code> and <code>setVisibleColumns</code> inside effects. Triggers unnecessary visual updates. Should compute values directly inline where state changes are initiated.
Multiple files API Modules	TS WARNING	Bypassed Typing (ts-nocheck): Use of <code>// @ts-nocheck</code> in core API endpoints disables type checking completely, leading to extensive use of <code>any</code> and hiding compile bugs.

Redundant & Copy-Pasted Code

Identified Redundancies: resolve-maps-link API vs maps.ts Library

The resolve-maps-link/route.ts file is completely redundant. Instead of importing utility functions from src/lib/maps.ts, the author has copy-pasted the entire parsing, regex expressions, and HTTP redirect resolution block directly inside the API handler.

Duplicate logic in resolve-maps-link/route.ts

```
const parseUrlCoords = (u: string) => {
  let m = u.match(/@(-?\d+\.\d+),(-?\d+\.\d+)/);
  if (m) return { lat:
parseFloat(m[1]), lng: parseFloat(m[2])
};
  m = u.match(/[?&q=(-?\d+\.\d+),(-?\d+\.\d+)/);
  ...
  return null;
};
```

Original logic in src/lib/maps.ts

```
export function
parseCoordinatesFromLink(url: string) {
  if (!url) return null;
  let match = url.match(/@(-?\d+\.\d+),
(-?\d+\.\d+)/);
  if (match) return { lat:
parseFloat(match[1]), ... };
  ...
}
```

Duplicate Contract Date Calculations

The logic to extract the oldest contract start date is repeated line-for-line in the main list endpoint and the specific listing detail endpoint.

src/app/api/properties/route.ts

```
let contractManagedSince = null;
const allStartDates: string[] = [];
if (Array.isArray(splits)) {
  splits.forEach((split: any) => {
    const splitContracts =
      split.contracts || [];
    if (splitContracts.length > 0) {
      splitContracts.forEach((c: any) => {
        if (c.startDate)
          allStartDates.push(c.startDate);
      });
    }
  });
}
```

src/app/api/properties/[id]/route.ts

```
let contractManagedSince = null;
const allStartDates: string[] = [];
if (Array.isArray(splits)) {
  splits.forEach((split: any) => {
    const splitContracts =
      split.contracts || [];
    if (splitContracts.length > 0) {
      splitContracts.forEach((c: any) => {
        if (c.startDate)
          allStartDates.push(c.startDate);
      });
    }
  });
}
```

Dead Code & Unused Modules

File Source	Variable / Import Name	Refactoring Recommendation
properties/page.tsx	MapPin, BadgePercent, FileSignature, LayoutGrid, List, ChevronRight, Bed, Bath, Users, Calendar, Home	Unused Lucide-react icon imports. Delete from package imports on lines 7-11 to reduce bundle footprint.
properties/page.tsx	viewMode, setViewMode	Unused react state variables and setters. Safe to remove entirely.
properties/page.tsx	customColumnsLoaded	State variable declared on line 313 but never read in UI layers. Remove.
properties/[id]/page.tsx	Loader2	Unused Lucide-react icon import. Safe to remove.
properties/[id]/page.tsx	router	Unused router declaration from next/navigation. Remove to clean component boilerplate.
properties/[id]/page.tsx	getEffectiveContractTerm	Calculation function defined on lines 189-226 but never executed. Safe to clean out.
properties/[id]/page.tsx	setGroupBy	Prop callback function defined but unused in view parameters. Clean up reference hooks.

Actionable Recommendations

1 Consolidate Google Maps Link Resolver

Remove the duplicate redirect checking and coordinate regex mapping from `src/app/api/resolve-maps-link/route.ts`. Refactor the API handler to import and call `resolveCoordinates` from `src/lib/maps.ts` directly.

2 Fix Hoisting TDZ & React Effects

Move the declaration of `fetchProperties` to a line before the mounting `useEffect` block inside `properties/page.tsx` to resolve hoisting references. Also, initialize local storage-based states natively using state initializer functions: `useState(() => { ... })`, removing synchronous state triggers from effects.

3 Secure OSRM Driving Matrix Route

Add error recovery or replace the public Project OSRM server with a self-hosted OSRM Docker container or transition the driving matrix calculations to Google Distance Matrix API with fallback configurations to handle offline operations cleanly.

4 Cleanup Dead Imports & variables

Remove all unused icons, variables, and unused helper methods highlighted in the dead code section above to clear boilerplate weight and reduce package bundle footprints.

5 Extract Shared Property Logic

Create a common property parsing utility (e.g. `src/lib/properties.ts`) to house the contract parsing and financial calculations, resolving the duplication between list and detail endpoints. Remove `// @ts-nocheck` flags and type using TypeScript contracts.