

Settings & Configurations Audit

Security & Code Quality Review • Holiday Homes Platform SaaS

AUDIT RESULT: NEEDS ATTENTION

AUDIT SECTIONS

Executive Summary

Critical Bugs

Dead Code Analysis

API Integration Integrity

File-by-File Details



Executive Summary

A static analysis, ESLint, and manual inspection was conducted on the Settings & Configurations module (specifically `dashboard/settings` and `api/settings` modules). The goal was to identify unused code, compilation warnings, architecture issues, and logical bugs.

FILES SCANNED

13

✓ Complete coverage

CRITICAL FLAWS

2

⚠ Immediate Action Required

DEAD CODE ISSUES

19

⚠ Variables & functions

NEXT.JS LINTS

9

i Warnings & style rules

Overall Assessment

While the module compiles successfully (`npm tsc --noEmit` reports 0 syntax/typing issues), ESLint and code audits identified **116 problems**. These include two severe logical blockers, significant dead state logic (leftover from legacy iterations), and broad usage of compiler exclusion tags (`/*ts-nocheck*/`) which hides code defects.

🔥 Critical Logical Failures

The following problems represent major logical bugs that directly impact the application's runtime capabilities or stability.

Bug #1: Invite Tokens Expire in 10 Minutes Instead of 7 Days CRITICAL

CRITICAL

Files: [api/settings/team/route.ts](#) • [api/settings/team/resend-invite/route.ts](#)

In the team invitation flow, invite tokens are configured to expire in exactly **10 minutes**. However, the accompanying developer comments state that invitations should last **7 days**.

Since email delivery and user response times often exceed 10 minutes, the vast majority of invited team members will encounter invalid/expired token errors when attempting to accept invites, blocking workspace onboarding.

```
// src/app/api/settings/team/route.ts
// Line 87: Generate secure invite token (expires in 7 days)
const inviteToken = crypto.randomBytes(32).toString('hex');
const inviteExpiry = new Date(Date.now() + 10 * 60 * 1000); // 10 minutes (bug)
```

Bug #2: Temporal Dead Zone (TDZ) React State Access CRITICAL

CRITICAL

File: dashboard/settings/page.tsx (Lines 173 - 315)

The primary state loading mechanism (`loadState`) is declared at line 173, but the state setter variables it calls (such as `setPageNo`, `setPageCount`, `setPageLength`) are declared much further down in the file (line 646).

In JavaScript, `useState` variable declarations are not hoisted. Referencing these state setters textually above their declarations triggers **Temporal Dead Zone (TDZ)** violations and ESLint errors. This breaks standard React initialization practices and can cause compile failures or unpredictable state assignment issues depending on strict compiler configs.

```
// src/app/dashboard/settings/page.tsx
// Line 173: Loading effect
useEffect(() => {
  ...
  setUpListingApiKey(dbSettings.pms_uplisting_api_key ...); // accessed before declaration
}, [...]);

...
```

```
// Line 646: State declarations
const [upListingApiKey, setUpListingApiKey] = useState('');
```

Dead Code & Unused Logic

The settings interface has multiple state hook declarations, layout states, and import structures that are fully inactive and can be safely removed.

dsClientId, dsSecretKey, dsAccountId...

UNUSED REACT STATES (PAGE.TSX)

Loaded from database settings but never read or rendered in the settings UI. The DocuSign settings card was refactored into a static read-only status box, rendering these state hooks obsolete.

claudeApiKey, claudeModel, claudeStatus

UNUSED REACT STATES (PAGE.TSX)

Declared and initialized in the local company-level settings page but never read. Managed centrally by the system admin.

translationProvider, translationApiKey...

LEGACY INTEGRATION STATES (PAGE.TSX)

Remnant states for translation API keys. The app was refactored to handle translation via localized dictionaries and the centralized Claude API, leaving these states entirely orphaned.

formatPermission(perm: string)

UNUSED HELPER FUNCTION (PAGE.TSX)

A string-formatting mapper defined at line 49 to convert permissions (e.g. `properties_list` → `Properties → list`) which is never called.

Lock, ToggleLeft, ToggleRight, Globe...

UNUSED ICON IMPORTS (PAGE.TSX)

Various lucide-react icons imported at lines 7-11 but never rendered anywhere in the DOM.

verify-claude & verify-docusign API

ORPHANED SETTINGS APIS

These API routes are never called from `settings/page.tsx`. (Note: they are utilized in the super admin panel at `dashboard/page.tsx` but remain entirely dead logic within this settings context).

API Architecture & Redundancy Issues

A review of the 12 route handlers under `src/app/api/settings/` highlighted structural shortcuts and duplicated utility code.

Issue #1: Code Duplication of `resolveLogoUrl()`

The utility function `resolvePublicUrl`, which resolves relative logo paths to public absolute URLs for email templating, is duplicated verbatim across two API route files:

- `src/api/routes/settings/page.tsx` (Lines 14–25)
 - `src/api/routes/settings/index.tsx` (Lines 11–20)
- This violates the DRY (Don't Repeat Yourself) principle. It should be refactored into a shared utility file (e.g., `src/lib/utility.ts`).

Issue #2: Systematic Suppression of TypeScript Errors

Nine of the scanned API route files begin with the `// @ts-nocheck` directive, completely disabling TypeScript type validation for those files.

This bypasses type checking and permits unsafe variable assignments, missing property references (e.g., typing objects as `any`), and potential null-pointer crashes. Removing `@ts-nocheck` and resolving the type definitions is highly recommended.

File-by-File Detailed Findings

A comprehensive breakdown of all settings files and their specific audit entries.

FILE PATH	LINES	SEVERITY	AUDIT FINDINGS	REMEDIATION
dashboard/settings/page.tsx	173–315	CRITICAL	Temporal Dead Zone (TDZ) Violations: States/functions used before declaration.	Move all <code>useState</code> hooks and helper functions to the top of the component scope.
dashboard/settings/page.tsx	3576, 4303	WARNING	Next.js Routing Bypass: Uses HTML <code><a></code> instead of Next.js <code><Link></code> .	Replace <code></code> with <code><Link href="..."></code> .
dashboard/settings/page.tsx	660–679	INFO	Dead States: Unused variables: <code>dsClientId</code> , <code>claudeApiKey</code> , etc.	Delete the unused states and associated loaders.

FILE PATH	LINES	SEVERITY	AUDIT FINDINGS	REMEDIATION
dashboard/settings/page.tsx	7-11, 49	INFO	Dead Code: Unused Lucide icon imports and <code>formatPermission</code> function.	Remove unused imports and helper function.
api/settings/team/route.ts	89	CRITICAL	Logic Error: Expiry token set to 10 minutes instead of 7 days.	Change expiry offset to <code>7 * 24 * 60 * 60 * 1000</code> .
api/settings/team/resend-invite/route.ts	62	CRITICAL	Logic Error: Resent invite also expires in 10 minutes.	Match the correct token duration parameter.
api/settings/team/route.ts	14-25	WARNING	Code Duplication: Verbatim replica of <code>resolveLogoUrl</code> .	Extract into a shared lib directory module.
api/settings/verify-claude/route.ts	6	INFO	Dead Code: Destructured parameter <code>model</code> is never used.	Remove <code>model</code> from destructuring.
api/settings/integrations/route.ts	138	INFO	ESLint Warning: <code>updatedSettings</code> never reassigned; uses <code>let</code> .	Change <code>let</code> declaration to <code>const</code> .
Multiple API Routes	1	WARNING	Compiler Blindspot: Extensive utilization of <code>// @ts-nocheck</code> .	Remove <code>@ts-nocheck</code> and declare proper TypeScript interfaces.