SignalForge Manual QA Testing Guide

Step-by-step instructions to test every feature of SignalForge on your local machine. No coding needed.

BEFORE YOU START

1. **Make sure all services are running.** You need 5 things running at the same time: Docker Desktop (database, Redis, Mailpit, Google Maps Scraper), FreeLLMAPI (AI, port 3002), API server (port 4000), Web app (port 3000), and Lead Discovery Worker.
2. **Open the app:** Go to `http://localhost:3000` in your browser (Chrome recommended).
3. **Login credentials:** Email: `admin@signalforge.local` Password: `SignalForge1!`
4. **Mailpit inbox:** To see test emails, open `http://localhost:8025` in another tab.

TABLE OF CONTENTS

1. Login & Onboarding
2. Dashboard
3. Leads Management
4. Lead Discovery (Google Maps)
5. Campaigns
6. Mailboxes
7. SMTP Pools & Rotation
8. Email Warmup
9. Sending Queue
10. Inbox
11. Analytics
12. Deliverability
13. Automations
14. Website Intelligence
15. AI Features
16. Settings & ICP
17. Logout & Security

---

1. Login & Onboarding

Test 1.1: Log In

Step 1. Open `http://localhost:3000` in your browser.

Step 2. You should see a login page with email and password fields.

Step 3. Enter email: `admin@signalforge.local`

Step 4. Enter password: `SignalForge1!`

Step 5. Click the **Sign In** button.

Expected: You are redirected to the Dashboard or an Onboarding wizard. No error messages appear.

Test 1.2: Wrong Password

Step 1. If logged in, log out first (see Section 17).

Step 2. Enter the correct email but type a wrong password like `wrong123`

Step 3. Click **Sign In**.

Expected: An error message appears saying the credentials are invalid. You stay on the login page.

Test 1.3: Onboarding Wizard (First Time Only)

Step 1. After logging in for the first time, you may see an onboarding wizard.

Step 2. It will ask about your company, target audience, and ideal customer profile (ICP).

Step 3. Fill in the fields with sample data (e.g., company: "Test Corp", industry: "Technology").

Step 4. Click through each step until you reach the Dashboard.

Expected: Each step accepts your input and moves to the next. After completion, you land on the Dashboard.

Note: If you have already completed onboarding, you will go straight to the Dashboard. That is fine - skip this test.

2. Dashboard

Test 2.1: Dashboard Loads

Step 1. After logging in, you should be on the Dashboard.

Step 2. Look at the left sidebar - it should show navigation items like Dashboard, Campaigns, Leads, etc.

Step 3. The main area should show overview statistics (even if all zero, the cards should be visible).

Expected: Dashboard page loads without errors. Stats cards are visible. Sidebar navigation links are all clickable.

Test 2.2: Sidebar Navigation

Step 1. Click each item in the left sidebar one by one:

- Dashboard
- Campaigns
- Leads
- Inbox
- Analytics
- Deliverability
- Automations
- Settings

Step 2. After clicking each one, check that the page changes and a new page loads.

Expected: Every sidebar link takes you to its respective page. No broken links. No blank pages.

3. Leads Management

Test 3.1: View Leads Page

Step 1. Click **Leads** in the sidebar.

Step 2. You should see a page with a table or list of leads.

Step 3. If you have not discovered any leads yet, it may be empty - that is OK.

Expected: The Leads page loads. The table structure is visible (column headers like Name, Email, Company, etc.).

Test 3.2: Add a Lead Manually

Step 1. On the Leads page, look for an **Add Lead** or **+ New Lead** button.

Step 2. Click it to open a form.

Step 3. Fill in: Name = "John Smith", Email = "john@example.com", Company = "Acme Corp".

Step 4. Click **Save** or **Create**.

Expected: The lead appears in the leads list. You can see "John Smith" in the table.

Test 3.3: View Lead Details

Step 1. Click on a lead name (e.g., "John Smith") in the list.

Step 2. A detail view or side panel should open showing all the lead's information.

Expected: Lead details page loads showing the name, email, company, and any other data you entered.

Test 3.4: Edit a Lead

Step 1. On the lead detail view, look for an **Edit** button.

Step 2. Change the company name to "Updated Corp".

Step 3. Save the changes.

Expected: The company name updates to "Updated Corp" and the change persists when you navigate away and come back.

Test 3.5: Search and Filter Leads

Step 1. If there are multiple leads, use the search bar to type a name.

Step 2. Try any filter options available (by status, source, etc.).

Expected: Search narrows the list to matching leads. Filters work without errors.

Test 3.6: Delete a Lead

Step 1. Select a test lead (use the one you created, not real data).

Step 2. Look for a **Delete** option (might be in a menu or at the bottom).

Step 3. Confirm the deletion.

Expected: The lead is removed from the list.

4. Lead Discovery (Google Maps)

Important: The Lead Discovery Worker must be running for this to work. If jobs stay stuck on "Processing" forever, ask your developer to start the worker.

Test 4.1: Open Lead Discovery

Step 1. Click **Leads** in the sidebar.

Step 2. Look for a **Discover Leads** or **Lead Discovery** tab/button.

Step 3. Click it to open the discovery page.

Expected: The lead discovery page loads with a form to enter search criteria.

Test 4.2: Run a Google Maps Discovery

Step 1. Select **Google Maps** as the source (if there are multiple options).

Step 2. Enter a search keyword, e.g., "restaurants".

Step 3. Enter a location, e.g., "New York, NY".

Step 4. Click **Start Discovery** or **Search**.

Step 5. Wait - the job will say "Processing" or "In Progress". This usually takes 2-5 minutes.

Expected: A new discovery job appears with a "Processing" status. After a few minutes, it changes to "Completed" and shows a count of results (usually 20-30 leads).

Test 4.3: View Discovery Results

Step 1. Once a discovery job shows "Completed", click on it to view results.

Step 2. You should see a list of businesses with names, addresses, phone numbers, and ratings.

Expected: Results display real business data scraped from Google Maps (e.g., restaurant names, addresses in New York).

Test 4.4: Import Discovered Leads

Step 1. From the discovery results, select some or all leads.

Step 2. Click **Import** or **Add to Leads**.

Step 3. Go back to the main **Leads** page.

Expected: The imported leads now appear in your main leads list.

5. Campaigns

Important: You need at least one mailbox connected (Section 6) and some leads (Section 3 or 4) before you can fully test campaigns.

Test 5.1: View Campaigns Page

Step 1. Click **Campaigns** in the sidebar.

Step 2. The campaigns list page should load.

Expected: The campaigns page loads showing a list (may be empty if no campaigns exist yet).

Test 5.2: Create a New Campaign

Step 1. Click **+ New Campaign** or **Create Campaign**.

Step 2. Enter a campaign name, e.g., "Test Outreach Campaign".

Step 3. Follow the steps to configure: select leads to include, choose a mailbox to send from.

Expected: Campaign creation wizard walks you through the steps. Each step accepts input without errors.

Test 5.3: Sequence Editor (Email Steps)

Step 1. In the campaign, you should see a "Sequence" or "Steps" editor.

Step 2. Add a first email step: write a subject line and body text.

Step 3. Add a follow-up step (e.g., "Wait 3 days, then send follow-up").

Step 4. Try the **AI Generate** button if available - it should use AI to write email content for you.

Expected: You can add multiple email steps. The sequence editor shows them in order. AI generation (if clicked) produces email text after a few seconds.

Test 5.4: Campaign Settings

Step 1. Look for campaign settings: sending schedule, daily limits, timezone.

Step 2. Set a sending window (e.g., 9am-5pm).

Step 3. Set a daily send limit (e.g., 50 emails per day).

Step 4. Save the settings.

Expected: Settings save without errors. Values persist when you leave and come back.

Test 5.5: Start / Pause a Campaign

Step 1. Once a campaign has leads, steps, and a mailbox, try starting it.

Step 2. Click **Start** or **Activate**.

Step 3. Then click **Pause** to pause it.

Expected: Campaign status changes between Active/Paused. No crashes.

Note: Since you are in local/test mode, emails go to Mailpit (check `http://localhost:8025`) instead of real recipients.

6. Mailboxes

Test 6.1: View Mailboxes Page

Step 1. Look in the sidebar for **Mailboxes** (may be under an "Email" section).

Step 2. Click it. You should see a mailboxes management page.

Expected: The mailboxes page loads. It may show a list of connected mailboxes or an empty state.

Test 6.2: Add a Test Mailbox (SMTP)

Step 1. Click **Add Mailbox** or **Connect Mailbox**.

Step 2. Choose **SMTP** or **Custom SMTP** as the connection type.

Step 3. Enter the Mailpit test SMTP settings:

- SMTP Host: `localhost`
- SMTP Port: `1025`
- Email: `test@signalforge.local`
- No username/password needed for Mailpit

Step 4. Save the mailbox.

Expected: The mailbox is added to your list. It may show a "Connected" or "Active" status.

Note: Google and Microsoft OAuth mailboxes require real credentials and cannot be tested locally without real API keys.

7. SMTP Pools & Rotation

Test 7.1: View SMTP Pools

Step 1. Look in the sidebar for **SMTP Pools** or **SMTP Rotation**.

Step 2. Click it to open the page.

Expected: The SMTP Pools page loads showing pool management options.

Test 7.2: Create an SMTP Pool

Step 1. Click **Create Pool** or **+ New Pool**.

Step 2. Give it a name like "Test Pool".

Step 3. Add any available mailboxes to the pool.

Step 4. Save it.

Expected: The pool is created and shows the mailboxes assigned to it. You can configure rotation strategy (round-robin, random, etc.).

8. Email Warmup

Test 8.1: View Warmup Page

Step 1. Look in the sidebar for **Warmup**.

Step 2. Click it to see the email warmup management page.

Expected: The warmup page loads showing warmup status for mailboxes (or an empty state).

Test 8.2: Enable Warmup for a Mailbox

Step 1. If you have a mailbox connected, look for a toggle or button to enable warmup.

Step 2. Set warmup parameters (e.g., start with 5 emails/day, increase by 2 daily).

Step 3. Enable it.

Expected: Warmup is enabled for the mailbox. The page shows warmup progress/schedule.

Note: Actual warmup sending requires real SMTP connectivity. In local testing, just verify the UI works and settings save correctly.

9. Sending Queue

Test 9.1: View Sending Queue

Step 1. Look in the sidebar for **Sending** or **Queue**.

Step 2. Click it to see the email sending queue.

Expected: The sending queue page loads. It shows scheduled, pending, sent, and failed emails (may be empty if no campaigns are active).

Test 9.2: Check Sent Emails in Mailpit

Step 1. If you started a campaign (Section 5), open `http://localhost:8025`.

Step 2. Check if any test emails have arrived in the Mailpit inbox.

Step 3. Click on an email to read its content.

Expected: Emails sent by campaigns appear in Mailpit with the correct subject and body text you configured.

10. Inbox

Test 10.1: View Inbox

Step 1. Click **Inbox** in the sidebar.

Step 2. The unified inbox page should load.

Expected: Inbox page loads. It shows a list of conversations/threads (may be empty if no replies have been received).

Test 10.2: Inbox Features

Step 1. Check for filter/sort options (All, Unread, Starred, etc.).

Step 2. If there are conversations, click one to open it.

Step 3. Look for reply, forward, and archive buttons.

Expected: Filters are clickable. Conversation threads open correctly. Reply composer appears when you click Reply.

Note: In local testing, the inbox will only show replies if emails were sent and replied to through the test setup. If empty, just verify the page loads and the UI elements are present.

11. Analytics

Test 11.1: View Analytics Dashboard

Step 1. Click **Analytics** in the sidebar.

Step 2. The analytics dashboard should load with multiple sections.

Expected: Analytics page loads showing charts and metrics. Even with no data, the chart containers and labels should be visible.

Test 11.2: Explore Analytics Sub-pages

Step 1. Look for tabs or sub-navigation within Analytics. There should be sections like:

- Overview / Summary
- Campaign Performance
- Lead Analytics
- Email Metrics (opens, clicks, replies)
- Engagement Trends

Step 2. Click through each tab/section.

Expected: Each analytics sub-page loads without errors. Charts and tables are visible (they may show "No data" which is fine for a fresh setup).

Test 11.3: Date Range Filter

Step 1. Look for a date range picker on the analytics page.

Step 2. Try changing the date range (e.g., Last 7 days, Last 30 days, Custom range).

Expected: Date picker works. Charts update (or show appropriate "no data" messages) when you change the range.

12. Deliverability

Test 12.1: View Deliverability Page

Step 1. Click **Deliverability** in the sidebar.

Step 2. The deliverability dashboard should load.

Expected: Deliverability page loads showing metrics about email delivery rates, bounce rates, and reputation.

Test 12.2: Check Domain Health

Step 1. Look for a "Domain Health" or "DNS Check" section.

Step 2. If your domain's SPF, DKIM, and DMARC records are shown, review them.

Expected: The page shows DNS record status. In local testing, records may not be configured - just verify the UI loads correctly.

13. Automations

Test 13.1: View Automations Page

Step 1. Click **Automations** in the sidebar.

Step 2. The automations page should load.

Expected: Automations page loads showing a list of automation rules or workflows (may be empty).

Test 13.2: Create an Automation Rule

Step 1. Click **Create Automation** or **+ New**.

Step 2. Set a trigger (e.g., "When a lead replies").

Step 3. Set an action (e.g., "Move to interested list" or "Send notification").

Step 4. Save the automation.

Expected: Automation is created and visible in the list. Trigger and action are correctly displayed.

14. Website Intelligence

Test 14.1: View Website Intelligence

Step 1. Look for **Website Intelligence** in the sidebar (may be under a sub-menu).

Step 2. Click it to open the page.

Expected: The Website Intelligence page loads. It shows visitor tracking data or a setup wizard to install a tracking script.

Test 14.2: Tracking Script Setup

Step 1. Look for a section that provides a tracking script/pixel code.

Step 2. Verify the script snippet is displayed and looks like valid JavaScript code.

Expected: A JavaScript tracking snippet is shown that you could add to a website. You do not need to install it - just verify it is generated and visible.

Note: Website intelligence tracking requires a real domain. In local testing, just verify the page and script display correctly.

15. AI Features

Important: FreeLLMAPI must be running on port 3002 for AI features to work.

Test 15.1: AI Email Generation

Step 1. Go to **Campaigns** and create or edit a campaign.

Step 2. In the sequence/step editor, look for an **AI Write**, **Generate with AI**, or magic wand button.

Step 3. Click it and provide a prompt or context (e.g., "Write a cold outreach email for a SaaS product").

Step 4. Wait for the AI to generate the email content.

Expected: After a few seconds, AI-generated email text appears in the editor. The text should be relevant to your prompt.

Test 15.2: AI Follow-up Suggestions

Step 1. In a campaign sequence, add a follow-up step.

Step 2. Look for an AI button to generate a follow-up email.

Step 3. It should generate a different email that references the first one.

Expected: AI generates a follow-up email that reads differently from the first step.

Test 15.3: AI Lead Scoring / ICP Matching

Step 1. Go to **Settings** and find the ICP (Ideal Customer Profile) section.

Step 2. Make sure your ICP is configured (industry, company size, etc.).

Step 3. Go to **Leads** and check if leads have a "Score" or "ICP Match" column.

Expected: Leads show a qualification score or ICP match percentage. This may require lead discovery to have been run first.

Test 15.4: AI Lead Research

Step 1. Open a lead's detail page.

Step 2. Look for a **Research** or **Enrich** button.

Step 3. Click it to trigger AI-powered research on the lead.

Expected: The system attempts to find additional information about the lead (company info, social profiles, etc.). Results appear on the lead page.

Note: Some research features may require LinkedIn or external API access. In local testing, the AI may return limited results.

16. Settings & ICP

Test 16.1: Open Settings

Step 1. Click **Settings** in the sidebar.

Step 2. You should see multiple settings sections.

Expected: Settings page loads with sections for account, workspace, ICP, and other configurations.

Test 16.2: Edit Workspace Settings

Step 1. Find the "Workspace" or "Organization" settings section.

Step 2. Try changing the workspace name to "Test Workspace".

Step 3. Click **Save**.

Expected: The workspace name updates and the change is reflected in the UI (e.g., sidebar or header).

Test 16.3: Configure ICP (Ideal Customer Profile)

Step 1. Find the "ICP" or "Ideal Customer Profile" section in Settings.

Step 2. Set criteria like:

- Target Industry: Technology, Healthcare
- Company Size: 50-500 employees
- Location: United States
- Job Titles: CEO, CTO, VP of Sales

Step 3. Save the ICP.

Expected: ICP settings save successfully. These criteria will be used to score leads discovered later.

Test 16.4: Account/Profile Settings

Step 1. Find your account/profile settings.

Step 2. Check that your name and email are displayed correctly.

Step 3. Try changing your display name and saving.

Expected: Profile information is editable and saves correctly.

Test 16.5: Team / User Management

Step 1. Look for a "Team" or "Members" section in Settings.

Step 2. Check that the admin user is listed.

Step 3. Look for an "Invite" button (you do not need to actually invite someone).

Expected: Team management page shows current members with roles. Invite functionality is visible.

17. Logout & Security

Test 17.1: Log Out

Step 1. Look for your profile icon or name in the top-right corner or sidebar bottom.

Step 2. Click it to open a menu.

Step 3. Click **Log Out** or **Sign Out**.

Expected: You are redirected to the login page. Trying to visit `http://localhost:3000` again shows the login page, not the dashboard.

Test 17.2: Protected Pages

Step 1. While logged out, try visiting a page directly by typing the URL (e.g., `http://localhost:3000/leads`).

Expected: You are redirected to the login page. You cannot access protected pages without logging in.

Test 17.3: Log Back In

Step 1. Log in again with `admin@signalforge.local` / `SignalForge1!`

Step 2. Verify your previous data (leads, campaigns, settings) is still there.

Expected: Everything you created earlier is still present. Nothing was lost after logging out and back in.