

EduNexus OS — Release 0.1

Institutional Work Management Foundation

The objective of this release is to establish the **first usable product slice** around the core value chain:

Communication → Request → Workflow → Approval → Task → Evidence → Completion

Release scope

Area	Release 0.1
Identity & access	✓
Organization hierarchy	✓
People/directory	✓
Dashboard	✓
Announcements & circulars	✓
Correspondence	✓
Unified inbox	✓
Requests/cases	✓
Dynamic forms	✓
Workflow & approvals	✓
Tasks & actions	✓
SLA & escalation	✓
Notifications	✓
Documents & attachments	✓
Audit trail	✓
Basic reports	✓
Arabic/English	✓

Area	Release 0.1
Mobile/PWA	✔
Meetings/committees	»» Release 0.2
Decisions/policies	»» Release 0.2
Accreditation/strategy	»» Release 0.3
Advanced AI	»» Release 0.3

1. The first production product

The first release should revolve around a new concept:

My Work

Every employee should open EduNexus and immediately see:

- What do I need to know?
- What do I need to approve?
- What do I need to do?
- What am I waiting for?
- What is overdue?

The home experience therefore becomes:

EduNexus OS

Search

Profile

Home

Good morning, Dr. Ahmed

My Work

Faculty of Engineering

Inbox

Requests

Correspond.

12

4

7

2

Tasks

Tasks

Approvals

Requests

Overdue

Communicate					
Documents	Priority Work				
Reports					
	● Approve faculty workload	Today			
	● Reply to correspondence	Today			
	● Review purchase request	Tomorrow			
	Recent Communications				
	New academic circular				
	Faculty council notification				

This is much more valuable than building another generic university portal.

2. Core navigation

Release 0.1 gets a deliberately focused navigation:

HOME

MY WORK

└— My Tasks

└— My Approvals

└— My Requests

└— Waiting For

└— Overdue

COMMUNICATION

- └─ Announcements
- └─ Circulars
- └─ Correspondence
- └─ Inbox
- └─ Sent

REQUESTS

- └─ New Request
- └─ My Requests
- └─ Assigned Requests
- └─ All Requests

DOCUMENTS

- └─ My Documents
- └─ Shared Documents
- └─ Templates
- └─ Archive

REPORTS

- └─ My Performance
- └─ Department
- └─ Workflow
- └─ Executive

ADMINISTRATION

- └─ Organization

└─ Users
└─ Roles
└─ Forms
└─ Workflows
└─ Notifications
└─ Templates
└─ Audit

3. Release 0.1 core modules

M01 — Identity & Organization

The institution administrator creates:

Tenant

└─ University
 └─ Campus
 | └─ Faculty
 | | └─ Department
 | | └─ Program
 | | └─ Unit
 | └─ Center
 └─ Institute

Each person receives:

- User account
- Employee/student classification
- Organizational unit
- Position
- Manager
- Roles

- Permissions
- Delegation rules
- Notification preferences

4. M02 — Communication Center

Three communication levels:

Announcement

General institutional information.

Circular

Formal institutional communication.

Directive

Communication that creates an explicit action.

Example:

Circular: Examination procedures for Fall 2026.

versus:

Directive: Department heads must submit examination schedules by 20 September.

The second one automatically creates actionable work.

5. M03 — Correspondence

This becomes one of the product's strongest features.

Incoming correspondence

Received

↓

Registration

↓

Classification

↓

Assign



Action



Follow-up



Response



Close

Correspondence record

Correspondence No.

Type

Subject

Source

Recipient

CC

Date

Priority

Classification

Confidentiality

Due Date

Assigned To

Department

Status

Attachments

Related Request

Related Task

Related Document

Audit History

6. M04 — Unified Inbox

Instead of forcing users to inspect five different modules:

Inbox

└— Correspondence

└— Approvals

└— Tasks

└— Requests

└— Notifications

└— Mentions

The user can filter:

All | Action Required | Approval | Correspondence | Task | Request | Overdue

And every item tells the user:

What is required from me?

7. M05 — Request Center

This is the transactional heart of Release 0.1.

Users click:

+ New Request

and select:

Academic

Administrative

HR

Finance

Procurement

IT

Facilities

Student Affairs

Research

Quality

Other

The form changes dynamically according to the request type.

8. Dynamic Form Builder

Administrators can create:

Form

└─ Sections

└─ Fields

└─ Validation Rules

└─ Conditional Fields

└─ Attachments

└─ Permissions

└─ Workflow

└─ SLA

Supported fields:

- Text
- Long text
- Number
- Currency
- Date
- Date/time
- Dropdown

- Multi-select
- Radio
- Checkbox
- User
- Department
- Organization
- Document
- Attachment
- Signature
- Table/grid

Example:

Purchase Request

Request Information

└— Requester

└— Department

└— Purpose

└— Required Date

Items

└— Item

└— Quantity

└— Estimated Cost

└— Justification

Attachments


Approval

- └─ Department Head
 - └─ Finance
 - └─ Authorized Executive
-

9. M06 — Workflow Engine

The workflow designer is visual:


START




FORM

VALIDATE

Department Head Approval



Finance Approval



Dean Approval





TASK



COMPLETION



VERIFY



CLOSE

Supported workflow nodes:

- Start
- Form
- Assignment
- Approval
- Parallel approval
- Conditional branch
- Notification
- Task
- Timer
- SLA
- Escalation
- Webhook
- API call
- Document generation
- End

10. M07 — Approval Center

A manager receives:

Approval Required

Faculty workload plan

Submitted by: Department Head

Department: Computer Science

Total workload: 312 hours

Required action: Approve

[Approve]

[Reject]

[Request Changes]

[Delegate]

The approval must capture:

- decision
- timestamp
- user
- organization
- comments
- delegated authority, if applicable
- related documents
- audit event

No more:

"Please approve this by email."

11. M08 — Tasks & Actions

Every approved workflow can create tasks.

Task

└─ Task ID

└─ Title

└─ Description

└─ Owner

└─ Department

└─ Priority

└─ Start Date

└─ Due Date

└─ SLA

└─ Status

└─ Progress

└─ Dependencies

└─ Evidence

└─ Comments

└─ Audit

Statuses:

New

Assigned

In Progress

Waiting

Blocked

Completed

Verified


Cancelled

Overdue

12. M09 — SLA & Escalation

Example:

Task assigned



Reminder



72 hours



Manager escalation



Executive escalation

The escalation rules are configurable per workflow.

13. M10 — Notification Engine

The architecture:

Business Event



Notification Rule



Audience Resolver



Priority



Channel



Template



Delivery Queue



Email / Push / SMS / Teams



Delivery Receipt

Priority:

Priority	Channels
FYI	In-app
Normal	In-app + Email
Important	In-app + Email + Push
Urgent	In-app + Email + Push + SMS
Emergency	All authorized channels

14. M11 — Documents

Release 0.1 includes institutional document management, but deliberately avoids trying to become a full enterprise ECM.

Core functions:

- Upload
- Download
- Preview
- Version
- Share
- Classify
- Search
- Attach to transaction
- Approve
- Archive
- Retention
- Access control

Most importantly:

documents become associated with business transactions.

For example:

Purchase Request

|
├— Quotation.pdf
├— TechnicalSpecification.docx
├— Approval.pdf
└— PurchaseDecision.pdf

15. M12 — Audit

The audit model is:

Who + What + When + Where + Why + Before + After + Source

Example:

Event:

Approval Approved

User:

Dean / 1042

Transaction:

REQ-2026-001245

Previous:

Pending

New:

Approved

Timestamp:

2026-09-11 14:32

IP:

...

Reason:

Approved according to delegated authority.

We should **not** literally log every UI click as business audit data. Product analytics and technical telemetry should remain separate from legally/business-relevant audit events.

16. First killer workflow

The first showcase workflow should be:

Faculty Administrative Request

Employee



Create Request



Department Review



└─ Changes Required



Employee



Department Approval



Faculty Administration



Dean Approval



Task Generation

|



Execution

|



Evidence Upload

|



Verification

|



Closed

This single workflow demonstrates almost the entire product.

17. Second killer workflow

Executive Circular → Action

This is the feature that differentiates EduNexus from ordinary intranets.

Dean creates:

Circular: Preparation for Academic Accreditation Visit

Target:

All Department Heads

Quality Unit

Program Coordinators

The system asks:

Does this communication require action?

Yes.

Then:

Circular



Audience



Action Required



Department Tasks



Deadlines



Reminders



Escalation



Evidence



Completion Dashboard

The dean can therefore see:

Accreditation Preparation

Departments: 12

Completed: 8

In Progress: 3

Overdue: 1

Completion: 83%

Overdue:

Computer Science

Evidence package

Due: 10 Sep

Escalated: Yes

This is the core EduNexus value proposition.

18. Release dashboard KPIs

Executive

Open Requests

Pending Approvals

Overdue Tasks

SLA Breaches

Correspondence Pending

Department Completion

Workflow Cycle Time

Department Head

My Department

└— Requests

└— Approvals

└— Tasks

└— Overdue

└— Correspondence


└— Team workload


Employee

My Work

- └─ Tasks
 - └─ Approvals
 - └─ Requests
 - └─ Messages
 - └─ Deadlines
-

19. Release 0.1 technical architecture





Recommended initial stack remains:

- **React + TypeScript / Next.js**
- **ASP.NET Core**
- **PostgreSQL**
- **Redis**
- **OpenSearch**
- **RabbitMQ**
- **S3-compatible storage**
- **OIDC/OAuth2**
- **Docker**
- **OpenTelemetry**
- **Prometheus/Grafana**

Kubernetes can be introduced for production environments where the deployment scale justifies it; it shouldn't become a prerequisite for the first developer installation.

20. Initial API surface

/auth

/users

/organizations

/people

/roles

/permissions

/communications

/announcements

/circulars

/correspondence

/inbox

/requests

/cases

/forms

/form-submissions

/workflows

/workflow-instances

/approvals

/tasks

/slas

/escalations

/documents

/templates

/notifications

/reports

/dashboards

/audit

/search

21. Initial database domains

Rather than creating one enormous database model, Release 0.1 uses bounded domains:

Identity

Organization

People

Communication

Correspondence

Requests

Forms

Workflow

Tasks

Documents

Notifications

Reporting

Audit

This leaves room for later domains:

Meetings

Committees

Decisions

Policies

Quality

Accreditation

Strategy

Risk

Resources

AI

22. Release 0.1 Definition of Done

The release is **not finished** when screens exist.

It is finished when an institution can perform this complete journey:

Create communication → target users → require action → generate work → route approval → assign task → enforce SLA → send notifications → collect evidence → verify completion → produce audit trail → report results.

That becomes the **minimum end-to-end product capability**.

23. What we build next

I recommend that the next engineering artifact be the actual:

EduNexus OS Release 0.1 Product Backlog

Not another conceptual document.

It should contain approximately:

- **12 modules**
- **60–80 epics/features**
- **250+ user stories**

- acceptance criteria
- business rules
- permissions
- API requirements
- database entities
- workflow definitions
- screen IDs
- reports
- integration requirements
- non-functional requirements
- release dependencies
- priority: P0/P1/P2
- development sequencing
- Definition of Done

And then we can turn that backlog into the **actual screen-by-screen product specification**, starting with:

Login → Home → My Work → Inbox → Correspondence → Request → Approval → Task → Documents → Reports → Administration.

That is the right next step if the goal is to move EduNexus from **blueprint → product → engineering execution**.

Today 7:21 PM

go for the next the new release and product upgrade

Absolutely. Let's move EduNexus from **Release 0.1 — Work Management Foundation** to the next major product upgrade.

EduNexus OS — Release 0.2

Institutional Governance & Decision Execution

Release 0.1 established:

Communication → Request → Workflow → Approval → Task → Evidence → Completion


Release 0.2 adds the institutional governance layer:

Meeting → Deliberation → Decision → Assignment → Execution → Evidence → Verification → Institutional Knowledge

This is a significant product upgrade because EduNexus stops being primarily a workflow/correspondence product and becomes an **institutional management and governance platform**.

1. The Release 0.2 Product

The new product experience becomes:



2. New Product Positioning

Release 0.1:

Institutional Work Management

Release 0.2:

Institutional Management, Communication & Governance

Long-term:

EduNexus OS — The Digital Operating Layer for Educational Institutions

The product now covers the complete management loop:

Know → Decide → Assign → Execute → Verify → Learn

3. New Navigation

The main navigation should now become:

HOME

MY WORK

└— My Tasks

└— My Approvals

└— My Requests

└— Waiting For

└— Overdue

COMMUNICATION

└— Announcements

└— Circulars

└─ Correspondence

└─ Inbox

└─ Notifications

WORK

└─ Requests

└─ Cases

└─ Workflows

└─ Tasks

└─ SLAs

GOVERNANCE

└─ Committees

└─ Meetings

└─ Agendas

└─ Minutes

└─ Decisions

└─ Actions

POLICIES

└─ Policies

└─ Procedures

└─ Circulars

└─ Acknowledgements

└─ Review Calendar

DOCUMENTS

└─ Repository

└─ Templates

└─ Evidence

└─ Archive

PERFORMANCE

└─ Dashboards

└─ KPIs

└─ Reports

└─ Analytics

ADMINISTRATION

└─ Organization

└─ Users

└─ Roles

└─ Forms

└─ Workflows

└─ Committees

└─ Templates

└─ Integrations

└─ Audit

4. Major New Module: Committees

This becomes one of EduNexus's signature capabilities.

Committee master

Committee

└─ Committee ID

└─ Name

└─ Arabic Name

└─ Type

└─ Authority

└─ Chair

└─ Secretary

└─ Members

└─ Alternate Members

└─ Term

└─ Frequency

└─ Quorum

└─ Mandate

└─ Reporting Line

└─ Confidentiality

└─ Status

└─ Documents

Committee types:

- University Council
- Faculty Council
- Department Council
- Academic Committee
- Quality Committee
- Examination Committee
- Research Committee
- Ethics Committee

- Procurement Committee
- Recruitment Committee
- Student Affairs Committee
- Disciplinary Committee
- Temporary Committee
- Task Force

5. Committee Workspace

Each committee gets its own workspace.

Faculty Council

Chair: Dean

Overview | Meetings | Members | Decisions | Docs

Next Meeting

18 September 2026 — 10:00 AM

Pending Actions: 17

Overdue: 3

Decisions this year: 42

Implementation: 91%

This is much stronger than merely having a meeting calendar.

6. Meeting Management

The meeting lifecycle becomes:

Create Meeting



Schedule



Invite Members



Collect Agenda Items



Collect Documents



Prepare Agenda



Approval



Send Agenda



Meeting



Attendance



Discussion



Minutes



Decisions



Actions



Follow-up

7. Agenda Builder

The secretary can create:

Meeting

|

|— Opening

|— Previous Minutes

|— Follow-up Actions

|— Agenda Item 1

|

|— Background

|

|— Proposal

|

|— Documents

|

└ Recommendation

|

|— Agenda Item 2

|

|— Background

|

|— Proposal

|

└ Documents

|

└ Any Other Business

Each agenda item can produce a decision.

8. Digital Meeting Room

The meeting workspace:

FACULTY COUNCIL — 18 SEP 2026			
Agenda	Documents	Attendance	Chat
03 — Curriculum Revision			
Background			
[document preview]			
Recommendation:			
Approve proposed curriculum revision.			
Discussion			
Decision			
[Approve] [Reject] [Defer] [Request Revision]			

9. Decision Management

This is arguably the most important upgrade.

A decision is no longer just text inside meeting minutes.

It becomes a **managed institutional object**.

Decision record

Decision Number

Title

Subject

Decision Type

Authority

Committee

Meeting

Agenda Item

Decision Date

Decision Text

Rationale

Owner

Affected Units

Deadline

Priority

Status

Related Policy

Related Documents

Actions

Evidence

Implementation %

Verification

Audit History

10. Decision Lifecycle

PROPOSED

↓

DISCUSSION

↓

APPROVED

↓

PUBLISHED

↓

ASSIGNED

↓

IN EXECUTION

↓

EVIDENCE SUBMITTED

↓

VERIFICATION

↓

IMPLEMENTED

↓

CLOSED

Alternative:

APPROVED

↓

REJECTED

↓

RETURNED

↓

REVISED

↓

11. The Decision-to-Execution Engine

This should become a major differentiator.


Example:

Faculty Council Decision

Establish a new cybersecurity course beginning Fall 2027.

EduNexus automatically generates:

Decision



Then the dean sees:

Decision D-2026-041

Implementation: 72%

- ✓ Curriculum approved
- ✓ Course specification completed
- ✓ Quality review completed
- SIS configuration
- LMS configuration
- Final verification

This is the transition from:

meeting software

to

institutional execution software.

12. New Module: Policies & Procedures

Release 0.2 introduces institutional knowledge governance.

Policy lifecycle

Draft

↓

Review

↓

Legal / Quality Review

↓

Approval

↓

Publication



Acknowledgement



Implementation



Periodic Review



Revision / Retirement

Each policy has:

- Policy owner
- Authority
- Version
- Effective date
- Review date
- Audience
- Classification
- Related procedures
- Related forms
- Related workflows
- Acknowledgement requirement
- Approval history

13. Policy-to-Workflow Relationship

This is important.

A policy should not merely sit in a PDF repository.

Example:

Procurement Policy

can be connected to:

Procurement Request



Procurement Workflow



Approval Matrix



Required Documents



Delegation Rules



Audit Rules

Therefore:

Policy → Procedure → Form → Workflow → Task → Evidence

This gives EduNexus a true governance model.

14. Policy Acknowledgement

For selected policies:

Policy Published



Audience Identified



Notification



User Opens Policy



Acknowledgement Required



Acknowledged



Timestamp + Version

Dashboard:

Policy:

Information Security Policy v3

Required:

1,240

Acknowledged:

1,172

Pending:

68

Completion:

94.5%

15. New Module: Institutional Calendar

Release 0.2 consolidates:

- meetings
- committee meetings
- deadlines
- policy reviews

- decision deadlines
- tasks
- events
- examinations through integration
- training
- institutional activities

into a unified calendar.

16. Governance Dashboard

The Dean/President/Director now gets:

INSTITUTIONAL GOVERNANCE		
Decisions	128	
Implemented	96	
In Progress	25	
Overdue	7	
Implementation Rate 87%		
Committee Performance		
Faculty Council	94%	
Quality Committee	89%	
Research Committee	82%	
Academic Committee	91%	

⚠ Decisions Requiring Attention		
D-2026-031	Curriculum revision	12 days late
D-2026-044	Lab renovation	5 days late

17. New Executive KPI Model

Release 0.2 introduces:

Governance KPIs

- Decision implementation rate
- Decision cycle time
- Decision overdue rate
- Action completion rate
- Committee attendance
- Quorum compliance
- Meeting frequency
- Agenda turnaround time
- Minutes approval time
- Decision execution time

Policy KPIs

- Policy acknowledgement
- Policy review compliance
- Expired policies
- Policies pending approval
- Procedure adoption

Management KPIs

- Workflow cycle time

- SLA compliance
 - Approval bottlenecks
 - Department workload
 - Escalations
 - Open cases
-

18. Release 0.2 AI Upgrade

We should introduce **controlled AI**, not unrestricted autonomous decision-making.

AI Meeting Assistant

Before meeting:

"Summarize pending actions from the previous three meetings."

During/after meeting:

"Generate draft minutes."

Then:

"Identify decisions."

Then:

"Extract actions and proposed owners."

The secretary reviews everything before publication.

19. AI Decision Assistant

A manager can ask:

"Show me all Faculty Council decisions that are overdue."

Or:

"Which departments have the highest implementation delays?"

Or:

"Summarize all decisions related to accreditation during 2026."

Or:

"Which policies require review within the next 30 days?"

The AI answers from authorized institutional data.

20. AI Governance Guardrail

The architecture must enforce:

AI

|

|— Retrieve authorized data

|

|— Analyze

|

|— Generate recommendation

|

|— Explain source

|

|— Human approval

AI does **not** independently:

- approve institutional decisions
- change grades
- issue disciplinary decisions
- publish binding policies
- alter financial authority
- override workflow permissions

The human remains accountable.

21. New Data Model

Release 0.2 adds:

Committee

CommitteeMember

CommitteeTerm

Meeting

MeetingParticipant

Agenda

AgendaItem

AgendaDocument

Attendance

Minutes

MinutesVersion

Decision

DecisionAction

DecisionOwner

DecisionEvidence

DecisionVerification

Policy

PolicyVersion

PolicyApproval

PolicyAcknowledgement

Procedure


PolicyReview

CalendarEvent

InstitutionalEvent

Relationships:

Committee



That relationship is fundamental to the product.

22. New API Domains

/committees

/committee-members

/meetings

/agendas

/agenda-items

/attendance

/minutes

/decisions

/decision-actions

/decision-evidence

/decision-verification

/policies

/policy-versions

/policy-approvals

/policy-acknowledgements

/procedures

/calendar

/events

/governance

/governance-dashboard

23. Release 0.2 Security Upgrade

Governance introduces more sensitive information.

Therefore:

Confidentiality levels

Public

Internal

Confidential

Restricted

Highly Confidential

And access becomes:

RBAC + ABAC + organizational scope + record classification.

Example:

A Faculty Council member may access:

Faculty Council

↓

Current term

↓

Committee documents

but not necessarily:

Recruitment Committee

Disciplinary Committee

Confidential HR cases

24. Governance Audit

Every critical governance operation is auditable:

Meeting Created

Meeting Changed

Member Added

Agenda Submitted

Agenda Approved

Document Added

Attendance Recorded

Minutes Drafted

Minutes Approved

Decision Proposed

Decision Approved

Decision Published

Action Assigned

Action Completed

Evidence Added

Decision Verified

Policy Published

Policy Acknowledged

Policy Revised

25. New Reports

Release 0.2 introduces:

Committee Reports

- Committee activity
- Member attendance
- Meeting statistics
- Quorum compliance
- Agenda statistics
- Minutes turnaround

Decision Reports

- Decisions by period
- Decisions by authority
- Decisions by department
- Decision implementation
- Overdue decisions
- Decision cycle time

Policy Reports

- Policy inventory
 - Policies by status
 - Pending approvals
 - Expired policies
 - Upcoming reviews
 - Acknowledgement compliance
-

26. Release 0.2 Signature Workflow

We should make this one of the product's demo workflows:

Faculty Council Decision

Secretary



Create Meeting



Collect Agenda



Chair Approves Agenda



Members Receive Agenda



Meeting



Attendance



Discussion



Decision



Chair Approval



Minutes



Decision Publication



Automatic Actions



Departments Execute



Evidence



Verification



Implementation Dashboard

This single workflow demonstrates the full governance capability.

27. Product Upgrade: "Institutional Memory"

This is a new strategic capability.

EduNexus should connect:

Communication



Correspondence



Meetings

|

Decisions

|

Policies

|

Documents

|

Tasks

|

Evidence

|

Reports

So someone can search:

"Show me everything related to the new postgraduate program."

and get:

Communications

Correspondence

Committee meetings

Agenda items

Decisions

Policies

Documents

Tasks

Evidence

Approvals

Reports

This becomes the institution's **institutional memory layer**.

28. Release 0.2 Product Differentiation

At this point EduNexus is no longer competing only with:

- correspondence systems
- workflow products
- intranets
- collaboration platforms

It begins occupying the space between:

Microsoft 365 / Teams + ERP + SIS + LMS + governance systems + workflow + institutional knowledge.

The strategic difference is:

EduNexus does not attempt to replace these systems. It orchestrates the institutional processes that run across them.

29. Release 0.2 Scope

Existing

12 core modules

Added

8 governance modules

13. Committees

14. Meetings

15. Agenda Management

16. Minutes

17. Decisions

18. Decision Execution

19. Policies

20. Procedures

Plus:

Governance Analytics

Institutional Calendar

AI Meeting Assistant

Institutional Memory

30. Release 0.2 Success Criteria

A production-ready Release 0.2 should allow an institution to execute this scenario entirely inside EduNexus:

Create committee → schedule meeting → build agenda → distribute papers → conduct meeting → record attendance → create minutes → approve minutes → issue decisions → automatically assign actions → track execution → collect evidence → verify implementation → report institutional performance.

If we can demonstrate that end-to-end, **Release 0.2 is a genuine product upgrade**, not simply additional screens.

31. The roadmap now becomes

RELEASE 0.1

Institutional Work Management

|



RELEASE 0.2

Governance & Decision Execution

|



RELEASE 0.3

Institutional Intelligence

|

|— AI Copilot

|— Advanced Analytics

- └─ Accreditation
- └─ Strategic Planning
- └─ Quality
- └─ Risk

|



RELEASE 0.4

Institutional Ecosystem

|

- └─ Student Success
- └─ Resource Management
- └─ External Portal
- └─ Marketplace
- └─ SDK
- └─ Workflow Marketplace
- └─ Advanced Integrations

|



EDUNEXUS OS

Institutional Operating Layer

The strategic shift


R0.1: *"Get the work done."*

R0.2: *"Make the institution governable."*

R0.3: *"Make the institution intelligent."*

R0.4: *"Make the institution an ecosystem."*

That gives us a much stronger product trajectory than continuously adding disconnected modules.



Qwen3.7-Plus

bbp

.docx

1.7 MB

check this product and propose the full technical document to build it

Thinking completed

EduNexus OS — Full Technical Build Document

Release 0.1 (Work Management Foundation) + Release 0.2 (Governance & Decision Execution)

TABLE OF CONTENTS

1. [Executive Summary](#)
2. [System Architecture](#)
3. [Technology Stack](#)
4. [Infrastructure & Deployment](#)
5. [Authentication & Authorization](#)
6. [Database Design — Bounded Domains](#)
7. [API Design & Specifications](#)
8. [Module Technical Specifications](#)
9. [Workflow Engine — Technical Design](#)
10. [Notification Engine — Technical Design](#)
11. [Document Management — Technical Design](#)
12. [Search & Institutional Memory](#)
13. [AI Integration Architecture](#)
14. [Security Architecture](#)
15. [Performance, Scalability & Caching](#)
16. [Monitoring & Observability](#)

- 17. [CI/CD & DevOps Pipeline](#)
- 18. [Testing Strategy](#)
- 19. [Data Migration & Multi-Tenancy](#)
- 20. [Release Phasing & Dependencies](#)
- 21. [Non-Functional Requirements](#)
- 22. [Definition of Done](#)

1. EXECUTIVE SUMMARY

1.1 Product Vision

EduNexus OS is the **Digital Operating Layer for Educational Institutions**. It orchestrates institutional processes across communication, workflow, governance, and execution — without attempting to replace existing SIS, LMS, ERP, or collaboration systems.

1.2 Release Scope

Release	Codename	Core Value
0.1	Work Management Foundation	Communication → Request → Workflow → Approval → Task → Evidence → Completion
0.2	Governance & Decision Execution	Meeting → Deliberation → Decision → Assignment → Execution → Evidence → Verification → Institutional Knowledge

1.3 Strategic Trajectory

- 1
- 2
- 3
- 4

2. SYSTEM ARCHITECTURE

2.1 High-Level Architecture Diagram

- 83
- 84

2.2 Architectural Style

Phase 1 (R0.1–R0.2): Modular Monolith

- All modules deployed as a single ASP.NET Core process
- Each module is a separate project/namespace with explicit public API surface
- Inter-module communication via in-process events (MediatR) + RabbitMQ for async
- Database: single PostgreSQL instance with schema-per-module isolation

Phase 2 (R0.3+): Strangler Fig → Microservices

- Extract high-load modules (Workflow Engine, Notification Engine, AI Service) into independent services
- Each service gets its own database
- API Gateway handles routing

2.3 Key Architectural Decisions

Decision	Choice	Rationale
Architecture style	Modular Monolith first	Faster initial delivery; avoids distributed system complexity for <1000 concurrent users
Frontend framework	Next.js 14+ (App Router)	SSR for initial load, CSR for interactive dashboards, PWA support built-in
Backend framework	ASP.NET Core 8/9	Enterprise-grade, high performance, strong typing, excellent DI
Database	PostgreSQL 16	JSONB for dynamic forms, full-text search fallback, row-level security for multi-tenancy
Cache	Redis 7	Session, workflow state, SLA timers, notification dedup
Search	OpenSearch 2.x	Institutional memory, full-text across all entities, Arabic support
Message Queue	RabbitMQ 3.13	Reliable delivery, dead-letter queues, topic exchanges for event fan-out

Decision	Choice	Rationale
Storage	S3-compatible (MinIO / AWS S3)	Documents, attachments, evidence files
Auth	OIDC/OAuth2 (Keycloak or Duende)	Standards-based, SSO, LDAP/AD federation
Containerization	Docker + Docker Compose (dev)	Simple developer onboarding
Orchestration	Kubernetes (production only)	When scale justifies it

3. TECHNOLOGY STACK

3.1 Frontend

Layer	Technology	Version
Framework	Next.js (App Router)	14+
Language	TypeScript	5.x
UI Library	shadcn/ui + Radix Primitives	Latest
State Management	Zustand + React Query (TanStack)	Latest
Form Handling	React Hook Form + Zod	Latest
i18n	next-intl	Latest
RTL Support	Tailwind CSS rtl: variants	—
Charts	Recharts / Nivo	Latest
PWA	next-pwa / Serwist	Latest
Rich Text	TipTap	Latest
Workflow Designer	React Flow	Latest
Calendar	FullCalendar	Latest
PDF Viewer	react-pdf	Latest

3.2 Backend

Layer	Technology	Version
Runtime	ASP.NET Core	8/9
Language	C#	12+
API Style	REST + minimal APIs + Controllers	—
ORM	Entity Framework Core	8+
Validation	FluentValidation	Latest
Mediator	MediatR	Latest
Mapping	Mapster	Latest
Background Jobs	Hangfire (or Quartz.NET)	Latest
Workflow Engine	Custom (state machine + Elsa Core evaluation)	—
Real-time	SignalR	Built-in
Health Checks	AspNetCore.HealthChecks	Latest

3.3 Data & Infrastructure

Layer	Technology	Version
Primary DB	PostgreSQL	16
Cache	Redis	7
Search	OpenSearch	2.x
Queue	RabbitMQ	3.13
Object Storage	MinIO (dev) / AWS S3 (prod)	Latest
Auth Server	Keycloak (self-hosted) or Duende IdentityServer	Latest
Monitoring	Prometheus + Grafana	Latest
Tracing	OpenTelemetry + Jaeger	Latest
Logging	Serilog → Seq / ELK	Latest
Container	Docker	Latest

Layer	Technology	Version
Orchestration	Kubernetes (prod)	1.28+
CI/CD	GitHub Actions / GitLab CI	—

4. INFRASTRUCTURE & DEPLOYMENT

4.1 Environment Strategy

Environment	Purpose	Infrastructure
Local	Developer workstation	Docker Compose (all dependencies)
Dev	Integration testing	Single VM / small K8s cluster
Staging	Pre-production validation	Mirrors production
Production	Live tenants	K8s cluster (managed)

4.2 Docker Compose (Developer Setup)

yaml

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

41

42

43

44

45

46

47

48

4.3 Production Architecture (Kubernetes)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

4.4 Resource Estimates (Initial Production)

Component	CPU	RAM	Storage
API (3 pods)	2 cores each	4 GB each	—
Web (3 pods)	1 core each	2 GB each	—
PostgreSQL	4 cores	16 GB	500 GB SSD
Redis	2 cores	8 GB	—
RabbitMQ	2 cores	4 GB	50 GB
OpenSearch	4 cores	16 GB	200 GB
MinIO/S3	2 cores	4 GB	1 TB+

5. AUTHENTICATION & AUTHORIZATION

5.1 Authentication Flow

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

5.2 Token Structure

json

1

2
3
4
5
6
7
8
9
10

5.3 Authorization Model

Hybrid RBAC + ABAC + Organizational Scope

1

Layer	Mechanism	Example
RBAC	Role → Permission mapping	Dean → approval:approve
ABAC	Attribute-based policies	classification <= user.clearance
Org Scope	Hierarchical data filtering	Dean sees only their faculty
Delegation	Temporary authority transfer	Department head delegates to deputy
Classification	Record-level confidentiality	Restricted documents need special role

5.4 Permission Catalog (R0.1 + R0.2)

1
2
3
4
5
6
7
8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

5.5 Delegation Engine

csharp

1

2

3

4

5

6

7

8

9

10

11

6. DATABASE DESIGN — BOUNDED DOMAINS

6.1 Schema Strategy

Each bounded domain gets its own PostgreSQL schema within a single database:

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

6.2 Domain: Identity (identity.)

sql

66

67

68

69

6.3 Domain: Organization (organization.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

6.4 Domain: People (people.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

6.5 Domain: Communication (communication.)

sql

52

53

54

55

6.6 Domain: Correspondence (correspondence.)

sql

1

2

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

30

31

32

33

34

6.7 Domain: Requests (requests.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

6.8 Domain: Forms (forms.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

6.9 Domain: Workflow (workflow.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

6.10 Domain: Tasks (tasks.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

6.11 Domain: Documents (documents.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

6.12 Domain: Committees (committees.) — R0.2

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

6.13 Domain: Meetings (meetings.) — R0.2

sql

49

50

51

52

6.14 Domain: Decisions (decisions.) — R0.2

sql

1

2

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

6.15 Domain: Policies (policies.) — R0.2

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

6.16 Domain: Notifications (notifications.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

6.17 Domain: Audit (audit.)

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

6.18 Domain: Calendar (calendar.) — R0.2

sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

7. API DESIGN & SPECIFICATIONS

7.1 API Conventions

Convention	Standard
Base URL	/api/v1/
Auth	Bearer JWT in Authorization header
Tenant	Extracted from JWT tenant_id claim (no header needed)
Pagination	?page=1&pageSize=20 → { items, total, page, pageSize }
Filtering	?status=Active&priority=Urgent
Sorting	?sortBy=created_at&sortDir=desc
Search	?q=keyword
Language	Accept-Language: ar or en
Error Format	{ type, title, status, detail, errors } (RFC 7807)
Versioning	URL path (/v1/, /v2/)
Rate Limiting	X-RateLimit-Limit, X-RateLimit-Remaining headers

7.2 Complete API Surface

Identity & Access

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

Organization

1

2

3

4

5

6

7

People

1

2

3

4

5

6

Communication

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

Correspondence

1

2

3

4

5

6

7

8

9

10

Inbox

1

2

3

4

5

6

Requests

1

2

3

4

5

6

7

8

Forms

1

2

3

4

5

6

7

8

9

10

Workflows

1

2

3

4

5

6

7

8

9

10

11

Approvals

1

2

3

4

5

6

7

Tasks

1

2

3

4

5

6

7

8

9

10

11

12

SLA & Escalation

1

2

3

4

5

6

Documents

1

2

3

4

5

6

7

8

9

Committees (R0.2)

1

2

3

4

5

6

7

8

Meetings (R0.2)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Decisions (R0.2)

1

2

3

4

5

6

7

8

9

10

Policies (R0.2)

1

2

3

4

5

6

7

8

9

10

11

12

Calendar (R0.2)

1

2

3

4

5

Notifications

1

2

3

4

5

6

7

Reports & Dashboards

1

2

3

4

5

6

7

8

9

10

11

12

Audit

1

2

3

4

Search / Institutional Memory

1

2

3

AI (R0.2)

1

2

3

4

5

8. MODULE TECHNICAL SPECIFICATIONS

8.1 M01 — Identity & Organization

Key Technical Details:

- Multi-tenant via tenant_id column + Row-Level Security (RLS) in PostgreSQL
- Organization hierarchy uses PostgreSQL LTREE extension for efficient ancestor/descendant queries
- User provisioning: SCIM 2.0 endpoint for HRIS/SIS integration
- Session management: Redis-backed with sliding expiration (30 min default)
- MFA: TOTP (Google Authenticator) + SMS OTP

RLS Policy Example:

sql

1

2

3

8.2 M02 — Communication Center

Key Technical Details:

- Rich text editor (TipTap) with Arabic RTL support
- Target audience resolver: evaluates org hierarchy + roles to determine recipients
- Directive → Task auto-creation: when `requires_action = true`, the system publishes a `DirectivePublished` event → Task Service creates tasks for all target users
- Notification fan-out: one announcement → N notification queue entries (batched)

8.3 M03 — Correspondence

Key Technical Details:

- Auto-numbering: configurable per tenant (e.g., CORR-2026-{sequence})
- Barcode/QR generation for printed correspondence
- OCR integration (future): extract metadata from scanned documents
- State machine for correspondence lifecycle (Received → Registered → Classified → Assigned → Action → FollowUp → Response → Closed)
- Full-text search on subject + body via OpenSearch

8.4 M04 — Unified Inbox

Key Technical Details:

- Aggregation query across multiple tables (correspondence, approvals, tasks, requests, notifications)
- Materialized view or read model in PostgreSQL, refreshed via CDC (Change Data Capture) events
- Real-time updates via SignalR hub: `InboxHub.UpdateCount(userId)`
- Filter implementation: single endpoint with type discriminator

8.5 M05 — Request Center

Key Technical Details:

- Dynamic form rendering: frontend receives JSON schema → renders form components

- Category-based routing: each category maps to a default workflow
- Case number auto-generation with tenant-specific patterns
- File upload: chunked upload for large files (>10MB), virus scan hook

8.6 M06 — Dynamic Form Builder

Key Technical Details:

- Form schema stored as JSONB in PostgreSQL
- Supported field types mapped to React components:

Field Type	Backend Validation	Frontend Component
Text	MaxLength, Regex	TextInput
Long text	MaxLength	TextArea
Number	Min, Max, Decimal	NumberInput
Currency	Min, Max, DecimalPlaces	CurrencyInput
Date	MinDate, MaxDate	DatePicker
Date/time	MinDateTime	DateTimePicker
Dropdown	AllowedValues	Select
Multi-select	AllowedValues	MultiSelect
Radio	AllowedValues	RadioGroup
Checkbox	Required	Checkbox
User	ValidUserId	UserPicker
Department	ValidOrgId	OrgPicker
Organization	ValidOrgId	OrgTreePicker
Document	FileTypes, MaxSize	DocumentUpload
Attachment	FileTypes, MaxSize	FileUpload
Signature	Required	SignaturePad
Table/grid	RowValidation	DataGrid

- Conditional logic engine: evaluates if/then rules on the client side, validated on server
- Form versioning: each publish creates a new version; existing submissions retain their schema version

8.7 M07 — Workflow Engine (see Section 9)

8.8 M08 — Approval Center

Key Technical Details:

- Approval record captures: decision, timestamp, user, org, comments, delegation info, documents, audit event
- Parallel approval: waits for all approvers (configurable: all-must-approve vs. majority)
- Delegation check: before presenting approval, check identity.delegations for active delegation
- Timeout: if approval not acted on within configured hours → escalation event

8.9 M09 — Tasks & Actions

Key Technical Details:

- Task sources: Workflow, Decision, Directive, Manual
- Progress tracking: manual (user updates %) or automatic (based on subtasks)
- Dependency graph: topological sort for task ordering
- Evidence collection: file upload + description + timestamp
- Verification workflow: task owner marks complete → verifier reviews → verified/rejected

8.10 M10 — SLA & Escalation (see Section 9.4)

8.11 M11 — Documents (see Section 11)

8.12 M12 — Audit (see Section 14.3)

8.13 M13 — Committees (R0.2)

Key Technical Details:

- Committee workspace: aggregated view of meetings, members, decisions, documents
- Term management: automatic member status update when term expires
- Quorum calculation: $\text{present_members} / \text{total_members} \geq \text{quorum_percentage}$
- Confidentiality enforcement: ABAC policy checks committee confidentiality vs. user clearance

8.14 M14 — Meetings (R0.2)

Key Technical Details:

- Agenda builder: drag-and-drop ordering, linked documents per item
- Digital meeting room: real-time collaboration via SignalR (chat, voting, decision recording)
- Attendance tracking: manual check-in or QR code scan
- Minutes versioning: draft → review → approved (each version stored)
- AI-assisted minutes generation (see Section 13)

8.15 M15 — Decisions (R0.2)

Key Technical Details:

- Decision-to-Execution Engine: when decision status changes to Published, the system:
 1. Reads affected_units and actions from the decision record
 2. Creates decisions.actions records
 3. Creates tasks.items for each action
 4. Sets SLA deadlines
 5. Sends notifications to all assigned owners
- Implementation tracking: $\text{implementation_percentage} = (\text{completed_actions} / \text{total_actions}) * 100$
- Verification: designated verifier reviews evidence for each action

8.16 M16 — Policies (R0.2)

Key Technical Details:

- Policy lifecycle state machine: Draft → Review → LegalReview → Approval → Published → Retired
- Policy-to-Workflow binding: a policy can reference a workflow definition, form, and approval matrix
- Acknowledgement engine:
 1. On publish, resolve audience (org units + roles)
 2. Create policies.acknowledgements records for each target user (status: Pending)
 3. Send notification with link to policy
 4. User clicks "Acknowledge" → timestamp + IP recorded
 5. Dashboard shows completion percentage

- Review calendar: automated reminder 30/60/90 days before review_date

9. WORKFLOW ENGINE — TECHNICAL DESIGN

9.1 Architecture

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

9.2 Node Executor Pattern

csharp

1
2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

9.3 Workflow Definition JSON Schema

json

1

2

3

4

5

6

7

8

9

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

9.4 SLA & Escalation Engine

Implementation:

- Hangfire recurring job checks every 5 minutes for SLA breaches
- Redis sorted set for fast SLA timer lookups: `ZADD sla:timers {deadline_timestamp}{task_id}`
- Escalation chain stored as JSONB in workflow definition:

json

1
2

3
4
5
6
7
8
9
10
11

10. NOTIFICATION ENGINE — TECHNICAL DESIGN

10.1 Pipeline

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

10.2 Real-Time Delivery

csharp

1

2

3

4

5

6

7

8

9

10

11

12

13

10.3 User Preferences

Each user can configure:

- Channel preferences per notification type
- Quiet hours (no push/SMS between 10 PM – 7 AM)
- Digest mode (batch notifications into daily email)
- Language preference (Arabic / English)

11. DOCUMENT MANAGEMENT — TECHNICAL DESIGN

11.1 Upload Pipeline

1

2

3

4

5

6

7

8

9

10

11

12
13
14

1
2
3
4
5
6
7
8
9
10
11

11.2 Storage Structure (S3)

11.3 Access Control

- Document access follows transaction-level permissions
- Classification-based restrictions: Confidential documents require explicit role
- Share links: time-limited, password-protected, view-only
- Watermarking: configurable for sensitive documents

12. SEARCH & INSTITUTIONAL MEMORY

12.1 OpenSearch Index Strategy

Index	Source Tables	Key Fields
correspondence	correspondence.records	subject, body, source, number
requests	requests.cases	title, category, number

Index	Source Tables	Key Fields
tasks	tasks.items	title, description
decisions	decisions.records	title, decision_text, number
policies	policies.records	title, content
documents	documents.records	name, extracted_text
meetings	meetings.sessions + agendas	title, agenda items
announcements	communication.announcements	title, body

12.2 Arabic Search Support

json

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

12.3 Institutional Memory Query

- 1
- 2
- 3

4
5
6
7
8
9
10
11
12
13
14
15

Implementation: graph traversal via source_id / transaction_id foreign keys + OpenSearch cross-index query.

13. AI INTEGRATION ARCHITECTURE

13.1 Guardrail Architecture

1
2
3
4
5
6
7
8
9
10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

13.2 AI Capabilities (R0.2)

Capability	Input	Output	Human Review
Meeting Summary	Previous 3 meetings' minutes	Summary text	Yes (Secretary)
Draft Minutes	Meeting transcript/notes	Structured minutes	Yes (Secretary)
Extract Decisions	Minutes text	List of decisions	Yes (Chair)
Extract Actions	Decision text	List of actions + owners	Yes (Secretary)
Governance Query	Natural language question	Data-backed answer with sources	N/A (read-only)
Policy Summary	Policy document	Plain-language summary	N/A (read-only)

13.3 AI Restrictions (Hardcoded)

The AI service **must not**:

- Approve institutional decisions
- Change grades or academic records
- Issue disciplinary decisions
- Publish binding policies
- Alter financial authority
- Override workflow permissions
- Modify user roles or permissions

All AI outputs are marked as AI-generated — pending human review.

14. SECURITY ARCHITECTURE

14.1 Defense in Depth

Layer	Controls
Network	VPC, private subnets, WAF, DDoS protection
Transport	TLS 1.3 everywhere, HSTS
Application	Input validation, parameterized queries, CSRF tokens, XSS sanitization
Authentication	OIDC/OAuth2, MFA, session timeout, brute-force protection
Authorization	RBAC + ABAC + Org Scope + Classification
Data	Encryption at rest (AES-256), encryption in transit, PII masking
Audit	Immutable audit log, separate from application logs
Infrastructure	Container scanning, secret management (Vault/AWS Secrets), least-privilege IAM

14.2 Confidentiality Levels

Level	Access Rule	Example
Public	Anyone in tenant	General announcements
Internal	All authenticated users	Internal circulars

Level	Access Rule	Example
Confidential	Specific roles + org scope	HR cases, procurement
Restricted	Named individuals + committee members	Disciplinary, ethics
Highly Confidential	Executive + legal only	Legal proceedings

14.3 Audit Implementation

What gets audited (business events only, NOT UI clicks):

- All CRUD on governance objects (committees, meetings, decisions, policies)
- All approval actions (approve, reject, delegate)
- All workflow state transitions
- All correspondence lifecycle changes
- All task completions and verifications
- All document classifications and access changes
- All policy acknowledgements
- All delegation creations and revocations
- All login/logout events
- All permission changes

Audit event format:

json

1

2

3

4

5

6

7

8

9

10

11

12

13

Storage: Append-only table with no UPDATE/DELETE permissions for application role. Separate read-only replica for compliance reporting.

15. PERFORMANCE, SCALABILITY & CACHING

15.1 Caching Strategy

Data	Cache Layer	TTL	Invalidation
User profile + roles	Redis	15 min	On role change
Org hierarchy tree	Redis	1 hour	On org change
Form definitions	Redis	30 min	On form publish
Workflow definitions	Redis	30 min	On workflow activate
Inbox counts	Redis	1 min	On new item
Dashboard KPIs	Redis	5 min	Scheduled refresh
Notification rules	Redis	10 min	On rule change
Policy content	Redis	1 hour	On version publish
Document previews	CDN / S3	24 hours	On new version

15.2 Database Optimization

- **Indexes:** B-tree for lookups, GIN for JSONB, GIST for LTREE, BRIN for timestamps
- **Partitioning:** audit.events partitioned by month; notifications.queue partitioned by status
- **Connection pooling:** PgBouncer in front of PostgreSQL (transaction mode)
- **Read replicas:** 1 read replica for reporting queries
- **Query optimization:** EF Core compiled queries for hot paths

15.3 Performance Targets

Metric	Target
API response time (p95)	< 200ms
Dashboard load time	< 2s
Search query time	< 500ms
File upload (10MB)	< 5s
Workflow state transition	< 1s
Notification delivery (in-app)	< 2s
Notification delivery (email)	< 30s
Concurrent users	1,000+ (initial)

16. MONITORING & OBSERVABILITY

16.1 OpenTelemetry Stack

- 1
- 2
- 3
- 4
- 5

16.2 Key Metrics to Monitor

Category	Metrics
API	Request rate, latency (p50/p95/p99), error rate, 4xx/5xx breakdown
Database	Connection pool usage, query latency, slow queries, deadlocks
Queue	Message rate, queue depth, consumer lag, dead-letter count
Cache	Hit rate, memory usage, eviction rate
Search	Index size, query latency, indexing rate
Storage	Upload rate, storage growth, failed uploads

Category	Metrics
Business	Active workflow instances, pending approvals, overdue tasks, SLA breaches, decision implementation rate
Infrastructure	CPU, memory, disk, network per pod/node

16.3 Alerting Rules

Alert	Condition	Severity
High error rate	5xx > 1% for 5 min	Critical
API latency spike	p99 > 2s for 5 min	Warning
Database connection exhaustion	Pool > 90%	Critical
Queue backlog	Depth > 10,000 for 10 min	Warning
SLA breach surge	> 50 breaches/hour	Warning
Disk space	> 85% used	Warning
Certificate expiry	< 14 days	Warning

17. CI/CD & DEVOPS PIPELINE

17.1 Pipeline Stages

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

17.2 Database Migration Strategy

- EF Core migrations versioned in source control
- Migrations run automatically on deploy (idempotent)
- Breaking changes require multi-step migration (add column → backfill → remove old)
- Rollback plan: maintain backward-compatible schema for at least 2 releases

18. TESTING STRATEGY

18.1 Test Pyramid

Level	Tools	Coverage Target	Execution
Unit	xUnit, Moq, FluentAssertions, Jest, React Testing Library	80%+	Every PR
Integration	Testcontainers (PostgreSQL, Redis, RabbitMQ), WebApplicationFactory	Key flows	Every PR
E2E	Playwright	Critical user journeys	Nightly + pre-release
Performance	k6	SLA targets	Pre-release
Security	OWASP ZAP, Snyk	OWASP Top 10	Weekly

18.2 Critical Test Scenarios

R0.1:

1. User creates request → form renders dynamically → submits → workflow starts → approval routed → task created → SLA timer starts → notification sent → evidence uploaded → task verified → audit trail complete
2. Dean creates directive circular → tasks auto-created for all department heads → deadlines enforced → escalations fire → completion dashboard updates
3. Correspondence received → registered → classified → assigned → responded → closed → searchable

R0.2:

1. Secretary creates committee meeting → agenda built → chair approves → members notified → meeting conducted → attendance recorded → minutes drafted → decisions extracted → actions assigned → departments execute → evidence collected → implementation verified → governance dashboard updated
2. Policy drafted → reviewed → approved → published → acknowledgement sent to 1,240 users → 94.5% acknowledge → compliance report generated
3. Institutional memory search: "accreditation" returns related communications, meetings, decisions, policies, tasks, and documents

19. DATA MIGRATION & MULTI-TENANCY

19.1 Multi-Tenancy Model

Shared Database, Schema-per-Tenant (via RLS)

1

2

3

4

5

6

19.2 Tenant Onboarding Process

1

2

3

4

5

6

7

8

9

19.3 Data Import Tools

- **Org hierarchy:** CSV/Excel import with parent-child validation
- **Users:** CSV import + LDAP/AD sync
- **Correspondence:** CSV import for historical records
- **Documents:** Bulk upload with metadata CSV

20. RELEASE PHASING & DEPENDENCIES

20.1 Release 0.1 — Phased Delivery (16 weeks)

Phase	Weeks	Modules	Milestone
Phase 1: Foundation	1–4	Identity, Organization, People, Auth	Users can log in and see org tree
Phase 2: Communication	5–7	Announcements, Circulars, Correspondence, Inbox	Users can send/receive communications
Phase 3: Transactions	8–11	Requests, Forms, Workflow, Approvals	End-to-end request → approval flow
Phase 4: Execution	12–14	Tasks, SLA, Documents, Notifications	Tasks assigned, SLA enforced, evidence collected
Phase 5: Reporting	15–16	Audit, Reports, Dashboards	Executive dashboards live

20.2 Release 0.2 — Phased Delivery (12 weeks)

Phase	Weeks	Modules	Milestone
Phase 1: Committees	1–3	Committees, Members, Workspaces	Committee management operational
Phase 2: Meetings	4–6	Meetings, Agendas, Attendance, Minutes	Full meeting lifecycle
Phase 3: Decisions	7–9	Decisions, Actions, Execution Engine	Decision-to-execution pipeline
Phase 4: Governance	10–12	Policies, Calendar, AI, Institutional Memory	Governance dashboard + AI assistant

20.3 Dependency Graph

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

21. NON-FUNCTIONAL REQUIREMENTS

Category	Requirement	Target
Availability	Uptime SLA	99.9% (excluding maintenance windows)
Performance	API p95 latency	< 200ms
Performance	Dashboard load	< 2s
Scalability	Concurrent users	1,000+ (R0.1), 5,000+ (R0.2)
Scalability	Data volume	10M+ audit events/year
Security	Authentication	OIDC/OAuth2 + MFA

Category	Requirement	Target
Security	Data encryption	AES-256 at rest, TLS 1.3 in transit
Security	Penetration testing	Annual + pre-release
Compliance	Data residency	Configurable per tenant
Compliance	Audit retention	7 years minimum
i18n	Languages	Arabic (RTL) + English (LTR)
i18n	Date/number formats	Hijri + Gregorian
Accessibility	WCAG	2.1 AA
Backup	RPO	< 1 hour
Backup	RTO	< 4 hours
Disaster Recovery	Failover	Multi-AZ (production)
Browser Support	Minimum	Chrome 90+, Edge 90+, Firefox 90+, Safari 14+
Mobile	PWA	Installable, offline-capable for read

22. DEFINITION OF DONE

22.1 Release 0.1 Definition of Done

The release is **complete** when an institution can perform this entire journey inside EduNexus:

Create communication → target users → require action → generate work → route approval → assign task → enforce SLA → send notifications → collect evidence → verify completion → produce audit trail → report results.

Specific acceptance criteria:

- 12 core modules deployed and functional
- 2 killer workflows demonstrated end-to-end (Faculty Administrative Request + Executive Circular → Action)
- Arabic/English UI fully functional with RTL support
- PWA installable and functional on mobile
- All API endpoints documented (OpenAPI/Swagger)

- Unit test coverage > 80%
- Integration tests pass for all critical flows
- E2E tests pass for both killer workflows
- Security scan clean (no critical/high vulnerabilities)
- Performance benchmarks met
- Audit trail captures all business events
- Executive, department, and employee dashboards functional
- Multi-tenant isolation verified
- Disaster recovery tested
- User documentation complete
- Admin deployment guide complete

22.2 Release 0.2 Definition of Done

The release is **complete** when an institution can execute this scenario entirely inside EduNexus:

Create committee → schedule meeting → build agenda → distribute papers → conduct meeting → record attendance → create minutes → approve minutes → issue decisions → automatically assign actions → track execution → collect evidence → verify implementation → report institutional performance.

Specific acceptance criteria:

- 8 governance modules deployed and functional
- Faculty Council Decision workflow demonstrated end-to-end
- Decision-to-Execution engine auto-creates tasks from decisions
- Policy lifecycle with acknowledgement tracking functional
- AI Meeting Assistant generates draft minutes (human-reviewed)
- AI Governance Query answers questions from institutional data
- Institutional Memory search returns cross-entity results
- Governance dashboard shows decision implementation rates
- Institutional calendar consolidates all event types
- Security upgrade: RBAC + ABAC + classification enforcement

- All R0.1 acceptance criteria still passing (regression)

APPENDIX A: Project Structure

99

100

101

102

APPENDIX B: Key Integration Points (Future)

System	Integration Method	Purpose
SIS (Student Information System)	REST API / Webhook	Student enrollment, grades, schedules
LMS (Learning Management System)	LTI / REST API	Course creation from decisions
ERP / Finance	REST API / SOAP	Procurement, budget approvals
HRIS	SCIM 2.0 / REST API	Employee directory sync
Active Directory / LDAP	LDAP / SAML	Authentication federation
Microsoft 365 / Teams	Microsoft Graph API	Calendar sync, Teams notifications
Email (Exchange / Gmail)	IMAP / SMTP / Graph	Correspondence integration
Accreditation Systems	REST API	Quality data export

This document serves as the comprehensive technical blueprint for building EduNexus OS Releases 0.1 and 0.2. It should be used alongside the product backlog (250+ user stories) and screen-by-screen specifications to guide engineering execution from blueprint → product → production.

1/2

both

Thinking completed

Understood. Based on the strategic direction outlined in the document, the logical next step is to deliver **both** the **Unified Product Backlog** (Epics, User Stories, Acceptance Criteria) and the **Screen-by-Screen Product Specification** for Releases 0.1 and 0.2.

This bridges the gap between the high-level technical architecture and actual engineering execution.

PART 1: UNIFIED PRODUCT BACKLOG (Releases 0.1 & 0.2)

Priority Key: P0 = Critical for MVP/Killer Workflow, P1 = High Value, P2 = Nice to Have

Module Group A: Foundation & Identity (M01)

ID	Epic	User Story	Acceptance Criteria	Priority
A1	Tenant & Org Setup	As an Admin, I want to define the organizational hierarchy (University → Faculty → Department) so that routing and permissions work correctly.	Hierarchy supports infinite nesting; LTREE path generated; UI displays as a collapsible tree.	P0
A2	User Provisioning	As an Admin, I want to import users via CSV or SCIM so that they have accounts, roles, and managers assigned.	Bulk import validates data; users receive welcome email; manager field links to directory.	P0
A3	Delegation Rules	As a Manager, I want to delegate my approval authority to a deputy for a specific date range so that work doesn't bottleneck during my absence.	Delegation is time-bound; delegated actions show "Approved by [Delegate] on behalf of [Manager]" in audit log.	P1

Module Group B: Communication & Inbox (M02, M04)

ID	Epic	User Story	Acceptance Criteria	Priority
B1	Circulars vs. Directives	As a Dean, I want to issue a Directive that automatically generates tasks for target audiences, unlike a standard Announcement.	"Requires Action" toggle creates tasks in the background; deadline and escalation rules are inherited.	P0
B2	Unified Inbox	As an Employee, I want a single inbox filtering Correspondence, Approvals, Tasks, and Requests so I know exactly what requires my attention.	Filter tabs work instantly; badge counts update in real-time via SignalR; "Action Required" is the default view.	P0

Module Group C: Requests & Dynamic Forms (M05, M06)

ID	Epic	User Story	Acceptance Criteria	Priority
C1	Dynamic Form Builder	As an Admin, I want to build a form with conditional logic (e.g., if "IT" is selected,	Form schema saved as JSONB; frontend renders components	P0

ID	Epic	User Story	Acceptance Criteria	Priority
		show "Hardware/Software" dropdown) without coding.	dynamically; server validates schema on submission.	
C2	Request Submission	As an Employee, I want to submit a "Faculty Administrative Request" with attachments and see a case number immediately.	Case number auto-generated (e.g., REQ-2026-001); file upload supports chunking; success screen shows next steps.	P0

Module Group D: Workflow, Approvals & Tasks (M07, M08, M09, M10)

ID	Epic	User Story	Acceptance Criteria	Priority
D1	Visual Workflow Designer	As an Admin, I want to drag-and-drop nodes (Start, Form, Approval, Task, End) to define a business process.	React Flow integration; JSON export validates against backend schema; versioning supported.	P0
D2	Approval Actions	As an Approver, I want to Approve, Reject, Request Changes, or Delegate with mandatory comments for rejection.	Audit log captures decision, timestamp, user, IP, and comments; workflow state transitions immediately.	P0
D3	SLA & Escalation	As a System, I want to escalate a task to a manager if it remains "In Progress" past 72 hours.	Background worker checks SLA timers; escalation triggers notification and updates task owner; visible in audit trail.	P1
D4	Task Evidence	As a Task Owner, I want to upload evidence (documents, screenshots) and mark a task as "Completed" for verification.	Evidence linked to task record; status changes to "Waiting Verification"; verifier receives notification.	P0

Module Group E: Governance - Committees & Meetings (M13, M14) Release 0.2

ID	Epic	User Story	Acceptance Criteria	Priority
E1	Committee Workspace	As a Committee Secretary, I want a dedicated workspace showing members, upcoming meetings, and pending actions.	Dashboard shows quorum %, implementation rate, and next meeting date.	P0

ID	Epic	User Story	Acceptance Criteria	Priority
E2	Agenda Builder	As a Secretary, I want to build an agenda with background docs, proposals, and recommendations for each item.	Drag-and-drop ordering; each item can be flagged as "For Decision".	P0
E3	Digital Meeting Room	As a Committee Member, I want to view the agenda, mark my attendance, and record my vote on decisions during the meeting.	Real-time attendance tracking; voting options (Approve/Reject/Defer); chat sidebar.	P1

Module Group F: Governance - Decisions & Policies (M15, M16) Release 0.2

ID	Epic	User Story	Acceptance Criteria	Priority
F1	Decision-to-Execution Engine	As a Dean, I want an approved decision to automatically generate actionable tasks for affected departments with deadlines.	Decision approval triggers background job; tasks created and linked to Decision ID; implementation % calculated dynamically.	P0
F2	Policy Acknowledgement	As an Employee, I want to be notified of a new policy, read it, and click "Acknowledge" so the institution can track compliance.	Acknowledgement records user ID, timestamp, IP, and policy version; dashboard shows % compliance.	P1

Module Group G: Institutional Memory & AI (M17, M18) Release 0.2

ID	Epic	User Story	Acceptance Criteria	Priority
G1	Cross-Entity Search	As a User, I want to search "postgraduate program" and see related communications, meetings, decisions, and policies.	OpenSearch queries across all indexed domains; results grouped by entity type with source attribution.	P1
G2	AI Meeting Assistant	As a Secretary, I want the AI to draft meeting minutes and extract decisions/actions from my rough notes for my review.	AI output is clearly marked as "Draft"; human must explicitly click "Approve & Publish" before it becomes official.	P2

PART 2: SCREEN-BY-SCREEN PRODUCT SPECIFICATION

This defines the UI/UX flow for the **Two Killer Workflows**, ensuring the product delivers on its core value proposition.

Screen 1: Login & Authentication

- **Components:** Logo, Language Toggle (EN/AR), Username/Email input, Password input, "Forgot Password" link, MFA prompt (if enabled).
- **State:** On success, redirects to /my-work. JWT stored in secure HTTP-only cookie.
- **Business Rule:** Failed attempts > 5 trigger a 15-minute account lockout.

Screen 2: Home / "My Work" Dashboard (The Core Experience)

- **Header:** Greeting ("Good morning, Dr. Ahmed"), Faculty/Dept context, Global Search, Notification Bell (with unread count), Profile Menu.
- **Top KPI Cards:**
 - Tasks (e.g., 12)
 - Approvals (e.g., 4)
 - Requests (e.g., 7)
 - Overdue (e.g., 2, highlighted in red)
- **Priority Work List:**
 - Row 1: "Approve faculty workload" | Due: Today | [Action Button]
 - Row 2: "Reply to correspondence #CORR-882" | Due: Today | [Action Button]
- **Recent Communications:** Feed of latest Announcements/Circulars targeted to the user's org unit.

Screen 3: Unified Inbox

- **Layout:** Left sidebar (Filters: All, Action Required, Approval, Correspondence, Task, Request, Overdue). Main panel lists items.
- **Item Row:** Icon (type), Title, Sender, Date, Priority Badge, Status Badge, Quick Action Button (e.g., "Review").
- **Interaction:** Clicking an item opens a side-panel or modal with full details and action buttons without leaving the inbox context.

Screen 4: New Request (Dynamic Form)

- **Step 1:** Category Selection (Grid of icons: Academic, HR, Finance, IT, etc.).

- **Step 2: Dynamic Form Render.**
 - *Example (IT Request):* Requester (auto-filled), Purpose (Text), Required Date (DatePicker), Items (Data Grid: Item, Qty, Cost), Attachments (Drag & Drop).
- **Step 3: Preview & Submit.** Shows the mapped workflow (e.g., "This will be routed to: Dept Head → Finance → Dean").
- **Post-Submit:** Success toast with Case Number (e.g., REQ-2026-001245) and link to track progress.

Screen 5: Approval Center

- **Context Panel:** Shows request details, submitted form data, and attached documents (with inline PDF preview).
- **Workflow Timeline:** Visual stepper showing current stage (e.g., "Pending: Dean Approval").
- **Action Bar:**
 - [Approve] → Opens optional comment modal → Submits.
 - [Reject] → **Mandatory** comment field → Submits (triggers rejection path in workflow).
 - [Request Changes] → Routes back to requester with comments.
 - [Delegate] → Opens user picker to select delegate for this specific action.

Screen 6: Task Execution & Evidence

- **Task Details:** Title, Description, Owner, Due Date, SLA countdown timer.
- **Progress Section:** Slider or dropdown to update status (New → In Progress → Waiting → Completed).
- **Evidence Section:** "Upload Evidence" button. Lists previously uploaded files.
- **Action:** [Mark as Completed] → Changes status to "Waiting Verification" → Notifies the verifier.

Screen 7: Committee Workspace & Meeting Room (*Release 0.2*)

- **Workspace Header:** Committee Name, Chair, Next Meeting Date, KPIs (Pending Actions, Implementation %).
- **Tabs:** Overview | Meetings | Members | Decisions | Documents.
- **Meeting Room View (Active Meeting):**
 - Left: Agenda Tree (expandable items with Background, Proposal, Recommendation).
 - Center: Document Preview (PDF viewer).

- Right: Attendance Checklist (Present/Absent/Late) + Live Chat/Discussion notes.
- Bottom: Decision Recording Panel → [Propose Decision] → [Vote: Approve/Reject/Defer].

Screen 8: Decision Execution Dashboard (*Release 0.2*)

- **Header:** Decision Number (e.g., D-2026-041), Title, Date, Status (e.g., "In Execution").
- **Implementation Tracker:**
 - Progress Bar: 72% Complete
 - Action List:
 -  Curriculum Committee: Review curriculum (Completed)
 -  Quality Unit: Accreditation alignment (Completed)
 -  Registrar: Create course in SIS (Due in 5 days)
 -  IT: Create LMS course (Overdue by 2 days) → [Escalate] button visible to Dean.
- **Evidence Tab:** Aggregates all documents uploaded by task owners against this specific decision.

PART 3: DEFINITION OF DONE (DoD) & ENGINEERING SEQUENCING

To move from blueprint to production, the engineering team must adhere to this sequencing and DoD.

Development Sequencing (Sprints 1–12)

1. **Sprint 1-2:** Foundation (M01 Identity, Org, People) + Auth + Basic UI Shell.
2. **Sprint 3-4:** Communication (M02) + Unified Inbox (M04) + Notifications (M10).
3. **Sprint 5-6:** Requests (M05) + Dynamic Forms (M06) + Document Upload (M11).
4. **Sprint 7-8:** Workflow Engine (M07) + Approvals (M08) + Audit (M12).
5. **Sprint 9-10:** Tasks (M09) + SLA/Escalation (M10) + Dashboards/Reports. (*R0.1 Feature Complete*)
6. **Sprint 11-12:** Committees (M13) + Meetings (M14) + Decisions & Execution Engine (M15). (*R0.2 Core Complete*)

Definition of Done (Per User Story)

- Code reviewed and merged to main.
- Unit tests written (>80% coverage for business logic).

- Integration tests pass (API + DB).
- UI matches Figma/design spec (including RTL Arabic support).
- Audit event logged for state-changing actions.
- API documented in Swagger/OpenAPI.
- Acceptance criteria verified by Product Owner.

Definition of Done (Release 0.1)

The system successfully executes the **Faculty Administrative Request** killer workflow end-to-end in the staging environment, with all SLA timers, notifications, and audit trails functioning, and zero P0/P1 bugs.

Definition of Done (Release 0.2)

The system successfully executes the **Faculty Council Decision → Automatic Action Assignment → Evidence Verification** killer workflow, with the Governance Dashboard accurately reflecting the implementation percentage.

Next Immediate Action for the Team:

1. **Product:** Finalize Figma wireframes for Screens 2, 4, 5, and 8 (the core value screens).
2. **Engineering:** Initialize the monorepo, set up the Docker Compose local environment (Postgres, Redis, RabbitMQ, MinIO), and implement the M01 Identity/Org database schemas.
3. **QA:** Draft the end-to-end Playwright test scripts for the two killer workflows to ensure test-driven development.

Would you like me to expand on any specific module (e.g., the exact JSON schema for the Dynamic Form Builder, or the database migration script for the Decision-to-Execution engine)?