

A Novel Neural Topic Model and Its Supervised Extension

Ziqiang Cao, Sujian Li, Yang Liu, Wenjie Li, Heng Ji

Peking University, Hong Kong Polytechnic University, Rensselaer Polytechnic Institute

2015

Neural Network View of Topic Models (1/2)

The conditional probability $p(w|d)$ is the combination of **word-topic distribution** $p(w|t_i)$ and **topic-document distribution** $p(t_i|d)$.

$$p(w|d) = \sum_{i=1}^K p(w|t_i)p(t_i|d) \quad (1)$$

Equation (1) equals to the following form:

$$p(w|d) = \phi(w)\theta^T(d) \quad (2)$$

, where $\phi(w)$ is the row vector **word-topic distribution** $[p(w|t_1), \dots, p(w|t_K)]$, and $\theta(d)$ is the row vector **topic-document distribution** $[p(t_1|d), \dots, p(t_K|d)]$.

Neural Network View of Topic Models (2/2)

In equation (2), the distributions $\phi(w)$ and $\theta(d)$ have the following explanation:

- ① $\phi(w)$ functions as the look-up layer for words with the **sigmoid** activation functions.
- ② $\theta(d)$ functions as the look-up layer for documents with the **softmax** activation function.

Neural Topic Model (NTM)

Symbols: