

ODEJ Youth Opportunities Platform — Specification Document

1. Project Overview

1.1 Project Name

Working name: **Chabab Connect**

The final name can be changed later.

1.2 Context

This project is designed for **ECOHACK '26**, organized by **Club Origo**, under the theme:

Bridging Youth and Opportunities

The challenge is to create a technology solution that helps young people connect with the programs, activities, services, spaces, and opportunities offered by **ODEJ** and youth establishments across Algeria.

The solution must follow the ECOHACK Green Tech mandate:

- Minimalist architecture
- Low server compute
- Reduced data payloads
- Efficient caching
- Lightweight mobile interface
- Low battery consumption
- No unnecessary AI
- No unnecessary microservices
- No hallucinated information
- Easy content updates by ODEJ staff without code

2. Problem Statement

ODEJ and youth establishments provide many opportunities for young people, such as:

- Activities
- Workshops
- Sports events
- Cultural programs
- Awareness campaigns
- Volunteering opportunities
- Youth orientation
- Training sessions
- Scientific and artistic activities
- Youth hostels and camps

- Support and listening services

However, information is often fragmented across:

- Official websites
- Facebook pages
- PDFs
- Local announcements
- Physical posters
- Word of mouth

This makes it difficult for young people to discover opportunities near them, register easily, and stay informed.

The problem is not the absence of opportunities.

The problem is the lack of a simple, verified, centralized, mobile-friendly access point.

3. Proposed Solution

The proposed solution is a **lightweight multilingual mobile platform** that centralizes verified ODEJ opportunities and makes them accessible to young people.

The platform has two main parts:

1. Youth Mobile App

- Discover activities
- Search by commune, category, date, and interests
- View ODEJ establishments
- Register for activities
- Receive restrained notifications
- Access orientation and support information
- Submit youth project ideas
- View selected youth achievements

2. ODEJ Admin Dashboard

- Add and update activities
- Manage establishments
- Publish announcements
- Manage registrations
- Scan attendance QR codes
- Manage multilingual content
- Review youth project submissions
- Publish talent showcase items
- View simple aggregate statistics

The platform is not a social network and not an AI-first product.
It is a factual, verified, low-bandwidth opportunity access system.

4. Target Users

4.1 Youth Users

Young people who want to:

- Discover activities near them
- Join clubs, workshops, and events
- Register for programs
- Find youth establishments
- Access support and orientation services
- Participate in volunteering actions
- Submit project ideas
- View local youth achievements

4.2 ODEJ Staff

Administrative users who need to:

- Publish activities
- Update establishment information
- Manage registrations
- Verify information
- Publish announcements
- Manage documents
- Review youth project submissions
- Track attendance
- Update multilingual content without code

4.3 Establishment Managers

Managers of youth houses, youth hostels, sports complexes, camps, polyvalent halls, and scientific leisure centers who need to update local activities and services.

5. Core Objectives

The platform must:

1. Increase youth awareness of ODEJ opportunities.
 2. Facilitate access to youth establishments and services.
 3. Encourage participation, volunteering, and community engagement.
 4. Improve communication between youth and ODEJ structures.
 5. Support Arabic, French, and Tamazight.
 6. Provide factual and verified information.
 7. Allow staff to update content without writing code.
 8. Minimize data usage, battery usage, and server compute.
 9. Avoid unnecessary AI and overengineering.
 10. Work well on older devices and weak networks.
-

6. Final Technology Stack

6.1 Mobile App

The mobile app will use:

```
React Native + Expo + TypeScript
```

Recommended libraries:

```
Expo Router  
TanStack Query / React Query  
AsyncStorage  
Expo SQLite, optional  
i18n library  
Expo Notifications, optional
```

Why React Native + Expo?

React Native is suitable because:

- It gives a real mobile app experience.
- It supports Android and iOS from one codebase.
- It is friendly for youth-facing mobile apps.
- It has a large ecosystem.
- It can be optimized for low data usage and battery efficiency.

Expo is suitable because:

- It reduces setup complexity.
- It speeds up hackathon development.
- It simplifies testing and deployment.
- It avoids unnecessary native configuration during the MVP phase.

6.2 Backend

The backend will use:

```
PocketBase
```

PocketBase provides:

- REST API

- SQLite database
- Authentication
- File storage
- Admin dashboard
- Access rules
- Basic realtime support if needed
- Single-binary deployment

Why PocketBase?

PocketBase is the best backend choice for this project because:

- It is lightweight.
- It uses SQLite.
- It runs as a single service.
- It has a built-in admin dashboard.
- It allows ODEJ staff to manage content without code.
- It reduces development time.
- It avoids unnecessary infrastructure.
- It fits ECOHACK's maintainability and eco-efficiency requirements.

6.3 Database

The database will use:

SQLite

SQLite is enough for the MVP because the system mostly stores:

- Users
- Establishments
- Activities
- Registrations
- Categories
- Announcements
- Documents
- Translations
- Project submissions
- Talent showcase items

If the platform grows nationally later, the system can migrate to PostgreSQL.

6.4 Hosting


Recommended deployment:

Small VPS
Caddy or Nginx reverse proxy
HTTPS
PocketBase service
SQLite database file
Scheduled backups


Avoid in MVP:

Redis
Kubernetes
Microservices
MongoDB cluster
Separate AI service
Heavy analytics pipeline
Video hosting
Realtime social feed

7. Final High-Level System Design



8. Deployment Design



The deployment is intentionally simple:

- One VPS
- One PocketBase service
- One SQLite database
- One file storage directory
- HTTPS through Caddy or Nginx
- Scheduled backups

This reduces infrastructure, cost, maintenance, and carbon footprint.

9. Main Functional Modules

The platform includes the following modules:

1. Youth Mobile App
2. ODEJ Admin Dashboard
3. Establishment Directory
4. Activity Discovery
5. Activity Registration
6. QR Attendance
7. Hybrid Activities
8. Low-Bandwidth Mode
9. Notifications
10. Youth Project Incubation
11. Lightweight Talent Showcase
12. Youth Orientation Hub
13. Listening and Health Prevention Access
14. Document Library
15. Multilingual Content
16. Simple Admin Analytics
17. Optional AI Helper


10. Youth Mobile App

10.1 Main Screens

The mobile app contains:

1. Splash screen
2. Language selection
3. Home
4. Activity list
5. Activity details
6. Establishment directory
7. Establishment details
8. Map view
9. Register for activity
10. My registrations
11. QR code screen
12. Announcements
13. Youth orientation hub
14. Project submission
15. Talent showcase
16. Listening / support access
17. Documents
18. Profile
19. Settings
20. Low-bandwidth mode settings

10.2 Youth App Flow



10.3 Activity Discovery

Users can filter activities by:

Commune
 Wilaya
 Category
 Date
 Establishment
 Activity mode
 Language
 Age group
 Free / paid
 Registration availability
 Accessibility

Activity modes:

physical
 online
 hybrid

Example activity card:

```
{
  "id": "activity_123",
  "title": "Photography Workshop",
  "category": "Arts",
  "date": "2026-06-12",
  "commune": "Akbou",
  "activity_mode": "physical",
  "establishment_name": "Maison de Jeunes Akbou",
  "thumbnail": "photo-small.webp"
}
```

Eco rule:

The activity list returns only small card data. Full details are loaded only when the user opens one activity.

10.4 Activity Details

Each activity page contains:

```
Title
Description
Category
Date and time
Activity mode: physical / online / hybrid
Location
Online link, optional
Establishment
Capacity
Available places
Registration deadline
Required documents
Languages
Accessibility notes
Contact phone
Contact email
Last verified date
```

Accuracy rule:

If data is missing, show:

Not specified by ODEJ.

The app must never invent missing details.

10.5 Establishment Directory

The directory contains ODEJ establishments such as:

```
Youth houses
Youth hostels
Sports complexes
Youth camps
Polyvalent halls
Scientific leisure centers
```

Each establishment contains:

```
Name
Type
Commune
Wilaya
Address
Phone
Email
Map location
Available services
Opening hours, if available
Accessibility notes
Current activities
Last verified date
```


10.6 Map View

The map helps users find establishments and opportunities.

Eco rules:

```
Do not load the map on the home screen.
Load the map only when the user opens the map page.
Request GPS only when the user clicks "near me."
Do not track location continuously.
Cache establishment coordinates.
```

10.7 Registration and QR Code



Registration status:


registered
waiting_list
cancelled
attended

QR code use:

The youth user shows the QR code at the activity.
ODEJ staff scans it.
The system marks attendance.

10.8 Low-Bandwidth Mode

Low-bandwidth mode supports youth in remote or isolated areas.



When enabled:

Images are not loaded automatically.
Activity cards become text-first.
Cached data is shown first.
Map is loaded only when opened.
Refresh is manual.
Animations are minimized.

Example message:

Showing cached activities.
Last updated: 02 June 2026, 14:30.
Tap to refresh.

11. ODEJ Admin Dashboard

11.1 Admin Roles


Super Admin
Wilaya Admin
Establishment Manager
Content Editor
Attendance Staff

11.2 Admin Features

Admin users can:

Manage establishments
Manage activities
Manage categories
Manage registrations
Scan QR attendance
Manage announcements
Manage documents
Manage translations
Review project submissions
Publish talent showcase items
View simple analytics
Mark data as verified
Publish/unpublish content

11.3 Admin Publishing Flow



Only published and verified content appears in the youth app.

12. Added Engagement Modules

12.1 Hybrid Activities

Activities can be:

```

physical
online
hybrid
  
```

Fields:

```

activity_mode
online_link
bandwidth_level
replay_available
  
```

Eco rule:

The app does not host heavy video content. If an activity is online, the app stores only the verified external link.

12.2 Remote Participation

For isolated youth, the app supports:


- Low-bandwidth mode
- Cached establishment directory
- Online/hybrid activity links
- Text-first activity cards
- Manual refresh
- Compressed images

Goal:

Youth from remote communes can discover and join opportunities without needing strong internet or a powerful phone.

12.3 Youth Project Incubation

Young people can submit project ideas to ODEJ.



Project submission fields:

- Project title
- Category

```
Commune
Short description
Needed support
Contact phone
Optional document
Preferred establishment
Status
Assigned mentor, optional
```

Project status:

```
submitted
reviewed
accepted
rejected
needs_more_info
```

Eco rule:

The project form is text-first. Large media uploads are not required.

12.4 Lightweight Talent Showcase

ODEJ staff can publish selected youth achievements.

Examples:

```
Competition winners
Art projects
Volunteer initiatives
Coding projects
Photography
Short films, link only
Local success stories
```

Eco-friendly restrictions:

- No public social feed
- No public comments
- No likes system
- No infinite scrolling
- No video hosting
- No large galleries
- Admin-curated only
- Paginated list
- Compressed images

12.5 Restrained Notifications

Notifications are simple and limited.


Allowed:

- Weekly digest
- Daily digest, optional
- Registration confirmation
- Activity reminder
- Activity cancellation
- New activity matching selected interests

Avoid:

- Real-time social notifications
- Like/comment notifications
- Continuous promotional push
- Spam notifications

Notification logic:



12.6 Simple Admin Analytics

Analytics are based on simple database queries.

Metrics:

- Number of published activities
- Number of registrations
- Attendance rate
- Activities by commune
- Activities by category
- Most active establishments
- Most requested categories
- Outdated information count
- Project submissions count

Avoid:

Realtime dashboards
User behavior tracking
Complex data pipelines
AI analytics
Profiling users

13. Caching Strategy


The final design uses caching without Redis.

The strategy is:

Cache at the edge first.

This means the app caches public data on the user device first, then validates freshness using HTTP caching.

13.1 Caching Layers



13.2 Cache Locations

1. React Query Memory Cache

Used for:

```
Current activity list
Activity details
Establishment list
Announcements
Categories
User registration state
```

Purpose:

```
Avoid repeated API calls while the app is open.
```

2. Persistent Mobile Cache

Used for:

```
Establishments
Categories
Communes
Last loaded activities
Selected language
User preferences
Low-bandwidth setting
```

Storage:

```
AsyncStorage for key-value data
Expo SQLite for structured offline data
```

Purpose:

```
Reduce mobile data usage.
Improve weak-network access.
Reduce battery usage.
```

3. HTTP Cache

Used for:

```
Public activities
Establishments
Categories
Announcements
Documents
Images
```

Example:

```
Cache-Control: public, max-age=3600
ETag: "activities-v42"
```

If data has not changed, the server can return:

```
304 Not Modified
```

instead of resending the full response.

4. Media Cache

Used for:

```
Activity thumbnails
Establishment images
Document previews
```

Rules:

```
Use WebP thumbnails.
Compress uploaded images.
Lazy-load images.
Avoid large galleries.
Avoid video hosting.
```

5. Database Optimization

Used for:

```
Fast filtering
Fast search
```

Small responses

Indexes:

```
activity.status
activity.start_datetime
activity.commune
activity.category_id
activity.establishment_id
establishment.commune
establishment.type
registration.activity_id
registration.user_id
```

13.3 Cache Duration Table

Data Type	Cache Location	Duration	Reason
Categories	Mobile + HTTP cache	7 days	Rarely changes
Establishments	Mobile + HTTP cache	24 hours	Changes slowly
Activity list	React Query + persistent cache	30–60 minutes	Changes moderately
Activity details	React Query cache	30 minutes	Can be edited
Announcements	React Query + HTTP cache	10–30 minutes	Can be urgent
Documents	HTTP + device cache	7 days	Usually stable
Images	Device image cache	Long cache with versioned URL	Media rarely changes
User registrations	Short session cache only	Short	User-specific

13.4 Why No Redis in MVP?

Redis is not used because the MVP does not need a separate in-memory cache.

Instead, we use:

```
React Query cache
Persistent mobile cache
HTTP cache headers
Indexed SQLite queries
Pagination
```

Compressed media
Small API responses

This avoids:

Extra server memory usage
Extra infrastructure
Extra deployment complexity
Extra failure points
Extra monitoring

Redis can be added later only if the platform grows and repeated expensive queries become a real issue.

14. API Design

The API separates list responses from detail responses.

This reduces payload size because users do not download full details for items they never open.

14.1 Activity List

```
GET /api/activities?page=1&limit=10&commune=Akbou&category=sports
```

Returns small card data:

```
{
  "items": [
    {
      "id": "activity_123",
      "title": "Football Tournament",
      "category": "Sports",
      "date": "2026-06-12",
      "commune": "Akbou",
      "activity_mode": "physical",
      "establishment_name": "Maison de Jeunes Akbou",
      "thumbnail": "football-small.webp"
    }
  ],
  "page": 1,
  "hasMore": true
}
```

14.2 Activity Details

```
GET /api/activities/activity_123
```

Returns:

```
{
  "id": "activity_123",
  "title": "Football Tournament",
  "description": "...",
  "category": "Sports",
  "activity_mode": "physical",
  "start_datetime": "2026-06-12T09:00:00",
  "end_datetime": "2026-06-12T12:00:00",
  "establishment": {
    "name": "Maison de Jeunes Akbou",
    "address": "...",
    "phone": "..."
  },
  "capacity": 40,
  "available_places": 12,
  "last_verified_at": "2026-06-01T10:00:00Z"
}
```

14.3 Establishments

```
GET /api/establishments?commune=Akbou&type=youth_house&page=1&limit=10
```

14.4 Registration

```
POST /api/registrations
```

Body:

```
{
  "activity_id": "activity_123",
  "full_name": "User Name",
  "phone": "0550000000",
  "email": "optional@email.com"
}
```

14.5 Project Submission

```
POST /api/project-submissions
```

Body:

```
{
  "project_title": "Local Robotics Club",
  "category": "Science",
  "commune": "Akbou",
  "short_description": "A youth-led robotics club for beginners.",
  "needed_support": "Mentor and room",
  "contact_phone": "0550000000"
}
```


14.6 Announcements

```
GET /api/announcements?page=1&limit=10
```

14.7 Documents

```
GET /api/documents?category=orientation&language=fr&page=1&limit=10
```

15. Database / Collection Design



16. Suggested PocketBase Collections

16.1 users

Purpose:

Store youth users and admin users.

Fields:

full_name
email
phone
role
preferred_language
commune
wilaya
interests
created_at
updated_at

Roles:

youth
super_admin
wilaya_admin
establishment_manager
content_editor
attendance_staff

16.2 establishments

Purpose:

Store ODEJ establishments.

Fields:

name
type
commune
wilaya
address
latitude
longitude
phone
email

```
opening_hours
services
accessibility_notes
image
status
last_verified_at
```

Types:

```
youth_house
youth_hostel
sports_complex
youth_camp
polyvalent_hall
scientific_leisure_center
```

16.3 activities

Purpose:

Store activities and opportunities.

Fields:

```
title
short_description
full_description
category
establishment
activity_mode
online_link
start_datetime
end_datetime
registration_deadline
capacity
requires_registration
is_free
age_min
age_max
language
image
contact_phone
contact_email
status
last_verified_at
```

Status:

```
draft
published
cancelled
archived
```

16.4 registrations

Purpose:

```
Store activity registrations and attendance.
```

Fields:

```
user
activity
full_name
phone
email
status
qr_code
checked_in_at
```

Status:

```
registered
waiting_list
cancelled
attended
```

16.5 categories

Purpose:

```
Store activity categories.
```

Examples:

```
Sports
Culture
Training
Volunteering
Health Awareness
Science
Arts
Environment
Youth Orientation
Camps and Trips
Coding
Design
Robotics
Photography
Debate
```

16.6 announcements

Purpose:

```
Store public announcements.
```

Fields:

```
title
content
priority
related_establishment
related_activity
language
status
```

16.7 documents

Purpose:

```
Store guides, PDFs, and orientation documents.
```

Fields:

```
title
description
file
language
category
establishment
status
```

16.8 project_submissions

Purpose:

```
Allow youth to submit project ideas.
```

Fields:

```
user
establishment
project_title
category
commune
short_description
needed_support
contact_phone
optional_document
status
assigned_mentor
```

16.9 talent_showcase

Purpose:

```
Publish selected youth achievements.
```

Fields:

```
user
title
description
category
media
```

```
external_link
status
published_at
```

16.10 translations

Possible approach:

Create separate collections:


```
activity_translations
establishment_translations
category_translations
```

Supported languages:

```
ar
fr
tzm
```

17. Optional AI Design

AI is optional and admin-side only.



Allowed AI uses:

Translation suggestion
Text simplification
Duplicate activity detection


Forbidden AI uses:

Inventing activities
Inventing establishment services
Guessing phone numbers
Guessing schedules
Medical or psychological advice
Always-on chatbot
Heavy recommendation engine
AI for every user search

AI rules:

Manual only
Cached
Rate-limited
Staff-reviewed
Never published automatically
Optional for MVP

18. Data Accuracy Design



Rules:

Only published content is visible.
Every public item has last_verified_at.
Missing information is shown as "Not specified by ODEJ."
AI-generated text is draft-only until reviewed.
Users can report outdated information.
Admins can archive old content.

This prevents hallucinated or unverified information.

19. Security Requirements

The platform must include:

HTTPS only
Admin authentication
Role-based access rules
Input validation

```
File upload validation
Image size limits
Private admin collections
Public read-only access for published content
Audit fields: created_by, updated_by
No public access to drafts
No public access to admin data
```

File upload limits:

```
Activity image: max 300 KB after compression
Establishment image: max 300 KB after compression
Documents: PDF only, size-limited
Video uploads: not allowed in MVP
```

20. Accessibility Requirements

The platform must support:

```
Arabic
French
Tamazight
Clear typography
High contrast mode
Dark mode
Large touch targets
Screen-reader friendly labels
Simple navigation
Low-bandwidth mode
No important information hidden inside images
```

21. Eco-Friendly Requirements

21.1 Frontend Eco Rules

The mobile app must:

```
Use dark mode by default.
Use compressed images.
Lazy-load images.
Avoid autoplay video.
Avoid heavy animations.
```

- Avoid unnecessary background services.
- Avoid continuous GPS tracking.
- Use local caching.
- Use pagination.
- Load details only on demand.
- Provide low-bandwidth mode.

21.2 Backend Eco Rules

The backend must:

- Use one lightweight backend service.
- Use SQLite.
- Use indexed queries.
- Return only needed fields.
- Use pagination.
- Use HTTP caching.
- Avoid Redis in MVP.
- Avoid microservices.
- Avoid heavy background jobs.
- Avoid AI in normal browsing.
- Avoid realtime systems unless required.

21.3 Data Eco Rules

The data layer must:

- Separate list data from detail data.
- Avoid large JSON payloads.
- Compress uploaded images.
- Store only necessary media.
- Avoid video hosting.
- Cache stable data.
- Use `last_verified_at` for reliability.
- Archive outdated content.

22. ECOHACK Evaluation Mapping

22.1 Eco-Efficiency — 30%

The project supports this criterion through:

- Lightweight PocketBase backend
- SQLite database
- No Redis in MVP
- No microservices
- Mobile caching
- HTTP caching
- Small payloads
- Compressed images
- Dark mode
- Low-bandwidth mode
- No autoplay video
- No continuous GPS
- Manual AI only

22.2 Accuracy and Reliability — 30%

The project supports this criterion through:

- Admin-verified content
- Published/draft workflow
- last_verified_at field
- No hallucinated information
- Missing information clearly marked
- AI suggestions reviewed before publishing
- Report outdated information feature

22.3 UX and Accessibility — 20%

The project supports this criterion through:

- Mobile-first app
- Simple navigation
- Search and filters
- Arabic/French/Tamazight support
- Dark mode
- Low-bandwidth mode
- Large touch targets
- Text-first cards
- Cached access on weak networks

22.4 Maintainability — 20%

The project supports this criterion through:

- PocketBase admin dashboard
- No-code content updates
- Simple collections
- Role-based access
- Minimal infrastructure
- Clear publishing workflow
- Easy backups
- Simple deployment

23. MVP Scope

23.1 Must-Have Features

For the hackathon MVP, build:

Youth App

- Language selection
- Home screen
- Activity list
- Activity details
- Establishment directory
- Establishment details
- Search and filters
- Registration form
- QR code display
- Announcements
- Low-bandwidth mode
- Local caching

Admin Dashboard

- Admin login
- Manage establishments
- Manage activities
- Manage categories
- Manage registrations
- Publish/unpublish content
- Update multilingual fields
- Upload compressed images
- View simple statistics

Backend

- PocketBase setup
- SQLite collections
- Auth rules
- Public read rules for published content
- Admin write rules
- File storage
- Basic validation rules

23.2 Should-Have Features

Add if time allows:

- QR attendance scanning
- Project submissions
- Talent showcase
- Document library
- Interest-based notifications
- Report outdated information
- CSV export

23.3 Could-Have Features

Add only if the MVP is complete:

- AI translation assistant
- AI text simplification
- Duplicate detection
- Offline attendance sync
- Advanced map filters
- More analytics

23.4 Out of Scope

Do not build:

- Full social network
- Public comments
- Likes system
- Video feed
- Reels
- Video hosting
- Complex AI chatbot

Microservices
Redis
Kafka
Blockchain
Heavy recommendation engine
Continuous GPS tracking
Realtime global dashboards

24. User Journey

24.1 Youth Journey

1. User opens the app.
2. User chooses language.
3. App loads cached categories and establishments.
4. User selects commune and interests.
5. User sees upcoming verified opportunities.
6. User filters by category, date, or location.
7. User opens activity details.
8. User registers.
9. App generates QR code.
10. User attends activity and shows QR code.
11. Staff scans QR code and marks attendance.

24.2 ODEJ Staff Journey

1. Staff logs into the dashboard.
2. Staff creates an activity draft.
3. Staff fills title, description, date, place, capacity.
4. Staff adds multilingual fields.
5. Optional AI suggests translation.
6. Staff reviews content.
7. Staff publishes activity.
8. Youth users see it in the app.
9. Staff manages registrations.
10. Staff scans QR codes for attendance.
11. Staff archives activity after completion.

25. Final Architecture Decision

Mobile App:
React Native + Expo + TypeScript

Backend:
PocketBase

Database:
SQLite

Admin Dashboard:
PocketBase Admin UI

Caching:
React Query memory cache
AsyncStorage / Expo SQLite persistent cache
HTTP Cache-Control + ETag
Device image cache
Indexed SQLite queries
Pagination

AI:
Optional admin-side helper only

Notifications:
Digest and reminders only

Media:
Compressed images, no video hosting

Deployment:
Small VPS + Caddy/Nginx + HTTPS + scheduled backups

26. One-Sentence Product Pitch

Chabab Connect is a lightweight multilingual mobile platform that helps Algerian youth discover verified ODEJ activities, spaces, and services while allowing ODEJ staff to update information easily through a no-code dashboard.

27. One-Sentence Technical Pitch

The platform uses a lightweight React Native mobile app connected to a single PocketBase backend with SQLite, mobile-first caching, HTTP cache validation, compressed media, and optional admin-side AI only, allowing ODEJ staff to publish verified youth opportunities without code while minimizing bandwidth, battery usage, server compute, and infrastructure complexity.

