

[Get started](#)

[Samples & tutorials](#)

[Development](#)

▸ [User interface](#)

▸ [Data & backend](#)

▸ [Accessibility & internationalization](#)

▸ [Platform integration](#)

▸ [Packages & plugins](#)

▸ [Add Flutter to existing app](#)

▼ [Tools & techniques](#)

[Android Studio & IntelliJ](#)

[Visual Studio Code](#)

▼ [DevTools](#)

[Overview](#)

[Install from Android Studio & IntelliJ](#)

[Install from VS Code](#)

[Install from command line](#)

[Flutter inspector](#)

[Timeline view](#)

[Memory view](#)

[Performance view](#)

[Debugger](#)

[Logging view](#)

▸ [Flutter SDK](#)

[Hot reload](#)

[Code formatting](#)

▸ [Migration notes](#)

[Testing & debugging](#)

[Performance & optimization](#)

[Deployment](#)

[Resources](#)

[Reference](#)

[Widget index](#)

[API reference](#)

[Package site](#)

Install and run DevTools from Android Studio

[Docs](#) > [Development](#) > [Tools](#) > [DevTools](#) > [Install and run DevTools from Android Studio](#)

Contents

- [Install the Flutter plugin](#)
- [Start an app to debug](#)
- [Launch DevTools from the toolbar/menu](#)
- [Launch DevTools from an action](#)

Install the Flutter plugin

Install the Flutter plugin if you don't already have it installed. This can be done using the normal **Plugins** page in the IntelliJ and Android Studio settings. Once that page is open, you can search the marketplace for the Flutter plugin.


Start an app to debug

To open DevTools, you first need to run a Flutter app. This can be accomplished by opening a Flutter project, ensuring that you have a device connected, and clicking the **Run** or **Debug** toolbar buttons.

Launch DevTools from the toolbar/menu

Once an app is running, you can start DevTools using one of the following:

- Select the **Open DevTools** toolbar action in the Run view.
- Select the **Open DevTools** toolbar action in the Debug view. (if debugging)
- Select the **Open DevTools** action from the **More Actions** menu in the Flutter Inspector view.



Launch DevTools from an action

You can also open DevTools from an IntelliJ action. Open the **Find Action...** dialog (on a Mac, press **Command+Shift+A**), and search for the **Open DevTools** action. When you select that action, DevTools is installed (if it isn't already), the DevTools server launches, a browser instance opens pointing to the DevTools app.

When opened with an IntelliJ action, DevTools is not connected to a Flutter app. You'll need to provide a service protocol port for currently running app. You can do this using the inline **Connect to a running app** dialog.



[flutter-dev@](#) • [terms](#) • [security](#) • [privacy](#) • [español](#) • [社区中文资源](#)

Except as otherwise noted, this work is licensed under a Creative Commons Attribution 4.0 International License, and code samples are licensed under the BSD License.