



Technical Report

[Analysis Report] The Enterprise Project List Is Not Displayed on the ECS Creation Page in 8.5.1 at the Brazil Site

Version	HCS 8.5.1
Date	2025-08-13
Scenario	Standard Scenario

Copyright 2026 Huawei Technologies Co., Ltd.
All rights reserved.

vHCS 8.5.1 — 2025-08-13 22:42

Contents

1	Problem Description and Impact.....	2
2	Root Cause Analysis	3
3	Root Cause	4
4	Trigger Condition	5
5	Workaround and Impact	6
5.1	Impact	6
5.2	Back up data before the workaround	6
5.3	Workaround.....	6
5.4	Verification after the workaround	6
5.5	Rollback Operation.....	6
5.6	Cleanup Operation	6
6	Additional formatting examples	7
6.1	Callout boxes	7
6.2	Code blocks	7
6.3	Tables	7
6.4	Inline commands	8
7	Architecture Diagrams.....	9
8	Brand Color Palette.....	11
9	Changelog.....	12

Info

This document is a sample of the **Huawei Technical Report template** (`technical.cls`). It demonstrates the 5-section structure (problem, root cause analysis, root cause, trigger condition, workaround) along with shared formatting commands: callout boxes, code blocks, tables, images, and inline commands.

1

Problem Description and Impact

At the Brazil site of HCS 8.5.1, the default enterprise project is not displayed on the ECS creation page. This prevents users from selecting the correct enterprise project when provisioning new ECS instances.

2

Root Cause Analysis

1. Analyzed the permissions of the user who cannot view the default enterprise project
2. Verified the `auth_action` field behavior in version 8.5.1
3. Confirmed the Server Administrator role lacks fine-grained action permissions

3

Root Cause

In version 8.5.1, the fine-grained permission scenario was optimized. When an ECS is provisioned, only enterprise projects with the appropriate permissions are listed. The Server Administrator role does not include ECS FullAccess.



4

Trigger Condition

Occurs when a user with only the Server Administrator role attempts to create an ECS instance in HCS 8.5.1.

5

Workaround and Impact

5.1 Impact

To grant ECS FullAccess to a user, you need to modify the user group permission. This permission is the ECS administrator permission and is included in the Server Administrator permission.

5.2 Back up data before the workaround

N/A — no data modification required.

5.3 Workaround

1. Log in to the tenant plane and find the user group associated with the affected user
2. Add the ECS FullAccess permission to the user group
3. Verify the permission is applied correctly

5.4 Verification after the workaround

Log in to the tenant page again, go to the ECS page, create an ECS, and verify the enterprise project list is now displayed.

5.5 Rollback Operation

Remove the ECS FullAccess permission from the user group.

5.6 Cleanup Operation

No cleanup required.

6

Additional formatting examples

This section demonstrates shared formatting commands available in the technical template.

6.1 Callout boxes

Important

This is a warning callout box. Use it to highlight important cautions or potential issues.

Tip

This is a tip callout box. Use it to suggest best practices or helpful advice.

Info

This is an info callout box. Use it for general information or notes.

6.2 Code blocks

```
# Example script for verification
kubectl get pods -n production
kubectl logs -f deployment/api-gateway -n production
```

`kubectl describe pod` for detailed pod inspection.

6.3 Tables

Component	Version	Status
API Gateway	2.4.1	OK
Database	8.5.1	OK
Cache	7.0	Degraded

Column widths can be set with the `cols` attribute (numeric weights, proportional to the table width):

Service	Region	Zone
OBS	sa-brazil-1	1
DWS	sa-brazil-1	2

6.4 Inline commands

Note: *Always verify the backup before starting the workaround.*

Reference: [Huawei Cloud Documentation](#)

Navigation: menu:Console[ECS[Instances]]

Status: **Verified**

Parameter: **timeout** should be set to 300 seconds.

7

Architecture Diagrams

The technical report supports inline diagrams for architecture visualization.




Diagram 1: Sequence diagram of incident response




Diagram 2: Incident flowchart



Diagram 3: Incident resolution flow

8

Brand Color Palette

The template defines auxiliary brand colors aligned to the Huawei Cloud Brand Guidelines:

Color	HEX	Pantone	Sample
Rose Red	#C40054	7636	
Dark Red	#7F0001	483C	
Orange	#ED6D00	165C	
Yellow	#FCC800	7406C	
Green	#62B230	3501C	
Blue	#30B5C5	2227C	

9

Changelog

-
- | | |
|---|-------------------|
| 3.6.2 | <i>2026-09-28</i> |
| <ul style="list-style-type: none">• Added a cols column-width example table (proportional widths). | |
| 3.6.1 | <i>2026-09-19</i> |
| <ul style="list-style-type: none">• Fixed changelog dates — replaced \today with the actual historical release dates. | |
| 3.6.0 | <i>2026-09-11</i> |
| <ul style="list-style-type: none">• Added \setdocauthors to demonstrate the authors feature on the cover page. | |
| 1.3.0 | <i>2026-09-10</i> |
| <ul style="list-style-type: none">• Updated to base template v3.0.1 — minor fixes (test auto-discovery, help text, comments, CI). | |
| 1.2.0 | <i>2026-09-09</i> |
| <ul style="list-style-type: none">• Updated to base template v3.0.0 — modular pipeline refactoring (shared Lua filter factory, shared DOCX fix logic, build system auto-discovery). | |
| 1.1.0 | <i>2026-09-05</i> |
| <ul style="list-style-type: none">• Added infobox explanation and demonstrations of shared formatting commands (callouts, code, tables, inline commands). | |
| 1.0.0 | <i>2026-09-04</i> |
| <ul style="list-style-type: none">• Initial version. | |
-