


```
1⊖ <style>
 2
       table, tr, td{
 3
       border-collapse:collapse;
       border: solid 1px black;
 4
 5
       }
 7 </style>
 8⊖ <?php
       $name = "백재민";
 9
       $phone1 = "010";
10
       $phone2 = "7436";
11
       $phone3 = "3900";
$address = "경기 부천시 중동로 420번길 35";
12
13
       $mail = "dnfktmzm@naver.com";
14
15
       echo "";
16
       echo "
17
18
              이름
              휴대폰 번호
19
              >주소
20
21
              이메일
22
            ";
       echo "
23
24
              $name
25
              $phone1-$phone2-$phone3
26
              $address
27
              $mail
28
            ";
       echo "";
29
30 ?>
http://localhost/p1/practice5.php \( \times \)

⟨⇒ ⇒ | http://localhost/p1/practice5.php
이름
       휴대폰 번호
                   주소
                                              이메일
백재민 010-7436-3900 경기 부천시 중동로 420번길 35 dnfktmzm@naver.com
```



```
1 <?php
        $num1 = "991111";
  2
        $num2 = "1010111";
  3
        $id = $num1."-".$num2;
  4
        echo "주민등록번호: $id"."<br>";
  5
  6
 7
        $email1 = "master";
        $email2 = "codingschool.info";
 8
        $email = $email1."@".$email2;
 9
        echo "이메일 주소 : $email";
 10
11 ?>

    http://localhost/p1/practice15.php 

    □

⟨□ □ ● ◆ http://localhost/p1/practice15.php

주민등록번호: 991111-1010111
이메일 주소: master@codingschool.info
  1 <?php
  2
        $a = 3;
         $b = 2;
  3
  4
  5
        $a = $a + $b;
        $b = $a + 5;
  6
  7
       $c = $a * $b;
  8
 9
        $c = $c % 2;
        $a = $b + $c;
 10
        $b = $a * $b;
 11
 12
       echo "a : $a, b: $b, c : $c";
 13
 14 ?>
http://localhost/p1/practice16.php \( \times \)

⟨⇒ ⇔ ■ 

⟨→ http://localhost/p1/practice16.php
a: 10, b: 100, c: 0
```