

Merged NVMe Context Report

Generated: 2026-03-13T15:39:40

Mode: all

Attributes rendered: 225

Attributes with DIFF: 100

Input files:

- info_intel.txt
- info_skhynx.txt
- info_samsung.txt

Controllers:

1. 0000:2d:00.0 [8086:f1a5] | INTEL SSDPEKKW256G7
2. 0000:61:00.0 [1c5c:1639] | PC611 NVMe SK hynix 512GB
3. 0000:62:00.0 [144d:a80c] | Samsung SSD 990 PRO with Heatsink 4TB

Active Namespaces

* Capacity (in LBAs) [DIFF]

- INTEL SSDPEKKW256G7 : 500118192 (238GiB)
- PC611 NVMe SK hynix 512GB : 1000215216 (476GiB)
- Samsung SSD 990 PRO with Heatsink 4TB : 7814037168 (3726GiB)

* Command Set Identifier [SAME]

- INTEL SSDPEKKW256G7 : NVM (00h)
- PC611 NVMe SK hynix 512GB : NVM (00h)
- Samsung SSD 990 PRO with Heatsink 4TB : NVM (00h)

* Current LBA Format [SAME]

- INTEL SSDPEKKW256G7 : LBA Format #00
- PC611 NVMe SK hynix 512GB : LBA Format #00
- Samsung SSD 990 PRO with Heatsink 4TB : LBA Format #00

* Deallocate [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Deallocate in Write Zeroes [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Deallocated Guard Field [SAME]

- INTEL SSDPEKKW256G7 : 0xFFFF
- PC611 NVMe SK hynix 512GB : 0xFFFF
- Samsung SSD 990 PRO with Heatsink 4TB : 0xFFFF

* Deallocated Read Value [DIFF]

- INTEL SSDPEKKW256G7 : Unknown
- PC611 NVMe SK hynix 512GB : Unknown
- Samsung SSD 990 PRO with Heatsink 4TB : All 0x00

* Deallocated/Unwritten Error [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* EUI64 [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : ACE42E000A7D99A0
- Samsung SSD 990 PRO with Heatsink 4TB : 0025384C3144A774

* Endurance group ID [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : <missing>

- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Error Recovery Timeout [SAME]

- INTEL SSDPEKKW256G7 : Unlimited
- PC611 NVMe SK hynix 512GB : Unlimited
- Samsung SSD 990 PRO with Heatsink 4TB : Unlimited

* Flush [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* LBA Format #00 [SAME]

- INTEL SSDPEKKW256G7 : Data Size: 512 Metadata Size: 0
- PC611 NVMe SK hynix 512GB : Data Size: 512 Metadata Size: 0
- Samsung SSD 990 PRO with Heatsink 4TB : Data Size: 512 Metadata Size: 0

* LBA Format #01 [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Data Size: 4096 Metadata Size: 0
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

* NGUID [DIFF]

- INTEL SSDPEKKW256G7 : 0000000001000000E4D25C0A5DC34E01
- PC611 NVMe SK hynix 512GB : ACE42E000A7D99A02EE4AC0000000001
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

* NGUID/EUI64 Never Reused [SAME]

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

* Namespace ID [SAME]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Namespace Sharing Capabilities [SAME]

- INTEL SSDPEKKW256G7 : Private
- PC611 NVMe SK hynix 512GB : Private
- Samsung SSD 990 PRO with Heatsink 4TB : Private

* Namespace Write Protected [SAME]

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

* Number of LBA Formats [DIFF]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 2
- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Per-NS Atomic Units [SAME]

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

* Reservation [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Size (in LBAs) [DIFF]

- INTEL SSDPEKKW256G7 : 500118192 (238GiB)
- PC611 NVMe SK hynix 512GB : 1000215216 (476GiB)

- Samsung SSD 990 PRO with Heatsink 4TB : 7814037168 (3726GiB)

* Thin Provisioning [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Utilization (in LBAs) [DIFF]

- INTEL SSDPEKKW256G7 : 500118192 (238GiB)
- PC611 NVMe SK hynix 512GB : 1000215216 (476GiB)
- Samsung SSD 990 PRO with Heatsink 4TB : 0 (0GiB)

Admin Command Set Attributes

* Abort Command Limit [DIFF]

- INTEL SSDPEKKW256G7 : 5
- PC611 NVMe SK hynix 512GB : 4
- Samsung SSD 990 PRO with Heatsink 4TB : 8

* Asymmetric Namespace Access Log Page [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Async Event Request Limit [DIFF]

- INTEL SSDPEKKW256G7 : 8
- PC611 NVMe SK hynix 512GB : 8
- Samsung SSD 990 PRO with Heatsink 4TB : 4

* Command & Feature Lockdown Capability [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Command Effects Log Page [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Commands Supported & Effects Log Page [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Data Area 4 for Telemetry Log [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Device Self-Test [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Directives [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Doorbell Buffer Config [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Error Log Page Entries Supported [DIFF]

- INTEL SSDPEKKW256G7 : 64

- PC611 NVMe SK hynix 512GB : 256
- Samsung SSD 990 PRO with Heatsink 4TB : 64

* Feature Identifiers & Effects Log Page [DIFF]

- INTEL SSDPEKKW256G7 : May Support
- PC611 NVMe SK hynix 512GB : May Support
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Firmware Activate/Download [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Firmware Activation Without Reset [SAME]

- INTEL SSDPEKKW256G7 : Yes
- PC611 NVMe SK hynix 512GB : Yes
- Samsung SSD 990 PRO with Heatsink 4TB : Yes

* Firmware Slot 1 Read-Only [SAME]

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

* Firmware Update Granularity [DIFF]

- INTEL SSDPEKKW256G7 : 4 KiB
- PC611 NVMe SK hynix 512GB : No Information Provided
- Samsung SSD 990 PRO with Heatsink 4TB : No Information Provided

* Format NVM [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Get LBA Status Capability [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Get Log Page Extended Data [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Keep Alive [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Multiple Update Detection Support [SAME]

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

* NVMe-MI [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* NVMe-MI Commands & Effects Log Page [DIFF]

- INTEL SSDPEKKW256G7 : May Support
- PC611 NVMe SK hynix 512GB : May Support
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Namespace Management [SAME]

- INTEL SSDPEKKW256G7 : Not Supported

- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Number of Firmware Slots [DIFF]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 3
- Samsung SSD 990 PRO with Heatsink 4TB : 3

* Per-Namespace SMART Log [DIFF]

- INTEL SSDPEKKW256G7 : Yes
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : Yes

* Persistent Event Log Pages [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Security Send/Receive [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Subsystem NQN [DIFF]

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : nqn.1994-11.com.samsung:nvme:990PRO:M.2:S7DSNJ0WC16826X

* Supported Log Pages Log Page [DIFF]

- INTEL SSDPEKKW256G7 : May Support
- PC611 NVMe SK hynix 512GB : May Support
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Telemetry Log Pages [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Virtualization Management [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

Arbitration

* Arbitration Burst [DIFF]

- INTEL SSDPEKKW256G7 : 64
- PC611 NVMe SK hynix 512GB : 4
- Samsung SSD 990 PRO with Heatsink 4TB : 4

* High Priority Weight [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : 4

* Low Priority Weight [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : 4

* Medium Priority Weight [DIFF]

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : 4

Commands Supported and Effects

*** ----- / Compare (05h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Dataset Management (09h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported LBA-Change
- Samsung SSD 990 PRO with Heatsink 4TB : Supported LBA-Change All-NS-Exclusive

*** ----- / Flush (00h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported Per-NS-Exclusive

*** ----- / Read (02h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Write (01h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported LBA-Change
- Samsung SSD 990 PRO with Heatsink 4TB : Supported LBA-Change

*** ----- / Write Uncorrectable (04h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported LBA-Change
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Write Zeroes (08h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported LBA-Change
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Abort (08h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Asynchronous Event Request (0Ch) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Create I/O Completion Queue (05h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Create I/O Submission Queue (01h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Delete I/O Completion Queue (04h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Delete I/O Submission Queue (00h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Device Self-test (14h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Firmware Commit (10h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported Ctrlr-Cap-Change
- PC611 NVMe SK hynix 512GB : Supported Ctrlr-Cap-Change All-NS-Exclusive
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Firmware Image Download (11h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Format NVM (80h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change Per-NS-Exclusive
- PC611 NVMe SK hynix 512GB : Supported LBA-Change NS-Cap-Change Per-NS-Exclusive
- Samsung SSD 990 PRO with Heatsink 4TB : Supported LBA-Change All-NS-Exclusive

*** ----- / Get Features (0Ah) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Get Log Page (02h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Identify (06h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Sanitize (84h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported LBA-Change All-NS-Exclusive
- Samsung SSD 990 PRO with Heatsink 4TB : Supported LBA-Change All-NS-Exclusive

*** ----- / Security Receive (82h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported Per-NS-Exclusive

*** ----- / Security Send (81h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported LBA-Change All-NS-Exclusive

*** ----- / Set Features (09h) [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** ----- / Vendor specific (C0h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change NS-Cap-Change Ctrlr-Cap-Change
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (C1h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change NS-Cap-Change Ctrlr-Cap-Change
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (C2h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (D1h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported LBA-Change
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (D2h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (E0h) [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : <missing>
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (F0h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (F1h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

*** ----- / Vendor specific (F2h) [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : <missing>

Controller Capabilities/Features

*** Arbitration Mechanisms Supported / Vendor Specific [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Arbitration Mechanisms Supported / Weighted Round Robin [DIFF]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Boot Partition [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Command Sets Supported / NVM Command Set [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Contiguous Queues Required [SAME]**

- INTEL SSDPEKKW256G7 : Yes
- PC611 NVMe SK hynix 512GB : Yes
- Samsung SSD 990 PRO with Heatsink 4TB : Yes

*** Controller Attributes / 128-bit Host Identifier [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Delete Endurance Group [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Delete NVM Set [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Endurance Groups [DIFF]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Controller Attributes / Extended LBA Formats Supported [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Fixed Capacity Management [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Flexible Data Placement Supported [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Multi-Domain Subsystem [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / NVM Sets [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Namespace Granularity [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Non-Operational Permissive Mode [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Predictable Latency Mode [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Read Recovery Levels [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / SQ Associations [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Traffic Based Keep Alive [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / UUID List [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Controller Attributes / Variable Capacity Management [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Doorbell Stride [SAME]**

- INTEL SSDPEKKW256G7 : 4 bytes
- PC611 NVMe SK hynix 512GB : 4 bytes
- Samsung SSD 990 PRO with Heatsink 4TB : 4 bytes

*** Firmware Version [DIFF]**

- INTEL SSDPEKKW256G7 : PSF121C
- PC611 NVMe SK hynix 512GB : 11001111
- Samsung SSD 990 PRO with Heatsink 4TB : 0B2QJXG7

*** IEEE OUI Identifier [DIFF]**

- INTEL SSDPEKKW256G7 : e4 d2 5c
- PC611 NVMe SK hynix 512GB : 2e e4 ac
- Samsung SSD 990 PRO with Heatsink 4TB : 38 25 00

*** Max Data Transfer Size [DIFF]**

- INTEL SSDPEKKW256G7 : 131072
- PC611 NVMe SK hynix 512GB : 262144
- Samsung SSD 990 PRO with Heatsink 4TB : 2097152

*** Max Number of I/O Queues [DIFF]**

- INTEL SSDPEKKW256G7 : 8
- PC611 NVMe SK hynix 512GB : 16
- Samsung SSD 990 PRO with Heatsink 4TB : 16

*** Max Number of Namespaces [SAME]**

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

*** Maximum Queue Entries [DIFF]**

- INTEL SSDPEKKW256G7 : 256
- PC611 NVMe SK hynix 512GB : 1024
- Samsung SSD 990 PRO with Heatsink 4TB : 16384

*** Memory Page Size Maximum [DIFF]**

- INTEL SSDPEKKW256G7 : 8192 bytes
- PC611 NVMe SK hynix 512GB : 4096 bytes
- Samsung SSD 990 PRO with Heatsink 4TB : 4096 bytes

*** Memory Page Size Minimum [SAME]**

- INTEL SSDPEKKW256G7 : 4096 bytes
- PC611 NVMe SK hynix 512GB : 4096 bytes
- Samsung SSD 990 PRO with Heatsink 4TB : 4096 bytes

*** Model Number [DIFF]**

- INTEL SSDPEKKW256G7 : INTEL SSDPEKKW256G7
- PC611 NVMe SK hynix 512GB : PC611 NVMe SK hynix 512GB
- Samsung SSD 990 PRO with Heatsink 4TB : Samsung SSD 990 PRO with Heatsink 4TB

*** Multi-path I/O / Associated with SR-IOV VF [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

*** Multi-path I/O / May have multiple controllers [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

*** Multi-path I/O / May have multiple subsystem ports [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

*** NVM Subsystem Reset [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** NVMe Specification Version (Identify) [DIFF]**

- INTEL SSDPEKKW256G7 : 1.2
- PC611 NVMe SK hynix 512GB : 1.3
- Samsung SSD 990 PRO with Heatsink 4TB : 2.0

*** NVMe Specification Version (VS) [DIFF]**

- INTEL SSDPEKKW256G7 : 1.2
- PC611 NVMe SK hynix 512GB : 1.3
- Samsung SSD 990 PRO with Heatsink 4TB : 2.0

*** Optional Asynchronous Events Supported / ANA Change Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / Discovery Log Change Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / EGE Aggregate Log Change Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / Firmware Activation Notices [DIFF]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Optional Asynchronous Events Supported / LBA Status Info Alert Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / Namespace Attribute Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / Normal NVM Subsystem Shutdown event [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / PLE Aggregate Log Change Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Optional Asynchronous Events Supported / Zone Descriptor Change Notices [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Persistent Memory Region [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Recommended Arb Burst [DIFF]**

- INTEL SSDPEKKW256G7 : 6
- PC611 NVMe SK hynix 512GB : 4
- Samsung SSD 990 PRO with Heatsink 4TB : 2

*** Reset Timeout [DIFF]**

- INTEL SSDPEKKW256G7 : 60000 ms
- PC611 NVMe SK hynix 512GB : 10000 ms
- Samsung SSD 990 PRO with Heatsink 4TB : 20000 ms

*** Serial Number [DIFF]**

- INTEL SSDPEKKW256G7 : BTPY74120KM7256D
- PC611 NVMe SK hynix 512GB : NY09N01061100982I
- Samsung SSD 990 PRO with Heatsink 4TB : S7DSNJ0WC16826X

*** Subsystem Vendor ID [DIFF]**

- INTEL SSDPEKKW256G7 : 8086
- PC611 NVMe SK hynix 512GB : 1c5c
- Samsung SSD 990 PRO with Heatsink 4TB : 144d

*** Vendor ID [DIFF]**

- INTEL SSDPEKKW256G7 : 8086
- PC611 NVMe SK hynix 512GB : 1c5c
- Samsung SSD 990 PRO with Heatsink 4TB : 144d

Controller Memory Buffer Support

*** Supported [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

Firmware Slot Information

*** Active slot [SAME]**

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

*** Slot 1 Firmware Revision [DIFF]**

- INTEL SSDPEKKW256G7 : PSF121C
- PC611 NVMe SK hynix 512GB : 11001111
- Samsung SSD 990 PRO with Heatsink 4TB : 0B2QJXG7

Health Information

*** Available Spare [DIFF]**

- INTEL SSDPEKKW256G7 : 95%
- PC611 NVMe SK hynix 512GB : 100%
- Samsung SSD 990 PRO with Heatsink 4TB : 100%

*** Available Spare Space [SAME]**

- INTEL SSDPEKKW256G7 : OK
- PC611 NVMe SK hynix 512GB : OK
- Samsung SSD 990 PRO with Heatsink 4TB : OK

*** Available Spare Threshold [DIFF]**

- INTEL SSDPEKKW256G7 : 10%
- PC611 NVMe SK hynix 512GB : 50%
- Samsung SSD 990 PRO with Heatsink 4TB : 10%

*** Controller Busy Time [DIFF]**

- INTEL SSDPEKKW256G7 : 13606 minutes
- PC611 NVMe SK hynix 512GB : 5602 minutes
- Samsung SSD 990 PRO with Heatsink 4TB : 49 minutes

*** Critical Temperature Time [SAME]**

- INTEL SSDPEKKW256G7 : 0 minutes
- PC611 NVMe SK hynix 512GB : 0 minutes
- Samsung SSD 990 PRO with Heatsink 4TB : 0 minutes

*** Critical Warnings [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Current Temperature [DIFF]**

- INTEL SSDPEKKW256G7 : 303 Kelvin (30 Celsius)
- PC611 NVMe SK hynix 512GB : 336 Kelvin (63 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 324 Kelvin (51 Celsius)

*** Data Units Read [DIFF]**

- INTEL SSDPEKKW256G7 : 70940246
- PC611 NVMe SK hynix 512GB : 47839820
- Samsung SSD 990 PRO with Heatsink 4TB : 8916331

*** Data Units Written [DIFF]**

- INTEL SSDPEKKW256G7 : 42037056
- PC611 NVMe SK hynix 512GB : 30906167
- Samsung SSD 990 PRO with Heatsink 4TB : 3386308

*** Device Reliability [SAME]**

- INTEL SSDPEKKW256G7 : OK
- PC611 NVMe SK hynix 512GB : OK
- Samsung SSD 990 PRO with Heatsink 4TB : OK

*** Host Read Commands [DIFF]**

- INTEL SSDPEKKW256G7 : 1302977480
- PC611 NVMe SK hynix 512GB : 2258724656
- Samsung SSD 990 PRO with Heatsink 4TB : 1220184351

*** Host Write Commands [DIFF]**

- INTEL SSDPEKKW256G7 : 711060256
- PC611 NVMe SK hynix 512GB : 582078460
- Samsung SSD 990 PRO with Heatsink 4TB : 3338648

*** Life Percentage Used [DIFF]**

- INTEL SSDPEKKW256G7 : 10%
- PC611 NVMe SK hynix 512GB : 0%
- Samsung SSD 990 PRO with Heatsink 4TB : 0%

*** Lifetime Error Log Entries [DIFF]**

- INTEL SSDPEKKW256G7 : 1393756
- PC611 NVMe SK hynix 512GB : 298759
- Samsung SSD 990 PRO with Heatsink 4TB : 128946

*** Power Cycles [DIFF]**

- INTEL SSDPEKKW256G7 : 6528
- PC611 NVMe SK hynix 512GB : 3524
- Samsung SSD 990 PRO with Heatsink 4TB : 42

*** Power On Hours [DIFF]**

- INTEL SSDPEKKW256G7 : 93922 hours
- PC611 NVMe SK hynix 512GB : 12118 hours
- Samsung SSD 990 PRO with Heatsink 4TB : 949 hours

*** Read Only [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

*** Temperature [SAME]**

- INTEL SSDPEKKW256G7 : OK
- PC611 NVMe SK hynix 512GB : OK
- Samsung SSD 990 PRO with Heatsink 4TB : OK

*** Temperature Sensor 1 [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : 329 Kelvin (56 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 324 Kelvin (51 Celsius)

*** Temperature Sensor 2 [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : 360 Kelvin (87 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 336 Kelvin (63 Celsius)

*** Temperature Threshold [DIFF]**

- INTEL SSDPEKKW256G7 : 343 Kelvin (70 Celsius)
- PC611 NVMe SK hynix 512GB : 356 Kelvin (83 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 355 Kelvin (82 Celsius)

*** Unrecoverable Media Errors [DIFF]**

- INTEL SSDPEKKW256G7 : 4
- PC611 NVMe SK hynix 512GB : 0
- Samsung SSD 990 PRO with Heatsink 4TB : 0

*** Unsafe Shutdowns [DIFF]**

- INTEL SSDPEKKW256G7 : 1823
- PC611 NVMe SK hynix 512GB : 1921
- Samsung SSD 990 PRO with Heatsink 4TB : 10

*** Volatile Memory Backup [SAME]**

- INTEL SSDPEKKW256G7 : OK
- PC611 NVMe SK hynix 512GB : OK
- Samsung SSD 990 PRO with Heatsink 4TB : OK

*** Warning Temperature Time [DIFF]**

- INTEL SSDPEKKW256G7 : 71 minutes
- PC611 NVMe SK hynix 512GB : 0 minutes
- Samsung SSD 990 PRO with Heatsink 4TB : 0 minutes

Host Controlled Thermal Management

*** Maximum Thermal Management Temperature [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : 356 Kelvin (83 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 356 Kelvin (83 Celsius)

*** Minimum Thermal Management Temperature [DIFF]**

- INTEL SSDPEKKW256G7 : <missing>
- PC611 NVMe SK hynix 512GB : 273 Kelvin (0 Celsius)
- Samsung SSD 990 PRO with Heatsink 4TB : 318 Kelvin (45 Celsius)

NVM Command Set Attributes

* Atomic Compare & Write Unit [SAME]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Atomic Write Unit (Normal) [DIFF]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1024

* Atomic Write Unit (PFail) [SAME]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Compare Command [DIFF]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Completion Queue Entry Size / Max [SAME]

- INTEL SSDPEKKW256G7 : 16
- PC611 NVMe SK hynix 512GB : 16
- Samsung SSD 990 PRO with Heatsink 4TB : 16

* Completion Queue Entry Size / Min [SAME]

- INTEL SSDPEKKW256G7 : 16
- PC611 NVMe SK hynix 512GB : 16
- Samsung SSD 990 PRO with Heatsink 4TB : 16

* Copy [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Dataset Management Command [SAME]

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

* Fused Compare & Write [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Number of Namespaces [SAME]

- INTEL SSDPEKKW256G7 : 1
- PC611 NVMe SK hynix 512GB : 1
- Samsung SSD 990 PRO with Heatsink 4TB : 1

* Replay Protected Memory Block [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Reservations [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

* Scatter-Gather List / Oversized SGL [SAME]

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Bit Bucket Descriptor [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Command Set [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Keyed [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Metadata Address [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Metadata Pointer [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / SGL Offset [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Scatter-Gather List / Transport SGL Data Block [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Set Features Save Field [SAME]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Submission Queue Entry Size / Max [SAME]**

- INTEL SSDPEKKW256G7 : 64
- PC611 NVMe SK hynix 512GB : 64
- Samsung SSD 990 PRO with Heatsink 4TB : 64

*** Submission Queue Entry Size / Min [SAME]**

- INTEL SSDPEKKW256G7 : 64
- PC611 NVMe SK hynix 512GB : 64
- Samsung SSD 990 PRO with Heatsink 4TB : 64

*** Timestamp [DIFF]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Supported

*** Volatile Write Cache [SAME]**

- INTEL SSDPEKKW256G7 : Present
- PC611 NVMe SK hynix 512GB : Present
- Samsung SSD 990 PRO with Heatsink 4TB : Present

*** Write Uncorrectable Command [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Write Zeroes Command [DIFF]**

- INTEL SSDPEKKW256G7 : Supported
- PC611 NVMe SK hynix 512GB : Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

Number of Queues

*** Number of I/O Completion Queues [DIFF]**

- INTEL SSDPEKKW256G7 : 8
- PC611 NVMe SK hynix 512GB : 16
- Samsung SSD 990 PRO with Heatsink 4TB : 16

*** Number of I/O Submission Queues [DIFF]**

- INTEL SSDPEKKW256G7 : 8
- PC611 NVMe SK hynix 512GB : 16
- Samsung SSD 990 PRO with Heatsink 4TB : 16

Persistent Memory Region Support

*** Supported [SAME]**

- INTEL SSDPEKKW256G7 : No
- PC611 NVMe SK hynix 512GB : No
- Samsung SSD 990 PRO with Heatsink 4TB : No

Power Management

*** Active Power [SAME]**

- INTEL SSDPEKKW256G7 : Not Reported
- PC611 NVMe SK hynix 512GB : Not Reported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Reported

*** Current Power State [SAME]**

- INTEL SSDPEKKW256G7 : Power State #0
- PC611 NVMe SK hynix 512GB : Power State #0
- Samsung SSD 990 PRO with Heatsink 4TB : Power State #0

*** Entry Latency [DIFF]**

- INTEL SSDPEKKW256G7 : 2000 microseconds
- PC611 NVMe SK hynix 512GB : 1000 microseconds
- Samsung SSD 990 PRO with Heatsink 4TB : 500 microseconds

*** Exit Latency [DIFF]**

- INTEL SSDPEKKW256G7 : 10000 microseconds
- PC611 NVMe SK hynix 512GB : 9000 microseconds
- Samsung SSD 990 PRO with Heatsink 4TB : 21800 microseconds

*** Idle Power [SAME]**

- INTEL SSDPEKKW256G7 : Not Reported
- PC611 NVMe SK hynix 512GB : Not Reported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Reported

*** Max Power [DIFF]**

- INTEL SSDPEKKW256G7 : 0.0050 W
- PC611 NVMe SK hynix 512GB : 0.0040 W
- Samsung SSD 990 PRO with Heatsink 4TB : 0.0050 W

*** Non-Operational Permissive Mode [SAME]**

- INTEL SSDPEKKW256G7 : Not Supported
- PC611 NVMe SK hynix 512GB : Not Supported
- Samsung SSD 990 PRO with Heatsink 4TB : Not Supported

*** Non-Operational State [SAME]**

- INTEL SSDPEKKW256G7 : Non-Operation
- PC611 NVMe SK hynix 512GB : Non-Operation
- Samsung SSD 990 PRO with Heatsink 4TB : Non-Operation

*** Number of Power States [SAME]**

- INTEL SSDPEKKW256G7 : 5
- PC611 NVMe SK hynix 512GB : 5
- Samsung SSD 990 PRO with Heatsink 4TB : 5

*** Power State #0 [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Power State #1 [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Power State #2 [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Power State #3 [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Power State #4 [SAME]**

- INTEL SSDPEKKW256G7 : <empty>
- PC611 NVMe SK hynix 512GB : <empty>
- Samsung SSD 990 PRO with Heatsink 4TB : <empty>

*** Relative Read Latency [DIFF]**

- INTEL SSDPEKKW256G7 : 4
- PC611 NVMe SK hynix 512GB : 3
- Samsung SSD 990 PRO with Heatsink 4TB : 4

*** Relative Read Throughput [DIFF]**

- INTEL SSDPEKKW256G7 : 4
- PC611 NVMe SK hynix 512GB : 3
- Samsung SSD 990 PRO with Heatsink 4TB : 4

*** Relative Write Latency [DIFF]**

- INTEL SSDPEKKW256G7 : 4
- PC611 NVMe SK hynix 512GB : 3
- Samsung SSD 990 PRO with Heatsink 4TB : 4

*** Relative Write Throughput [DIFF]**

- INTEL SSDPEKKW256G7 : 4
- PC611 NVMe SK hynix 512GB : 3
- Samsung SSD 990 PRO with Heatsink 4TB : 4