

Site Access: know before you go

Some sites you cannot even reach without a credential, orientation, or escort - a scheduling and quoting factor, not just a safety one. What each environment may demand *before* you mobilize.

 Commonly required  May apply - site-specific  Rarely

ENVIRONMENT	BACKGROUND screening	SAFETY orientation	ESCORT / badge	OPERATOR training (lift)	SPECIAL PERMIT / PPE	WHO SETS THE REQUIREMENT
Rail / transit Any work on or near active track - yards, platforms, wayside.						FRA 49 CFR 214 (Roadway Worker Protection) · railroad / transit authority · eRailSafe screening; railroad flagman
Hospital (active care) Cabling / APs in an occupied patient-care building.						Joint Commission / CMS · ICRA containment permit + ILSM ; badge + escort
Maritime / over-water Marinas, ferries, docks, over-water AP mounts.						OSHA 1926.106 (PFDs) · USCG vessel rules · TWIC for secure ports; corrosion-rated gear
Aerial / man-lift work High-bay and ceiling APs ride booms and scissor lifts.						OSHA 1926.453 · ANSI A92 (MEWP) - the <i>employer</i> trains and certifies each operator (no OSHA card)
Warehouse / DC floor High-bay work amid moving forklifts and racking.						OSHA 1910.178 (powered trucks) · site GC sets pedestrian / hi-vis rules + orientation
Data center (colo) Strict access control and change-control windows.						Facility security policy (SOC 2 / ISO 27001) · escort, NDA, no-photo, ESD discipline
School / childcare K–12 and daycare access around students.						State education code · district policy - background check / fingerprinting; work scheduled around students
Correctional Cleared-access, escort, and tool-control site.						Facility / DOC policy - clearance, escort, every tool counted in and out, movement lockdowns

BUDGET THE LEAD TIME Rail and hospital carry the longest lead times - railroad background screening and ICRA-awareness training run **weeks**, not days. Underestimating this is how a one-day install becomes a three-week mobilization. Confirm the credential path before you quote.