

## Virtual Secure Mode: Communication Interfaces

Aleksandar Milenkoski

#### ▶ To cite this version:

Aleksandar Milenkoski. Virtual Secure Mode: Communication Interfaces. [Technical Report] ERNW Enno Rey Netzwerke GmbH. 2019. hal-03117362

# HAL Id: hal-03117362 https://hal.archives-ouvertes.fr/hal-03117362

Submitted on 21 Jan 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





## Virtual Secure Mode: Communication Interfaces

Aleksandar Milenkoski amilenkoski@ernw.de<sup>™</sup>

This work is part of the *Windows Insight* series. This series aims to assist efforts on analysing inner working principles, functionalities, and properties of the Microsoft Windows operating system. For general inquiries contact Aleksandar Milenkoski (amilenkoski@ernw.de) or Dominik Phillips (dphillips@ernw.de). For inquiries on this work contact the corresponding author ( $\square$ ).

The content of this work has been created in the course of the project named 'Studie zu Systemaufbau, Protokollierung, Härtung und Sicherheitsfunktionen in Windows 10 (SiSyPHuS Win10)' (ger.) - 'Study of system design, logging, hardening, and security functions in Windows 10' (eng.). This project has been contracted by the German Federal Office for Information Security (ger., Bundesamt für Sicherheit in der Informationstechnik - BSI).

## **Required Reading**

In addition to referenced work, related work focussing on Windows Architecture and Virtual Secure Mode (VSM), part of the *Windows Insight* series, are relevant for understanding concepts and terms mentioned in this document.

# **Technology Domain**

The operating system in focus is Windows 10, build 1607, 64-bit, long-term servicing branch (LTSB).

#### 1 Introduction

A VSM-enabled Windows environment implements multiple communication interfaces:

- Isolated User Mode (IUM) system calls: Interface between IUM applications and the secure kernel, where the secure kernel provides services to IUM applications (Section 2);
- normal-mode services: Interface between the secure and the normal kernel, where the normal kernel provides services to the secure kernel (Section 5);
- secure services: Interface between the secure and the normal kernel, where the secure kernel provides services to the normal kernel (Section 4); and
- hypercalls: Interface between the normal and the secure kernel, and the hypervisor, where the hypervisor provides services to the normal and the secure kernel (Section 3).

In addition to the interfaces mentioned above, there is the traditional non-VSM-specific system call interface enabling communication between user applications and the normal kernel. Section 2 focuses on the execution path of IUM system calls, comparing it with that of traditional system calls.

### 2 IUM System Calls

IUM system calls implement services that the secure kernel exposes to IUM applications. This includes critical system services enabling the operation of IUM applications, such as memory management services.

The execution path of IUM system calls is conceptually identical to that of traditional system calls. An IUM application executes IUM system calls by invoking functions implemented in the *IUMDLL.dll* library file. These functions have names starting with *Ium* and implement execution context switching between IUM applications and the secure kernel. Figure 1 depicts the implementation of the *IumPostMailbox* IUM system call in *IUMDLL.dll*. For comparison purposes, Figure 2 depicts the implementation of the traditional system call *NtCreateUserProcess* in the *NTDLL.dll* library file.

```
1 iumdl!!IumPostMailbox:
2 mov r10,rcx
3 mov eax,800000Ah
4 syscall
5 ret
```

Figure 1: Implementation of IumPostMailbox in IUMDLL.dll

```
1  ntdl!NtCreateUserProcess:
2  mov    r10,rcx
3  mov    eax,0C1h
4  test    byte ptr [SharedUserData+0x308],1
5  [...]
6
7  ntdl!NtCreateUserProcess+0x12:
8  syscall
9  ret
10  [...]
```

Figure 2: Implementation of NtCreateUserProcess in NTDLL.dll

Same as traditional system calls, each IUM system call can be uniquely identified by a system service index. Indexes specifying IUM system calls have the highest bit set. An example is 0x800000A, a system service index specifying the IumPostMailbox IUM system call (see line 3 in Figure 1). Once the system service index is set, the syscall instruction switches the execution context to the secure kernel (see line 4 in Figure 1 and line 8 in Figure 2).

Once the execution context is switched to the secure kernel, it invokes the *KiSystemCall64* routine. The address of this function is stored in the model-specific register (MSR) *0xC0000082* when the *ShvlpInitProcessor* function is invoked (see Figure 3). This function is invoked during the initialization of the secure kernel. For comparison purposes, Figure 4 depicts the use of the model-specific register (MSR) *0xC0000082* for the same purpose in the context of traditional system calls. The *KiInitializeBootStructures* is invoked during the initialization of the normal kernel.

```
ShvlpInitProcessor( [...] )
{
    [...]
    _writemsr(0xC0000082, KiSystemCall64);
    [...]
}
```

Figure 3: MSR 0xC0000082 storing KiSystemCall64 (secure kernel)

KiSystemCall64 routes invocations of a given IUM system call to the corresponding handler function implementing the actual service functionality. Figure 5 depicts the implementation of KiSystemCall64. This function first evaluates whether the highest bit of the system service index is set (see line 5 in Figure 5). If set, KiSystemCall64 loads the address of the kernel structure SkiSecureServiceTable (see line 13 in Figure 5). This structure is an array of functions implementing the service functionalities of IUM system calls. Figure 6 depicts the implementation of SkiSecureServiceTable. After loadingSkiSecureServiceTable, KiSystemCall64 executes the handler

```
KiInitializeBootStructures( [...] )
{
    [...]
    _writemsr(0xC0000082, KiSystemCall64);
    [...]
}
```

Figure 4: MSR 0xC0000082 storing KiSystemCall64 (normal kernel)

```
securekernel!KiSystemCall64:
     [...]
             ebx.eax
     mov
     and
             eax,0FFFh
             ebx,8000000h
     test
6
             securekernel!KiSystemServiceStart+0x28
     securekernel!KiSvstemServiceStart+0x13:
             eax.dword ptr [securekernel!SkiSecureServiceLimit]
     CMD
             securekernel!KiSystemServiceExit+0x145
10
11
     securekernel!KiSystemServiceStart+0x1f:
             r10,[securekernel!SkiSecureServiceTable]
             securekernel!KiSystemServiceStart+0x3b
15
16
     securekernel!KiSvstemServiceStart+0x28:
             r10.[securekernel!IumSvscallDispatchTable]
     lea
             eax,dword ptr [securekernel!IumSyscallDescriptorLimit]
18
     cmp
             securekernel!KiSystemServiceExit+0x145
19
20
     securekernel!KiSystemServiceStart+0x3b:
21
     movsxd rll,dword ptr [rl0+rax*4]
23
             rax, r11
     mov
24
             r11.4
25
     add
             r10.r11
26
     nop
             dword ptr [rax]
27
             eax 0Fh
     and
28
             securekernel!KiSystemServiceCopyEnd
31
     securekernel!KiSystemServiceCopyEnd:
32
     mov
             eax, ebx
33
     call
             r10
34
    [...]
```

Figure 5: The implementation of KiSystemCall64

function indexed by the system service index identifying the invoked IUM system call (see line 22 and line 33 in Figure 5).

If the highest bit of the system service index is not set, that is, if the evaluation at line 5 in Figure 5 fails, the *KiSystemCall64* routes an invocation of a normal-mode service. Section 5 discusses normal-mode services.

Since only IUM applications may invoke IUM system calls, the conditions for instantiating IUM applications by third parties apply also to invoking IUM system calls by these parties.

# 3 Hypercalls

Hypercalls implement services that the hypervisor exposes to partitions. This involves critical system services enabling the operation of virtual systems, such as memory management services. The hypercalls implemented by the Hyper-V hypervisor are listed in [[Mic17], Appendix A]. Each Hyper-V hypercall can be uniquely identified by an identification number, referred to as a call code.

Partitions can invoke hypercalls only from kernel-mode. In a VSM-enabled Windows environment, this includes the execution context of the normal and the secure kernel. The *winhv* and *winhvr* drivers implement wrapper functions enabling the straightforward invocation of hypercalls. For example, the functions implement assignment of call codes and management of hypercall input and output values. The activities that need to be performed for a Hyper-V hypercall to be executed are documented in ([Mic17], Section 3).

```
TABLERO: 0000000140089000 SkiSecureServiceTable dq offset IumCreateSecureDevice
TABLERO: 0000000140089000
                                                                 ; DATA XREF: SkiSystemStartup+D6?o
TABLERO: 0000000140089000
                                                                   KiSystemCall64+C3?o
TABLERO:0000000140089008
                                         dq offset IumCreateSecureSection
TABLERO: 0000000140089010
                                         da offset IumCrypto
TABLERO:0000000140089018
                                         dq offset IumDmaMapMemory
                                         dq offset IumFlushSecureSectionBuffers
TABLERO:0000000140089020
TABLERO: 0000000140089028
                                         dg offset IumGetDmaEnabler
                                         dq offset IumGetExposedSecureSection
TABLERO: 0000000140089030
TABLERO: 0000000140089038
                                         dg offset IumGetIdk
                                         dq offset IumMapSecureIo
TABLERO: 0000000140089040
TABLERO:0000000140089048
                                         dq offset IumOpenSecureSection
TABLERO: 0000000140089050
                                         dq offset IumPostMailbox
TABLERO: 0000000140089058
                                         dq offset IumProtectSecureIo
TABLERO: 0000000140089060
                                         dq offset IumQuerySecureDeviceInformation
TABLERO:0000000140089068
                                         dq offset IumSecureStorageGet
TABLERO: 0000000140089070
                                         dg offset IumSecureStoragePut
TABLERO: 0000000140089078
                                         dq offset IumUnmapSecureIo
TARL FRO: 0000000140089080
                                         dq offset IumUpdateSecureDeviceState
```

Figure 6: The implementation of SkiSecureServiceTable

A crucial prerequisite for Hyper-V hypercalls to be invoked is the existence of the hypercall page in the context of the partition. A hypercall page is a memory page that stores code for invoking hypercalls as per the Hyper-V specification. This page is exposed by the hypervisor to each partition. During the initialization process, each partition reserves a memory page and stores its guest physical address (GPA) in the MSR 0x40000001 ([Mic17], Section 3.13). Hyper-V then populates this page with code. A populated hypercall page cannot be modified in order to prevent unauthorized modifications of the code stored in it. Figure 7 depicts the contents of a MSR 0x40000001.

```
[...]

kd> rdmsr 0x40000001

msr[40000001] = 00000000`0020e003]

[...]
```

Figure 7: The contents of a MSR 0x40000001

When the hypercall page is loaded in the context of a partition, the kernel running in the partition can invoke hypercalls. This typically involves activities such as loading the hypercall page, allocating memory buffers for hypercall input and output values, and setting these values. Finally, the code stored in the hypercall page is executed so that the execution context is switched to the hypervisor. For example, the *WinHvpHypercall* function of the *winhvr* driver results in the execution of code stored in the hypercall page.

Figure 8 depicts the contents of a hypercall page accessed in the *WinHvpHypercall* function. It contains pagealigned code for invoking hypercalls, padded with "no operation" (*nop*) instructions. The page contains several sets of instructions ending with the instruction sequence "*vmcall ret*". The vmcall instruction is implemented in Intel processors and it switches execution context to the hypervisor.

The sets of instructions stored in the hypercall page can be understood as trampolines for abstracting the switching of execution context to the hypervisor in different scenarios. These trampolines accommodate the execution of any hypercall, and of the hypercalls with call codes 0x11 and 0x12, on both 32-bit and 64-bit platforms. The instructions preceding the vmcall instructions (if any) save the contents of the eax, or the rcx, register and store a hypercall call code in this register. The eax, or the rcx, register stores a hypercall call code on 32-bit and 64-bit platforms, respectively. The use of specific registers for storing hypercall input and output values, as well as call codes, is documented in ([Mic17], Section 3.7) and ([Mic17], Section 3.8).

The sets of instructions in the hypercall page where the values 0x11 and 0x12 are stored in the eax, or the

```
[...]
kd> u fffff800`b3948000 L20
fffff800`b3948000 0f01c1
                                   vmcal1
fffff800`b3948003 c3
                                   ret
fffff800`b3948004 8bc8
                                            ecx,eax
fffff800`b3948006 b811000000
                                   mov
                                           eax,11h
fffff800`b394800b 0f01c1
                                   vmcall
fffff800`b394800e c3
                                   ret
fffff800`b394800f 488bc1
                                   mov
                                            rax,rcx
fffff800`b3948012 48c7c111000000
                                   mov
                                           rcx,11h
fffff800`b3948019 0f01c1
                                   vmcal1
fffff800`h394801c c3
                                   ret
fffff800`b394801d 8bc8
                                   moν
                                            ecx,eax
fffff800`b394801f b812000000
                                   mov
                                            eax,12h
fffff800`b3948024 0f01c1
                                   vmcal1
fffff800`b3948027 c3
                                   ret
fffff800`b3948028 488bc1
                                   mov
                                           rax,rcx
fffff800`b394802b 48c7c112000000
                                   mov
                                           rcx,12h
fffff800`b3948032 0f01c1
                                   vmcal1
fffff800`b3948035 c3
                                   ret
fffff800`b3948036 90
                                   nop
fffff800`b3948037 90
                                   nop
fffff800`b3948038 90
                                   nop
```

Figure 8: The contents of a hypercall page

rcx, register are used for invoking the hypercalls with call codes 0x11 and 0x12. These hypercalls are used for invoking normal-mode and secure services. Section 4 and Section 5 discuss these services. The first set of instructions, containing only the "vmcall ret" instruction sequence, is used for invoking any other hypercall.

When the vmcall instruction is executed, the execution context is switched to Hyper-V. The hypervisor then performs access control checks. If a given hypercall is protected by access control, the partition invoking it has to possess the required privilege [[Mic17], Section 3.11]. If the hypercall is to be executed, Hyper-V loads an array that contains entries of a fixed size. Each entry is indexed by a hypercall call code and contains a pointer to a function implementing the functionality of the hypercall identified by the call code. Hyper-V then executes the function indexed by the call code of the invoked hypercall. After this, the execution context is switched back to the kernel that has invoked the hypercall. Figure 9 depicts a portion of the array containing functions implementing hypercall functionalities indexed by call codes (see, for example,  $sub\_FFFFF800002129D8$  [function] and 5Dh [call code] in Figure 9). This array is implemented as part of hvix64.exe.



Figure 9: Functions implementing hypercall functionalities

#### 4 Secure Services

The secure kernel exposes services to the normal kernel, referred to as secure services in this work. They implement security-critical kernel operations that are executed in the secure, isolated environment. For a secure service to be invoked by the normal kernel, the kernel has to switch from Virtual Trust Level (VTL) 0 to VTL 1. This process is known as VTL call. In its essence, a VTL call is an execution context switch from a lower to a higher VTL. ([Mic17], Section 15.6.1) provides details on the VTL call process.

VTL calls are performed by the normal kernel issuing a hypercall with call code 0x11 – the HvCallVtlCall hypercall ([Mic17], Section 17]. The normal kernel issues HvCallVtlCall by invoking the function chain  $VslpEnterlumSecureMode \rightarrow HvlSwitchToVsmVtl1 \rightarrow HvlpVsmVtlCallVa$ . The VslpEnterlumSecureMode function is invoked in the functions implemented as part of the normal kernel that require a secure service. HvlpVsmVtlCallVa is a variable storing a function referencing the trampoline of the hypercall page for invoking the hypercall with call code 0x11. Figure 10 depicts this trampoline executed in the HvlSwitchToVsmVtl1 function.



Figure 10: Issuing a VTL call

Each secure service can be uniquely identified by an identification number, referred to as secure service call number (SSCN). In the context of the normal kernel, a SSCN is specified as the second parameter of *VslpEnterlumSecureMode*. The SSCN is then passed to the secure kernel as part of a data structure stored in the *rdx* register when a VTL call is issued. This structure is referred to as the VTL call data structure in this work. The table presented in the section 'Secure Services' of the Appendix lists the functions implemented as part of the normal kernel (column 'Function') that invoke secure services identified by SSCNs (column 'SSCN').

In addition to secure services, a VTL call supports the specification of other operations that can be executed by the secure kernel. Each operation is uniquely identified by an operation code, which is stored in the VTL call data structure. The operations are:

- managing the execution of a thread relevant to the secure kernel (operation code 0x0): Section 5 discusses more on this topic;
- invocation of a secure service (operation code 0x01);
- flushing the transaction lookaside buffer (TLB) (operation code 0x02): With respect to the design of VSM, the flushing of the TLB is considered a security-critical activity and is therefore executed in the secure environment. The TLB is involved in translations between virtual and physical addresses.

Figure 11 depicts the contents of the VTL call data structure when a VTL call is issued. In Figure 11, 0x01 is an operation code, indicating invocation of a secure service, and 0xD1 is a SSCN.

In the context of the secure kernel, a VTL call is processed in the function lumInvokeSecureService, invoked by the SkCallNormalMode function. lumInvokeSecureService extracts the SSCN from the VTL call data structure and invokes the function(s) implementing the actual secure service identified by the SSCN. The secure kernel then continues the execution of SkCallNormalMode. This function invokes the trampoline of the hypercall page for invoking the hypercall with call code 0x12. This is done for returning relevant data to the normal kernel and switching the execution context back to VTL 0. The hypercall with call code 0x12 is the HvCallVtlReturn hypercall ([Mic17], Section 17). It is used for switching from a higher to a lower VTL. This process is opposite to a VTL

Figure 11: Contents of the VTL call data structure

call and is referred to as VTL return. ([Mic17], Section 15.7.1) provides details on the VTL return process. In *SkCallNormalMode*, the trampoline for invoking *HvCallVtlReturn* is stored in the *ShvlpVtlReturn* variable (see Figure 12). This variable is populated during the initialization of the secure kernel, in the *ShvlpInitializeVsmCodeArea* function.

```
[...]
.text:000000014005FB95 mov cr2, rdx
.text:000000014005FB98 mov ecx, 1
.text:000000014005FB9D InvokeReturnHcall:
.text:000000014005FB9D invokeReturnHcall:
.text:000000014005FB9D call cs:ShvlpVtlReturn
[...]
```

Figure 12: Execution of the HvCallVtlReturn hypercall in SkCallNormalMode

#### 5 Normal-mode Services

The normal kernel exposes services to the secure kernel, referred to as normal-mode services in this work. These services implement kernel operations that are not implemented by the secure kernel, however, are necessary for this kernel or the IUM applications that it hosts to function. The secure kernel implements only a limited set of security-critical functionalities. This is because this kernel is designed to expose a minimal interface. It has a significantly smaller codebase than the one of the normal kernel. This reduces the risk of breaches due to design or implementation errors.

Example normal-mode services include semaphore and process management, and registry and filesystem input/output. The traditional system calls implemented as part of the normal kernel are invoked as normal-mode services by the secure kernel.

In the context of the secure kernel, normal-mode services that are implemented as system calls in the normal kernel, are invoked by executing functions with names starting with Nt or Zw. These functions may be invoked by IUM applications requesting kernel functionalities or the secure kernel itself. The functions with names starting with Zw invoke the KiServiceInternal function. The system service index is stored in the eax register. Figure 13 depicts the invocation of KiServiceInternal by the function ZwTerminateProcess such that the system service index is 0x2C. This is the index of the NtTerminateProcess system call implemented in the normal kernel.

KiServiceInternal invokes KiSystemServiceStart, a code segment of the KiSystemCall64 function (see Figure 5, Section 2). In KiSystemServiceStart, the secure kernel loads the variable IumSyscallDispatchTable (which is different than the one in the normal kernel). This is because the highest bit of the system service index is set (see line 17 in Figure 5). IumSyscallDispatchTable potentially contains pointers to functions implemented as part of the IumSyscallDispEntries array. IumSyscallDispEntries stores pointers to functions with prefix Nt, indexed by a system service index. Figure 14 depicts a portion of the contents of IumSyscallDispEntries.

```
1 ZwTerminateProcess proc near
2
3 [...]
4
5 mov eax, 2Ch
6 jmp KiServiceInternal
7 retn
8 ZwTerminateProcess endp
```

Figure 13: ZwTerminateProcess invoking KiServiceInternal

```
[...]
.data:0000000140078580 IumSyscallDispEntries dq offset NtWorkerFactoryWorkerReady
.data:0000000140078580
.data:0000000140078580
.data:0000000140078588
.data:0000000140078589
                                        db
[...]
.data:000000014007858F
                                        dq offset NtWaitForSingleObject
.data:0000000140078590
data:0000000140078598
.data:0000000140078599
[...]
.data:000000014007859F
.data:00000001400785A0
                                        dq offset NtReleaseSemaphore
.data:00000001400785A8
                                       db 0Ah
.data:00000001400785A9
[...]
```

Figure 14: Contents of IumSyscallDispEntries

After loading *lumSyscallDispatchTable*, *KiSystemServiceStart* invokes the function with prefix *Nt* indexed by the system service index stored in the *eax* register. The functions with prefix *Nt* invoke stubs for executing normal-mode services. These stubs are implemented in functions with names starting with *Nk*. For example, *NtSetEvent* invokes *NkSetEvent*.

Figure 15 depicts the process of executing normal-mode services by functions with prefix *Nk*. Figure 15 depicts the concrete example of *NkTerminateProcess* executing the system call *NtTerminateProcess* as a normal-mode service. *NkTerminateProcess* invokes *IumGenericSyscall* such that the first parameter is a system service index with the highest bit set. *NkTerminateProcess* sets the first parameter of *IumGenericSyscall* to *0x8000002C*. *0X2C* is the system service index of the *NtTerminateProcess* system call implemented in the normal kernel. *IumGenericSyscall* invokes *SkSyscall* such that its first parameter is the system service index (*SysCallID* in Figure 15). *SkSyscall* sets the highest bit of the system service index to *0* (*SysCallID&0x7FFFFFFFF* in Figure 15). The system service index is then passed to the *SkCallNormalMode* function as part of a data structure (*param* in Figure 15).

SkCallNormalMode executes a VTL return; that is, it switches from VTL 1 to VTL 0 (see Section 4). SkCallNormalMode passes the data structure provided by SkSyscall to VTL 0 (param in Figure 15). This structure is referred to as the VTL return data structure in this work. SkCallNormalMode executes a VTL return by invoking the hypercall with call code 0x12 (see Section 4).

In the context of the normal kernel, normal-mode services requested by IUM applications or by the secure kernel are handled in the *VslpEnterlumSecureMode* function. The *VslpDispatchlumSyscall* function, invoked by *VslpEnterlumSecureMode*, executes normal-mode services implemented as system calls in the normal kernel. The *PsDispatchlumService* function, invoked by *VslpEnterlumSecureMode*, executes other normal-mode services.

VslpDispatchlumSyscall and PsDispatchlumService are executed in the context of worker threads. These threads act as agents of entities running in the secure environment for executing normal-mode services. Normal-mode services requested by the secure kernel are executed in the context of a thread owned by the Secure System process. Normal-mode services requested by IUM applications are executed in the context of threads owned by these applications. Figure 16 depicts the invocation of VslpDispatchlumSyscall in the context of threads owned

```
NkTerminateProcess ( [...] ) {
    return [IumGenericSyscall(0x8000002C, [...] );
}

IumGenericSyscall(SysCallID, [...] ) {
    [...]
    return SkSyscall(SysCallID, [...] );
}

SkSyscall(SysCallID, [...] ) {
    [...]

SysCallID = SysCallID & 0x7FFFFFFF;

IumApi_NtGENERIC ( [...] );
    IumApi_NtGENERIC ( [...] );
    [...]

wORD(param) = SysCallID;
SkCallNormalMode(&param);
    IumApi_NtGENERIC ( [...] );
    [...]
}
```

Figure 15: Executing normal-mode services by functions with prefix Nk (NkTerminateProcess)

by the Secure System process ([1] in Figure 16) and the *Biolso.exe* IUM application ([2] in Figure 16). Next, the operation of the worker thread owned by *Biolso.exe* is discussed.




Figure 16: Invocation of VslpDispatchlumSyscall

The thread enters the VslpEnterlumSecureMode function. This function issues VTL calls in a loop, by executing the hypercall with call code 0x11. These VTL calls are issued by invoking HvlSwitchToVsmVtl1, such that the SSCN is set to 0 and the operation code is set to 0x0 (see Section 4). At a given point in time, the data returned from the VTL call contains either a system service index or a normal-mode service code. Normal-mode service codes are used for uniquely identifying normal-mode services that are not implemented as system calls in the normal kernel.

If the returned data contains a system service index, the *VslpDispatchlumSyscall* function invokes the corresponding system service routine. If the returned data contains a normal-mode service code, the *PsDispatchl*-

umService function invokes the corresponding normal service. PsDispatchlumService implements multiple condition blocks for invoking specific functions for a given normal service code.

Figure 17 depicts the presence of a system service index in the data returned from a VTL call issued in VslpEnterlumSecureMode. The system service index 0x48, which specifies the NtCreateEvent system call, results in VslpDispatchlumSyscall invoking the NtCreateEvent system service routine. This routine is implemented in the normal kernel.

Figure 17: VslpDispatchlumSyscall invoking the NtCreateEvent system call

Once a normal-mode service is handled in VslpDispatchlumSyscall or PsDispatchlumService, the loop issuing VTL calls with operation code 0x0 is continued. At some point, the worker threads owned by Biolso.exe is put to sleep and terminated.

# **Appendix**

# **Secure Services**

Function	SSCN
DbgkCopyProcessDebugPort	0xB
HvlCollectLivedump	0xE9
HvlInitializeProcessor	0x2
HvlNotifyDebuqDeviceAvailable	0xF0
, ,	0x802
Hylproper For Post Crash dump	0xEC
HylPropage For Socya Hibernata	0xEB
HylpStartSaguraPagal istltaration	0x800
HvlpStartSecurePageListIteration KaPalanasSatManagas	
KeBalanceSetManager	0xD1 0xE4
KeCopyPrivilegedPage KePaguestTerminationThroad	0x24 0x8
KeRequestTerminationThread	0xD2
KeReservePrivilegedPages KeSecureProcess	0xD2 0x6
KeSetPagePrivilege	0xE6/0xE3/0xE5
KeUnsecureProcess	0x1B
	0x1B 0xD3
MiApplyDynamicRelocations   MiFlushEntireTbDueToAttributeChange	0xD3 0x0
NtDebugActiveProcess	0xB
NtRemoveProcessDebug	0xB
PopAllocateHiberContext	0x1F
PsplnitPhase3	0x1F 0x3
PspUserThreadStartup	0x0
VslAbortLiveDump	0x28
VslCloseSecureHandle	0x1B
VslConfigureDynamicMemory	0x1B 0x21
VslConnectSwInterrupt	0x22
VslCreateSecureAllocation	0x13
VslCreateSecureImageSection	0x16
VslCreateSecureProcess	0x5
VslCreateSecureThread	0x7
VslEnableOnDemandDebugWithResponse	0x10
VslEndSecurePageIteration	0x801
VslExchangeEntropy	0x1E
VslFastFlushSecureRangeList	0xE1
VslFillSecureAllocation	0x14
VslFinalizeLiveDumpInSk	0x27/0x28
VslFinalizeSecureImageHash	0x17
VslFinishSecureImageValidation	0x18
VslFlushSecureAddressSpace	0xE0
VslFreeSecureHibernateResources	0x20
VslGetNestedPageProtectionFlags	0xE7
VslGetOnDemandDebugChallenge	0xF
VslGetSecurePebAddress	0xC0
<i>VslGetSecureTebAddress</i>	0xC
VslGetSetSecureContext	0xE
VsllsTrustletRunning	0x12
VsllumEfiRuntimeService	0xE8

Vs $II$ um $E$ t $w$ $E$ na $b$ le $C$ a $II$ ba $c$ $k$	0xD4
VslLiveDumpQuerySecondaryDataSize	0x23
VslMakeCodeCatalog	0x15
VslNotifyShutdown	0xEE
VslpAddLiveDumpBufferChunk	0x25
<i>VslpConnectedStandbyPoCallback</i>	0x29
VslpConnectedStandbyWnfCallback	0x29
VslpIumPhase0Initialize	0xD0
VslpIumPhase4Initialize	0x1
vslpKsrEnterlumSecureMode	0xF1
<i>VslPrepareSecureImageRelocations</i>	0x19
<i>VslpSetupLiveDumpBuffer</i>	0x26
<i>VslQuerySecureKernelProfileInformation</i>	0x2A
<i>VslRegisterLogPages</i>	0xEA
VslRegisterSecureSystemProcess	0x4
VslRelocateImage	0x1A
<i>VslReportBugCheckProgress</i>	0xED
VslRetrieveMailbox	0x11
VslRundownSecureProcess	0xA
VslSetupLiveDumpBufferInSk	0x24/0x28
<i>VslSlowFlushSecureRangeList</i>	0xE2
<i>VslTerminateSecureThread</i>	0x9
<i>VslTransferSecureImageVersionResource</i>	0x1D
VslValidateDynamicCodePages	0x1C
<i>VslValidateSecureImagePages</i>	0xC1

## References

[Mic17] Microsoft. Hypervisor Top Level Functional Specification. 2017. Version 5.0b; https://docs.microsoft.com/en-us/virtualization/hyper-v-on-windows/reference/tlfs.