



IT8711- FOSS AND CLOUD COMPUTING



ANANTHAN C P
Ex. No: 07
Date : 21/10/2022

Roll No: 19UITE017
Register No: 920419205003

VM File Migration



Roll No: 19UITE017
Register No: 920419205003





IT8711- FOSS AND CLOUD COMPUTING

ANANTHAN C P
Ex. No: 07
Date : 21/10/2022



Roll No: 19UITE017
Register No: 920419205003

VM File Migration



Roll No: 19UITE017
Register No: 920419205003



VM File Migration



ANANTHAN C P
Ex. No: 07
Date : 21/10/2022

Roll No: 19UITE017
Register No: 920419205003

VM File Migration



IT8711- FOSS AND CLOUD COMPUTING

ANANTHAN C P


Ex. No: 07

Date : 21/10/2022

Roll No: 19UITE017


Register No: 920419205003

VM File Migration



The screenshot shows a terminal window titled 'centos@centos7~'. The terminal output displays the results of a ping command: 'ping 127.0.0.1'. The output shows 20 successful pings, each with a 64-byte data size and a time of approximately 0.064 ms. The terminal window has a menu bar with 'File', 'Edit', 'View', 'Search', 'Terminal', and 'Help'. The status bar at the bottom shows 'centos@centos7~' and a search icon.

```
centos@centos7 ~  
File Edit View Search Terminal Help  
[centos@centos7 ~]$ ping 127.0.0.1  
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data:  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.064 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.069 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.066 ms  
64 bytes from 127.0.0.1: icmp_seq=4 ttl=64 time=0.063 ms  
64 bytes from 127.0.0.1: icmp_seq=5 ttl=64 time=0.077 ms  
64 bytes from 127.0.0.1: icmp_seq=6 ttl=64 time=0.090 ms  
64 bytes from 127.0.0.1: icmp_seq=7 ttl=64 time=0.079 ms  
64 bytes from 127.0.0.1: icmp_seq=8 ttl=64 time=0.095 ms  
64 bytes from 127.0.0.1: icmp_seq=9 ttl=64 time=0.084 ms  
64 bytes from 127.0.0.1: icmp_seq=10 ttl=64 time=0.087 ms  
64 bytes from 127.0.0.1: icmp_seq=11 ttl=64 time=0.062 ms  
64 bytes from 127.0.0.1: icmp_seq=12 ttl=64 time=0.079 ms  
64 bytes from 127.0.0.1: icmp_seq=13 ttl=64 time=0.081 ms  
64 bytes from 127.0.0.1: icmp_seq=14 ttl=64 time=0.055 ms  
64 bytes from 127.0.0.1: icmp_seq=15 ttl=64 time=0.078 ms  
64 bytes from 127.0.0.1: icmp_seq=16 ttl=64 time=0.081 ms  
64 bytes from 127.0.0.1: icmp_seq=17 ttl=64 time=0.077 ms  
64 bytes from 127.0.0.1: icmp_seq=18 ttl=64 time=0.085 ms  
64 bytes from 127.0.0.1: icmp_seq=19 ttl=64 time=0.065 ms  
64 bytes from 127.0.0.1: icmp_seq=20 ttl=64 time=0.060 ms  
^C
```



The screenshot shows a terminal window titled 'centos@centos7~'. The terminal output displays the results of a ping command: 'ping 127.0.0.1'. The output shows 22 successful pings, each with a 64-byte data size and a time of approximately 0.064 ms. The terminal window has a menu bar with 'File', 'Edit', 'View', 'Search', 'Terminal', and 'Help'. The status bar at the bottom shows 'centos@centos7~' and a search icon.

```
centos@centos7 ~  
File Edit View Search Terminal Help  
[centos@centos7 ~]$ ping 127.0.0.1  
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data:  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.064 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.069 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.066 ms  
64 bytes from 127.0.0.1: icmp_seq=4 ttl=64 time=0.063 ms  
64 bytes from 127.0.0.1: icmp_seq=5 ttl=64 time=0.077 ms  
64 bytes from 127.0.0.1: icmp_seq=6 ttl=64 time=0.090 ms  
64 bytes from 127.0.0.1: icmp_seq=7 ttl=64 time=0.079 ms  
64 bytes from 127.0.0.1: icmp_seq=8 ttl=64 time=0.095 ms  
64 bytes from 127.0.0.1: icmp_seq=9 ttl=64 time=0.084 ms  
64 bytes from 127.0.0.1: icmp_seq=10 ttl=64 time=0.087 ms  
64 bytes from 127.0.0.1: icmp_seq=11 ttl=64 time=0.062 ms  
64 bytes from 127.0.0.1: icmp_seq=12 ttl=64 time=0.079 ms  
64 bytes from 127.0.0.1: icmp_seq=13 ttl=64 time=0.081 ms  
64 bytes from 127.0.0.1: icmp_seq=14 ttl=64 time=0.055 ms  
64 bytes from 127.0.0.1: icmp_seq=15 ttl=64 time=0.078 ms  
64 bytes from 127.0.0.1: icmp_seq=16 ttl=64 time=0.081 ms  
64 bytes from 127.0.0.1: icmp_seq=17 ttl=64 time=0.077 ms  
64 bytes from 127.0.0.1: icmp_seq=18 ttl=64 time=0.085 ms  
64 bytes from 127.0.0.1: icmp_seq=19 ttl=64 time=0.065 ms  
64 bytes from 127.0.0.1: icmp_seq=20 ttl=64 time=0.060 ms  
64 bytes from 127.0.0.1: icmp_seq=21 ttl=64 time=0.078 ms  
64 bytes from 127.0.0.1: icmp_seq=22 ttl=64 time=0.073 ms  
^C
```

IT8711- FOSS AND CLOUD COMPUTING

ANANTHAN C P


Ex. No: 07

Date : 21/10/2022

Roll No: 19UITE017


Register No: 920419205003

VM File Migration



The screenshot shows a terminal window titled 'centos@centos7~'. The terminal output displays a series of 'nc' (netcat) connections from 127.0.0.1 to 127.0.0.1, each with a sequence number and a time value. The connections are successful, as indicated by the 'nc' command and the 'ping' command output. The terminal also shows the user's prompt 'centos@centos7 ~\$'.



```
File Edit View Search Terminal Help
64 bytes from 127.0.0.1: nc_seq=16 ttl=64 time=0.081 ms
64 bytes from 127.0.0.1: nc_seq=17 ttl=64 time=0.077 ms
64 bytes from 127.0.0.1: nc_seq=18 ttl=64 time=0.085 ms
64 bytes from 127.0.0.1: nc_seq=19 ttl=64 time=0.085 ms
64 bytes from 127.0.0.1: nc_seq=20 ttl=64 time=0.088 ms
64 bytes from 127.0.0.1: nc_seq=21 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=22 ttl=64 time=0.073 ms
64 bytes from 127.0.0.1: nc_seq=23 ttl=64 time=0.063 ms
64 bytes from 127.0.0.1: nc_seq=24 ttl=64 time=0.081 ms
64 bytes from 127.0.0.1: nc_seq=25 ttl=64 time=0.081 ms
64 bytes from 127.0.0.1: nc_seq=26 ttl=64 time=0.088 ms
64 bytes from 127.0.0.1: nc_seq=27 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=28 ttl=64 time=0.082 ms
64 bytes from 127.0.0.1: nc_seq=29 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=30 ttl=64 time=0.076 ms
64 bytes from 127.0.0.1: nc_seq=31 ttl=64 time=0.082 ms
64 bytes from 127.0.0.1: nc_seq=32 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=33 ttl=64 time=0.081 ms
64 bytes from 127.0.0.1: nc_seq=34 ttl=64 time=0.089 ms
64 bytes from 127.0.0.1: nc_seq=35 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=36 ttl=64 time=0.080 ms
64 bytes from 127.0.0.1: nc_seq=37 ttl=64 time=0.101 ms
64 bytes from 127.0.0.1: nc_seq=38 ttl=64 time=0.078 ms
64 bytes from 127.0.0.1: nc_seq=39 ttl=64 time=0.079 ms
64 bytes from 127.0.0.1: nc_seq=40 ttl=64 time=0.079 ms
64 bytes from 127.0.0.1: nc_seq=41 ttl=64 time=0.085 ms
^Z
[1]+  Stopped                  ping 127.0.0.1
centos@centos7 ~$
```





The screenshot shows a text editor window titled 'Test.txt'. The text content of the file is 'This is Ananthan and Venkatesh Prabhu'. The window also shows the file's location as 'Test.txt (-Desktop) - gedit'.

```
Applications Places Text Editor
Test.txt
Open Save
This is Ananthan and Venkatesh Prabhu
Plan Text Tab Width: 8 Ln 1, Col 38
[centos@centos7 ~] Test.txt (-Desktop) - gedit
```




VM File Migration





VM File Migration



VM File Migration



VM File Migration



VM File Migration

