

ASTRONOMY 101 EXAM 3 FORM C

Name: _____

Lab section number: _____

(In the format “M0**”. See back page; if you get this wrong you may not get your exam back!)


- Exam time: one hour and twenty minutes
- Please put bags under your seats to allow proctors to move around the room.
- Please choose the **best** answer to each question.
- You may use only pencils and pens for this exam; no notes, **or cellphones** are allowed. You do not need a calculator; this exam requires no complicated calculations.
- If you have a question, raise your hand, and a proctor will assist you.
- Do not attempt to communicate with anyone other than teaching staff during the exam.

Good luck!

LAB SCHEDULE

Section	Instructor	Time
M024	Jiixin Sun	Monday 8:00AM-9:20AM
M003	Pan Dong	Monday 9:30AM-10:50AM
M004	Pan Dong	Monday 11:00AM-12:20PM
M005	Pan Dong	Monday 12:45PM-2:05PM
M006	Pan Dong	Monday 2:15PM-3:35PM
M007	Suman Kundu	Monday 3:45PM-5:05PM
M008	Suman Kundu	Monday 5:15PM-6:35PM
M009	Suman Kundu	Monday 6:45PM-8:05PM
M010	Suman Kundu	Monday 8:15PM-9:35PM
M027	Julian Georg	Tuesday 3:30PM-4:50PM
M028	Julian Georg	Tuesday 5:00PM-6:20PM
M029	Julian Georg	Tuesday 6:30PM-7:50PM
M030	Julian Georg	Tuesday 8:00PM-9:20PM
M025	Ohana Benevides Rodrigues	Wednesday 8:00AM-9:20AM
M011	Ohana Benevides Rodrigues	Wednesday 9:30AM-10:50AM
M012	Ohana Benevides Rodrigues	Wednesday 11:00AM-12:20PM
M013	Scott Bassler	Wednesday 12:45PM-2:05PM
M014	Jiixin Sun	Wednesday 2:15PM-3:35PM
M015	Sarthak Gupta	Wednesday 3:45PM-5:05PM
M016	Sarthak Gupta	Wednesday 5:15PM-6:35PM
M017	Elizabeth Lawson-Keister	Wednesday 6:45PM-8:05PM
M018	Elizabeth Lawson-Keister	Wednesday 8:15PM-9:35PM
M019	Sarthak Gupta	Thursday 5:00PM-6:20PM
M020	Sarthak Gupta	Thursday 6:30PM-7:50PM
M031	Ohana Benevides Rodrigues	Thursday 8:00PM-9:20PM
M026	Elizabeth Lawson-Keister	Friday 8:00AM-9:20AM
M021	Elizabeth Lawson-Keister	Friday 9:30AM-10:50AM
M022	Jiixin Sun	Friday 11:00AM-12:20PM
M023	Jiixin Sun	Friday 12:45PM-2:05PM

REFERENCE



1. What form is your exam?

- (A) Form A
- (B) Form B
- (C) Form C
- (D) Form D
- (E) Form E

2. Suppose you work for a shop on Marshall Street, and the store owner tells you that they've bought a new blue neon sign: "Everyone else's neon signs are red, but I have a fancy blue one!"


What would you say to the shop owner?

- (A) "The energy levels in that type of neon must be very far apart"
- (B) "Uh, I don't think that's neon..."
- (C) "Be careful with the ultraviolet coming from that thing; you don't want to get a sunburn"
- (D) "The stuff inside must be really hot; I hope it doesn't melt the glass"
- (E) "That's beautifully-colored glass"

3. How can we most readily measure what chemical elements are in stars?


- (A) By examining the positions of the dark lines in their spectra
- (B) By examining the peak wavelengths of the continuous spectra that they emit
- (C) By examining the positions of the bright lines in their spectra
- (D) By examining the slight motions they make in the sky
- (E) We have no way to measure the composition of stars

4. Suppose a particular sort of atom has energy levels as shown below. You shine a beam of 4 eV photons on these atoms. What transition(s) will the atom's electron make? (*Thanks to Amanda for the question!*)



- (A) It will jump from the $n = 1$ level to the $n = 2$ level, emitting a 1 eV photon to carry the leftover energy
- (B) It will jump to the space between the $n = 2$ and $n = 3$ levels
- (C) It will not make any transitions at all
- (D) It will jump to the $n = 2$ level, but not emit any light.
- (E) More than one of the above is possible.

5. Here are spectra for two types of light bulbs, both of which appear the same yellowish-orange color to the human eye.



What can you conclude about them?

(A fluorescent light bulb contains a diffuse gas with an electric current running through it; an incandescent light bulb consists of a thin filament heated to a high temperature.)

- (A) Both bulbs are incandescent light bulbs, but they are heated to different temperatures
 - (B) The bulb on the left is a fluorescent light bulb, and the bulb on the right is an incandescent light bulb
 - (C) The bulb on the left is a incandescent light bulb, and the bulb on the right is a fluorescent light bulb
 - (D) Both bulbs are fluorescent light bulbs, but they contain different types of gas
 - (E) You cannot conclude any of the above
6. Consider a very bright red light and a dim blue light. Which is true?
- (A) The total power emitted by the red light is higher, but one photon from the blue light carries more energy
 - (B) The total power emitted by the blue light is higher, but photons from the red light carry more energy
 - (C) The total power emitted by the red light is higher, but photons from both lights have the same energy
 - (D) The total power emitted by both lights in the same, but photons from the red light carry more energy
 - (E) None of the above are correct.

7. A region of the Atlantic Ocean east of Florida called the “Bermuda Triangle” is famous for accidents involving ships and airplanes.

Someone claims that the reason for these accidents is a modification of the law of gravity in this area, throwing ships and airplanes off balance and causing them to wreck.

Which property of scientific explanations does this claim not satisfy?

- (A) Non-anthropocentrism
 - (B) Naturalness
 - (C) Universality
 - (D) Reproducibility
8. Which of the following would allow you to most easily determine the temperature of a star, if you have a telescope and a spectrometer?
- (A) Examining the location of the emission lines in the star’s spectrum
 - (B) Examining the amount of infrared radiation emitted by the star
 - (C) Examining the location of the absorption lines in the star’s spectrum
 - (D) Examining the color that the star appears
 - (E) We have no way of determining the temperature of stars using this equipment
9. Which of the following is true about a candle (temperature around 1800 K)? *(Inspired by a question submitted by Sam; thanks!)*
- (A) It emits mostly infrared light, but also emits a little bit of red and orange light
 - (B) It emits mostly red and orange light, but also emits a little bit of infrared light
 - (C) It emits mostly ultraviolet light, but also emits a little bit of red and orange light
 - (D) It emits red and orange light only
 - (E) It emits mostly red and orange light, but also emits a little bit of ultraviolet

10. You're searching for life on other planets, and are trying to find planets that are the same temperature as Earth.

Suppose that you find a star that is the same temperature as the Sun, but is twice as large. If this star has a planet that is the same temperature as the Earth, how far away from its star would it have to be?

Recall that, in Lab 8, you found that the intensity I_2 of sunlight at a distance d away from a star of temperature T and radius r is

$$I_2 = \frac{kT^4 r^2}{d^2}.$$

- (A) The planet would need to be about 1 AU away from its host star.
 - (B) The planet would need to be more than 1 AU away from its host star.
 - (C) This star is too big to support planets that are the same temperature as Earth.
 - (D) The planet would need to be less than 1 AU away from its host star.
11. Some astronomers build a strange “telescope” deep underground, half a mile below the surface of the Earth. Even though no light can penetrate that much dirt, they are still able to observe a supernova. How did they do this?
- (A) They observed a change in the Earth's rotation caused by gravitational waves
 - (B) They observed the gamma-ray burst that was produced at the same time
 - (C) They observed neutrinos produced in the explosion
 - (D) They observed fluctuations in the Earth's magnetic field caused by the shock wave
 - (E) There are no telescopes deep underground since you can't see anything from down there
12. The *Pioneer* spacecraft contain golden plaques referencing a certain atomic transition in hydrogen. The hope is that alien life somewhere will discover these plaques and use the information on them to learn about humans.

Why did we refer to this atomic transition when writing a message for extraterrestrial beings?

- (A) Because the Earth emits a great deal of light at the wavelength of this transition, and if the extraterrestrials know to look for it then they can find Earth
- (B) Because we needed to demonstrate to the extraterrestrials that there was hydrogen gas in the Sun
- (C) Because the wavelength of the light emitted by these atomic transitions is the same everywhere in the universe, and this provides a “yardstick” for us to use in describing how big things are
- (D) Because we needed to teach the extraterrestrials something about physics in order for them to understand how the spacecraft worked

13. Can significant numbers of x-rays be emitted as thermal radiation?

- (A) No, since x-rays are ionizing radiation, not thermal radiation
- (B) Yes, by a chemical whose energy levels are very far away
- (C) Yes, by an extremely hot object heated to a temperature of millions of degrees
- (D) Yes, by an extremely hot object heated to a temperature of thousands of degrees
- (E) No, since like x-rays can only be produced in nuclear reactions

14. Blacksmiths use the visible appearance of the thermal radiation of hot metal to judge its temperature.

Suppose a metal is heated to the point where its glow is barely visible to the human eye, around 1000 Kelvin. What type of light is it mostly emitting?

- (A) Blue light
- (B) White light
- (C) Infrared light
- (D) Red light
- (E) Ultraviolet light

15. Which of the following is *not* produced by the nuclear reactions inside the Sun?

- (A) Heat
- (B) Neutrinos
- (C) Hydrogen
- (D) Helium
- (E) All of the above are produced inside the Sun

16. Suppose that a fictitious element Examium has atomic energy levels of 0 eV, 2.5 eV, 3.5 eV, and 4 eV.

If a tube of diffuse examium gas is excited with an electric current and its spectrum examined, what sorts of light will it generate?

Note that the visible range is 1.6 eV - 3.2 eV. Imagine that you are examining the spectrum both with your eye and with instruments, so that you can detect light outside the visible range.

- (A) Three bright lines in the infrared, one line in the visible, and two in the ultraviolet
 - (B) Two bright lines in the infrared and one line in the visible
 - (C) A continuous band of light, but with three dark lines, one in the visible and two in the ultraviolet
 - (D) One bright line in the visible and two in the ultraviolet
17. Most stars in the universe are red dwarf stars which are cooler than the Sun, perhaps around 2500 K (similar to the temperature of an incandescent light bulb). It is possible that a star of this type might host a planet whose environmental conditions are favorable for the evolution of life.


Which of the following would be most plausibly true regarding the eyes of creatures that had evolved on such a planet to make use of the light from their host star?

- (A) Their eyes would be particularly good at seeing ultraviolet light
 - (B) Their eyes would be unable to see red light, but would be able to see near-infrared light.
 - (C) Their eyes would evolve to see the spectral lines of hydrogen distinctly
 - (D) They would be unable to see in the light of their star
 - (E) They would be unable to see blue light, but would be able to see near-infrared light.
18. Suppose that an atom has energy levels of 0 eV, 2.5 eV, 3.5 eV, and 4 eV. It has one electron which is currently in the $n = 3$ state (with energy 3.5 eV). Which of the following can this atom do?
- (A) It can absorb a photon with energy 2.5 eV or emit a photon of energy 4 eV
 - (B) It can absorb photons with energy 1 eV or 3.5 eV, or emit a photon of energy 0.5 eV
 - (C) It can emit photons with energy 1 eV or 3.5 eV, or absorb a photon of energy 0.5 eV
 - (D) It can emit a photon with energy 2.5 eV or absorb a photon of energy 4 eV

19. You heat a block of carbon up to 3600 K. When you do this, it emits thermal radiation corresponding to Spectrum α .


You then allow the block to cool. After a while, it has cooled down to 2500 K.

Which spectrum corresponds to the light emitted by the block of carbon after it cools down? (*Nothing has changed about the block other than its temperature.*)



- (A) Spectrum β
 - (B) Spectrum δ
 - (C) Spectrum γ
 - (D) Spectrum ϵ
 - (E) None of the above are correct.
20. Two stars, Star X and Star Y, are the same color and size. However, Star X has more dark lines in its spectrum. Which star has the higher temperature? (*Thanks to Danielle for the question!*)
- (A) Star X is hotter
 - (B) We don't know, since the dark lines contain colors the human eye can't see
 - (C) They are both the same temperature
 - (D) Star Y is hotter
 - (E) There is not enough information to figure out the answer

21. Which is true about these two objects?



- (A) Object II is a higher temperature than Object I
- (B) Object I appears blue to a human observer
- (C) Object I is larger than Object II
- (D) Object II emits only infrared light and could not be seen by a human observer
- (E) None of the above are true

22. An old lighthouse consists of a hot fire and a mirror to focus its light toward approaching ships. Suppose you see the light from this lighthouse from fifty miles away. What will its spectrum look like? (*Adapted from a question suggested by Weiya; thanks!*)

- (A) A continuous band of color, with dark lines on top of it
- (B) Many thin, bright lines
- (C) A continuous band of color
- (D) A few thin, bright lines

23. Which statement is correct?


- (A) Light of longer wavelengths has lower energy per photon and a higher frequency
- (B) Light of longer wavelengths has higher energy per photon and a higher frequency
- (C) Light of longer wavelengths has lower energy per photon but its frequency depends on its color
- (D) Light of longer wavelengths has higher energy per photon and a lower frequency
- (E) Light of longer wavelengths has lower energy per photon and a lower frequency

24. In a famous experiment, a neutrino detector measured only $1/3$ as many neutrinos coming from the core of the Sun than expected. Why was this?
- (A) Because the detector was sensitive only to one out of the three flavors of neutrinos; the Sun produces only electron neutrinos, but while traveling to the Earth they become a mix of all three flavors
 - (B) Nuclear reactions in the heart of the Sun proceed slower than expected, because it is now fusing helium into heavier elements in addition to fusing hydrogen into helium.
 - (C) Because neutrinos are unstable particles which decay; their half-life is about 5 minutes, so about $2/3$ of them decay during the 8-minute trip from the Sun to the Earth. (This is why we don't detect neutrinos from other stars.)
 - (D) Neutrino detection is very challenging; our detectors only catch one-third of the neutrinos that pass through them. In order to measure the other $2/3$, we'd need a bigger detector.
 - (E) None of the above are plausible explanations.
25. Which of the following is not a type of light?
- (A) X-rays
 - (B) Gamma rays
 - (C) Neutrinos
 - (D) Radio waves
 - (E) None of the above are types of light

26. Here is an energy-level diagram showing the first four energy levels of hydrogen.

Suppose that you run an electric current through hydrogen gas in a discharge tube (like you used in lab) and looked at it through one of the handheld spectrometers you used in lab. What would you see?

(Visible light photons have energies from 1.6-3.2 eV. Note that I'm only asking you to think about the first four energy levels, shown here. There is an additional piece of the spectrum resulting from energy levels above $n = 4$, but don't worry about that for this problem.)



- (A) One red, one orange, one yellow, one green, one blue, and one purple line
 - (B) One red line and one blue-green line
 - (C) One red line
 - (D) A continuous band of color ranging from red to blue
 - (E) Three ultraviolet lines
27. In the 1800's, astronomers noticed spectral lines in the Sun that did not correspond to any of the known chemical elements. They concluded that this was a new element; a few decades later, it was first isolated on Earth. Which element is this?
- (A) Uranium
 - (B) Sodium
 - (C) Argon
 - (D) Solarium
 - (E) Helium

28. Which type of electromagnetic radiation travels the fastest?

- (A) Radio waves
- (B) Visible light
- (C) X-rays
- (D) Infrared
- (E) All travel at the same speed

29. Consider a collapsing nebula, such as the one that formed our Solar System. (*Thanks to James for the question!*)

At what point will it be rotating faster?



- (A) Earlier in time, when its size is larger
- (B) It will rotate at the same speed at all points in its history, up until the point when it forms a star
- (C) Later in time, when its size is smaller
- (D) It will rotate at the same speed until it falls out of the sky and clonks a physicist in the head

30. In lab, you estimated the temperature of the planets by equating the incoming power of the sun's thermal radiation to the outgoing power of the planet's thermal radiation.

When the temperature of the planets is estimated in this way, which of the following planets has the *least* accurate estimate for its temperature?

- (A) Pluto – its actual temperature is much colder than the estimate
- (B) Earth – its actual temperature is much warmer than the estimate
- (C) Venus – its actual temperature is much warmer than the estimate
- (D) Mars – its actual temperature is much colder than the estimate
- (E) The method provides an accurate estimate of the temperature of all of the planets.

31. Here are spectra for two types of light bulbs, both of which appear the same yellowish-orange color to the human eye.



What can you conclude about them?

- (A) It is more efficient to light a house with lightbulbs of the type on the right than with the type on the left
- (B) It is more efficient to light a house with lightbulbs of the type on the left than with the type on the right
- (C) The lightbulb on the right would appear white, while the lightbulb on the left would appear blue
- (D) The glowing part of the lightbulb on the left is made out of only one kind of element, while the glowing part of the lightbulb on the right is made out of many different kinds of elements
- (E) You cannot conclude any of the above

SCRATCH PAPER

SCRATCH PAPER