

# Newton's Law of Motion

Physics 211  
Syracuse University, Physics 211 Spring 2021  
Walter Freeman

March 2, 2021

- Homework 3 assigned later today; due next Thursday before class (or maybe Wednesday; stay tuned)
- Quiz 1 recap:
  - Not all the grades are in yet
  - Most folks did very well
  - Anyone who didn't will have another chance later in the term

- 1 If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before

# Newton's laws

- 1 If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
- 2 If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass

- ❶ If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
  - ❷ If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass
  - ❸ If thing A exerts a force on thing B, then thing B exerts a force with the same size in the opposite direction back on thing A.
- ... why is that first one even there? Why are they in that order?

- ❶ If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
  - ❷ If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass
  - ❸ If thing A exerts a force on thing B, then thing B exerts a force with the same size in the opposite direction back on thing A.
- ... why is that first one even there? Why are they in that order?

...history!

$$\vec{F} = m\vec{a}$$

- Forces on an object cause it to accelerate
- The larger the force, the larger the acceleration
- The larger the mass, the smaller the acceleration
- You intuitively know this already

$$\vec{F} = m\vec{a}$$

- Forces on an object cause it to accelerate
  - The larger the force, the larger the acceleration
  - The larger the mass, the smaller the acceleration
  - You intuitively know this already
  - No forces  $\rightarrow$  no acceleration: **not necessarily no motion!**
- 
- Forces come in pairs (Newton's third law)
    - “If A pushes on B, B pushes back on A”
    - Very important to be clear about what forces you're talking about



We need a new unit for force: the newton

$$\vec{F} = m\vec{a} \rightarrow \text{Force has dimensions kg m/s}^2$$

- 1 N = 1 kg m/s<sup>2</sup>: about the weight of an apple
- 4 N is about a pound
- 9.8 N is the weight of a kilogram

# Force is a vector

$$\vec{F} = m\vec{a}$$

- Force is a *vector*
- Multiple forces on an object add like vectors do
- Really, we should write

$$\sum \vec{F} = m\vec{a}$$

# Force is a vector


$$\vec{F} = m\vec{a}$$

- Force is a *vector*
- Multiple forces on an object add like vectors do
- Really, we should write

$$\sum \vec{F} = m\vec{a}$$


# Force diagrams

- Lots of forces, easy to get confused
- Draw a picture!



# Force diagrams


- Lots of forces, easy to get confused
- Draw a picture!



- Each object feeling forces gets a separate diagram
- Label each force and its direction
- These are also called “free body diagrams”

# Force diagrams

- Lots of forces, easy to get confused
- Draw a picture!



- Each object feeling forces gets a separate diagram
- Label each force and its direction
- These are also called “free body diagrams”

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$ 
  - Gravity pulls down on everything (on Earth) with a force  $mg$ , called its weight
  - If something isn't accelerating downward, some other force must balance its weight

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
  - Are there normal forces on me right now?



# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
  - Are there normal forces on me right now?
  - However big it needs to be to stop objects from sliding through each other
  - Directed “normal” (perpendicular) to the surface
  - Really caused by electric force/Pauli exclusion principle

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other
- Electromagnetic forces, nuclear forces, radiation pressure...

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other
- Electromagnetic forces, nuclear forces, radiation pressure...
- Acceleration is not a force!
- ... it's the *result* of forces

## One particular force: gravity

Gravity exerts a downward force on all objects (on Earth), with a magnitude of  $mg$ .

In symbols:  $\vec{F}_g = mg$  downward.

## One particular force: gravity

Gravity exerts a downward force on all objects (on Earth), with a magnitude of  $mg$ .

In symbols:  $\vec{F}_g = mg$  downward.

Why is the acceleration of a falling object  $g$  downward?

- A: Because  $g$  is the acceleration of all objects within Earth's gravitational field
- B: Solve Newton's law:  $\vec{F} = m\vec{a} \rightarrow mg(-\hat{j}) = m\vec{a} \rightarrow \vec{a} = -g\hat{j}$
- C: Because the definition of  $g$  is the acceleration that a falling object undergoes
- D: It's only  $g$  if there are no other forces besides gravity acting on it

Suppose an object is moving in a straight line at a constant speed. Which number of forces could *not* be acting on it?

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four



Suppose an object is moving in a straight line at a constant speed. Which number of forces could *not* be acting on it?

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four

Suppose an object is moving in a circle at a constant speed. Which number of forces could *not* be acting on it? (Hint: what is the definition of velocity? Of acceleration?)

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four

# Sample questions

- What forces act on a bicycle?

# Sample questions

- What forces act on a bicycle?
- Which forces are bigger or smaller if it's going at a constant speed?

# Sample questions

- What forces act on a bicycle?
- Which forces are bigger or smaller if it's going at a constant speed?
- Which forces are bigger or smaller if it's slowing down?

## Sample questions

- What forces act on a bicycle?
- Which forces are bigger or smaller if it's going at a constant speed?
- Which forces are bigger or smaller if it's slowing down?
- A 100 kg cyclist slows from 10 m/s to a stop over 5 sec. What force is required to do this?

## Sample questions

- What forces act on a bicycle?
- Which forces are bigger or smaller if it's going at a constant speed?
- Which forces are bigger or smaller if it's slowing down?
- A 100 kg cyclist slows from 10 m/s to a stop over 5 sec. What force is required to do this?

(Use  $\vec{F} = m\vec{a}$  to connect force to acceleration, and then kinematics to connect acceleration to motion)

# An important note

- Only *real physical things* are forces

# An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force



## An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force
- If two things don’t touch, or interact by gravity, electricity, etc., they don’t exchange forces

## An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force
- If two things don’t touch, or interact by gravity, electricity, etc., they don’t exchange forces
- “A force is something that can send you to the doctor”

Which of the following is/are *not* an example of Newton's third law?

- A: a subway car accelerates forward; you are thrown back
- B: the propeller on an airplane pushes the air backwards; the air pushes the airplane forwards
- C: an elevator accelerates upward; passengers are pushed downward
- D: the Earth's gravity pulls downward on me; my gravity pulls upward on the Earth
- E: a rocket pushes downward on its exhaust; the exhaust pushes upward on the rocket

## A sample problem

A stack of two books sits on a table. Each book weighs 10 newtons. Draw a force diagram for each one, and calculate the size of all the forces.

(Your answer should match what you know about how this works!)

- Forces: anything that pushes or pulls
- Forces cause accelerations:  $\sum \vec{F} = m\vec{a}$ 
  - If  $\sum \vec{F} = 0$ ,  $\vec{a} = 0$ : motion at a constant velocity
- Forces come in pairs: if A pushes on B, B pushes back on A
- It's the vector sum  $\sum \vec{F}$  that matters
- Draw force diagrams to keep all of this straight