Physics 211 Practice Exam 1 Question 1

In class you saw a demo consisting of the following. A cart could be pushed along a horizontal rail at a constant velocity $v_{0,x}$. On top of the cart was a machine that shot a ball upward with a vertical velocity $v_{0,y}$. If this machine was triggered while the cart was moving, the ball flew through the air and landed back in the machine.

a)	Explain,	without	doing	any	complicated	algebra,	why	the bal	$ll\ landed$	back	in the	machine.	(5 points)

b) Suppose that the cart is moving at horizontal velocity $v_{0,x}$ when the machine is triggered. How far will the cart move before the ball lands back in it? Give your answer in terms of $v_{0,x}$, $v_{0,y}$, and g. (10 points)

QUESTION 1, CONTINUED

QUESTION 1, CONTINUED
c) What is the maximum height achieved by the ball? (5 points)
d) Sketch a graph (on your own axes) of the y-component of the ball's velocity vs. time, indicating on your graph the location where it achieves its maximum height. (5 points)

A hiker walks, in sequence:


- 5 km east
- ullet 4 km at an angle 20 degrees north of west
- $\bullet~8~\mathrm{km}$ at an angle 30 degrees east of south
- a) Sketch the hiker's path. (5 points)

QUESTION 2, CONTINUED

,
b) How far from their starting point have they traveled? (10 points)
c) What direction would they look to see their starting point? (Be precise – give a numerical resule.g. "x degrees west of north" or similar). (10 points)

A student has built a small catapult and wants to use it to throw snowballs from the Quad through the center of Walter's open window in the Physics Building. Suppose that the catapult fires snowballs at an angle $\theta = 40^{\circ}$ above the horizontal at a speed of $v_0 = 20 \text{ m/s}$, and the center of the window is a height h = 8 m above the ground.¹

There are two places on the Quad where they could put their catapult. From one position the snowballs will go through Walter's window on the way up; from the other position, they will hit his window on the way down. In this problem, you will figure out where those two locations are.



- a) Indicate your choice of coordinate system on the diagram above, and label any other distances/points you want to assign variables to. (3 points)
- b) Discuss in words your approach to figuring out where to place the catapult. In particular, what mathematical condition means "the snowball goes in the window"? What variable are you going to solve for?

You may answer this part by simply writing questions in terms of your algebraic variables, as we have practiced. (5 points)

¹Catapult image from Randall Munroe/xkcd, used under CC-BY-NC. See, we cite our sources too!

QUESTION 3, CONTINUED

3 •• - • • • • • • • • • • • • • • •
c) Determine the two points on the Quad where the snowballs will go into the window. Which one is which? (10 points)
d) If you repeat this problem with $v_0 = 15$ m/s, you will find that you get a negative under the squar root sign in the quadratic formula. What is the physical interpretation of this? (7 points)

 $[\]overline{}^2$ If you did not use the quadratic formula for part (c), then describe instead what will happen with $v_0 = 15$ m/s, and how you would know based on your method.

Chloe throws a ball for their greyhound Nessie, who zooms off to go fetch it.

She runs a total distance of 50 m. She starts from rest and accelerates at $5\,\mathrm{m/s^2}$ until she is going at 10 m/s, travels at that speed for an unknown time, then slows down at $5\,\mathrm{m/s^2}$ until she comes to a stop, exactly 50 m away from where she started.




Nessie the greyhound with her caterpillar; she is not at all spoiled.

a) How long does it take her to accelerate from rest to 10 m/s? (5 points)

b) What distance does she travel at 10 m/s before starting to slow down? (10 points)

QUESTION 4, CONTINUED

c) Graph her acceleration vs. time, velocity vs. time, and position vs. time on the axes provided. (10 points)



A hungry hummingbird leaves her nest at 6:00 looking for food.	She plans to visit three different
flowers that she knows about, then to return directly to her nest.	

α_1	a.		1
She	HIAG	ın	order:
OH	mos.	TTT	oruci.

_	15°	north	of oast	for two	minutes	to wigit	tho	first f	Hower
•	4.)	nortn	OL east	-100 LWO	minutes	LO VISIL	LHE	THEST I	iower.

- due south for three minutes, to travel from the first flower to the second
- \bullet 30° north of west for one minute, to travel from the second flower to the third
- a) How much time does it take her to fly from the third flower to get back to her nest? (10 points)

b) In what direction must she fly from the third flower to get back to her nest? (10 points)


QUESTION 5, CONTINUED

c) If she flies at 200 meters per minute, how far did she fly in total? (5 points)

A person drops a baseball from a height h onto a hard floor. When the baseball hits the floor, it will bounce back in the opposite direction with a speed equal to half of the speed with which it hit the floor.

In terms of h and g , find:
a) how long it takes to hit the floor the first time (5 points)
b) how fast it is going when it hits the floor the first time (5 points)
c) how high it travels after bouncing off the ground the first time (5 points)
d) the amount of time between the ball being dropped and it hitting the floor the second time (5 points)


e) On the axes provided, graph the ball's velocity vs. time and position vs. time, starting at the time that it is dropped and ending when it strikes the ground for the second time. (5 points)



Toby the Cat is sitting on a high shelf, at a height of h = 2 m off of the ground. Her owner is lying on the floor in front of the shelf when she throws a toy ball straight upward at $v_0 = 6.5$ m/s. As soon as the ball passes the level of the shelf (2 m off of the ground), Toby tries to catch it. She can grab the ball as long as it is above the level of the shelf. If Toby does not grab the ball, it falls back down where her owner catches it again.

In this problem, you will calculate how much time Toby has to grab the toy before it falls back below the shelf.

a) Assuming that Toby doesn't grab the toy out of the air, sketch graphs of the ball's position, velocity, and acceleration as a function of time, from the time her owner throws it to when she catches it again. Indicate the height of the shelf on the position vs. time graph. You do not need to show precise numbers on your graphs, just their shape. Draw these graphs on the axes below. (5 points)





Toby the Cat and her blue toy ball. She is 16 years old and spoiled rotten by her mommy, as you can tell by all the cat toys she's surrounded by.

b) Write down algebraic expressions for the position and velocity of the ball as a function of time. $(5 \ points)$

QUESTION 7, CONTINUED

c) How much time does Toby have to grab the ball? (This is the total amount of time that it is above the level of the shelf.) (10 points)
d) Suppose that her owner instead throws the ball upward with a starting velocity of 5 m/s rather than 6.5 m/s. In this scenario, how much time will Toby have to grab the ball? (5 points)

A ball g .	rolls off a horizontal shelf of height h at speed v_0 . Answer the following in terms of h, v_0 , and
	w much time does it take the ball to hit the floor? (5 points)
b) Wh	here does the ball hit the floor? (5 points)
c) Wh	at is the ball's speed when it hits the floor? (5 points)
d) Wh	nat direction is the ball moving in when it hits the floor? (5 points)

e) Suppose that the edge of the shelf had been curved, so that the ball's initial velocity was instead directed at an angle θ below the horizontal. Explain, using words or algebra as appropriate, what things you would have needed to do differently to solve the previous four parts, and which things would stay the same. (5 points)