

# Newton's Law of Motion

Physics 211  
Syracuse University, Physics 211 Spring 2019  
Walter Freeman

February 7, 2019

- Homework 3 due next Friday (will be posted tonight/tomorrow)
- You will get new groups in recitation next Wednesday
- Exam grading is still ongoing (we finally went home at 8pm yesterday)
  - If these slides are a little rough, it's because we spent all day grading
  - I'll catch up on messages this afternoon
  - As always, Slack is faster than email for getting in touch with me

- Homework 3 due next Friday (will be posted tonight/tomorrow)
- You will get new groups in recitation next Wednesday
- Exam grading is still ongoing (we finally went home at 8pm yesterday)
  - If these slides are a little rough, it's because we spent all day grading
  - I'll catch up on messages this afternoon
  - As always, Slack is faster than email for getting in touch with me
  - **Preliminary: exam grades were quite good!**

# Ask a Physicist: extra dimensions

- 1 If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before

- ① If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
- ② If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass

- 1 If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
  - 2 If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass
  - 3 If thing A exerts a force on thing B, then thing B exerts a force with the same size in the opposite direction back on thing A.
- ... why is that first one even there? Why are they in that order?

- ① If no net force acts on a thing, its velocity doesn't change: it either keeps moving or keeps not moving, just like it did before
- ② If a net force acts on a thing, it accelerates, with that acceleration equal to the force divided by the thing's mass
- ③ If thing A exerts a force on thing B, then thing B exerts a force with the same size in the opposite direction back on thing A.

... why is that first one even there? Why are they in that order?

...history!



# Two revolutions in one!

Newton's book *Mathematical Principles of Natural Philosophy* was the capstone of two revolutions in one:

- 1 The development of classical mechanics as a way to describe and predict things move
- 2 The emergence of *science* as a powerful means to develop models like classical mechanics

We're going to spend most of our time learning classical mechanics, but we should spend some time studying science, too!

- What is it?
- What does it look like?

# Two revolutions in one!

Newton's book *Mathematical Principles of Natural Philosophy* was the capstone of two revolutions in one:

- 1 The development of classical mechanics as a way to describe and predict things move
- 2 The emergence of *science* as a powerful means to develop models like classical mechanics

We're going to spend most of our time learning classical mechanics, but we should spend some time studying science, too!

- What is it?
- What does it look like?
- How does the scientific *process* produce revolutions like classical mechanics?
- What do other scientific advances look like?

# Two revolutions in one!

Newton's book *Mathematical Principles of Natural Philosophy* was the capstone of two revolutions in one:

- 1 The development of classical mechanics as a way to describe and predict things move
- 2 The emergence of *science* as a powerful means to develop models like classical mechanics

We're going to spend most of our time learning classical mechanics, but we should spend some time studying science, too!

- What is it?
- What does it look like?
- How does the scientific *process* produce revolutions like classical mechanics?
- What do other scientific advances look like?
- What do they **not** look like?

# Two revolutions in one!

Newton's book *Mathematical Principles of Natural Philosophy* was the capstone of two revolutions in one:

- 1 The development of classical mechanics as a way to describe and predict things move
- 2 The emergence of *science* as a powerful means to develop models like classical mechanics

We're going to spend most of our time learning classical mechanics, but we should spend some time studying science, too!

- What is it?
- What does it look like?
- How does the scientific *process* produce revolutions like classical mechanics?
- What do other scientific advances look like?
- What do they **not** look like?
- How can we ensure that the scientific process is done well and honestly?

Newton's first law was historically important because it overturned the previous knowledge, from Aristotle:

- Things on Earth that move eventually come to a stop
- Things on Earth fall at a constant speed, depending on their weight and the density of the fluid they fall in
- Things in the sky don't fall, but move in circles, because they are perfect and heavenly and circles are perfect
- How things move is intimately connected to the reasons people (etc.) have for making them move

(These first two are actually reasonable in a situation where fluid drag is very large, which is what he studied.)

What was different about the scientific process?

- Primacy of experiment and measurement

What was different about the scientific process?

- Primacy of experiment and measurement
- Seeking truth in **precision** measurements

## What was different about the scientific process?

- Primacy of experiment and measurement
- Seeking truth in **precision** measurements
- Incorporating things in a unified *framework* of laws of nature
  - Natural laws should explain as many things as possible in the same model
  - Natural laws apply everywhere and for all time



## What was different about the scientific process?

- Primacy of experiment and measurement
- Seeking truth in **precision** measurements
- Incorporating things in a unified *framework* of laws of nature
  - Natural laws should explain as many things as possible in the same model
  - Natural laws apply everywhere and for all time
- Awareness of the **limits** of our models, and continually trying to expand them
  - What things do Newton's laws of motion apply to?
  - How far have we checked them?
  - Are there any things Newton's laws of motion might *not* apply to?

## What was different about the scientific process?

- Primacy of experiment and measurement
- Seeking truth in **precision** measurements
- Incorporating things in a unified *framework* of laws of nature
  - Natural laws should explain as many things as possible in the same model
  - Natural laws apply everywhere and for all time
- Awareness of the **limits** of our models, and continually trying to expand them
  - What things do Newton's laws of motion apply to?
  - How far have we checked them?
  - Are there any things Newton's laws of motion might *not* apply to?
- Science as an **objective** and **non-anthropocentric** explanation:
  - Scientific ideas are bigger than any particular person's perspective; they should be universal
  - Humans don't have a special role in the laws of nature; if we are special, it's not because we have special rules

$$\vec{F} = m\vec{a}$$

- Forces on an object cause it to accelerate
- The larger the force, the larger the acceleration
- The larger the mass, the smaller the acceleration
- You intuitively know this already

$$\vec{F} = m\vec{a}$$

- Forces on an object cause it to accelerate
  - The larger the force, the larger the acceleration
  - The larger the mass, the smaller the acceleration
  - You intuitively know this already
  - No forces  $\rightarrow$  no acceleration: **not necessarily no motion!**
- 
- Forces come in pairs (Newton's third law)
    - “If A pushes on B, B pushes back on A”
    - Very important to be clear about what forces you're talking about

We need a new unit for force: the newton

$$\vec{F} = m\vec{a} \rightarrow \text{Force has dimensions kg m/s}^2$$

- 1 N = 1 kg m/s<sup>2</sup>: about the weight of an apple
- 4 N is about a pound
- 9.8 N is the weight of a kilogram

# Force is a vector

$$\vec{F} = m\vec{a}$$

- Force is a *vector*
- Multiple forces on an object add like vectors do
- Really, we should write

$$\sum \vec{F} = m\vec{a}$$

# Force is a vector

$$\vec{F} = m\vec{a}$$


- Force is a *vector*
- Multiple forces on an object add like vectors do
- Really, we should write

$$\sum \vec{F} = m\vec{a}$$

(dragging disc demo)

# Force diagrams


- Lots of forces, easy to get confused
- Draw a picture!





# Force diagrams


- Lots of forces, easy to get confused
- Draw a picture!



- Each object feeling forces gets a separate diagram
- Label each force and its direction
- These are also called “free body diagrams”

# Force diagrams

- Lots of forces, easy to get confused
- Draw a picture!



- Each object feeling forces gets a separate diagram
- Label each force and its direction
- These are also called “free body diagrams”

(Examples on document camera)

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$ 
  - Gravity pulls down on everything (on Earth) with a force  $mg$ , called its weight
  - If something isn't accelerating downward, some other force must balance its weight

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
  - Are there normal forces on me right now?

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
  - Are there normal forces on me right now?
  - However big it needs to be to stop objects from sliding through each other
  - Directed “normal” (perpendicular) to the surface
  - Really caused by electric force/Pauli exclusion principle

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other

# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other
- Electromagnetic forces, nuclear forces, radiation pressure...



# What is a force?

A force is anything that pushes or pulls something:

- Gravity:  $F = mg$ , so  $mg = ma \rightarrow a = g$
- “Normal force”: stops things from moving through each other
- Tension: ropes pull on both sides equally
  - What are the forces in a contest of tug-of-war?
  - What about the forces on the people?
- Friction: a force opposes things sliding against each other
- Electromagnetic forces, nuclear forces, radiation pressure...
- Acceleration is not a force!
- ... it's the *result* of forces

## One particular force: gravity

Gravity exerts a downward force on all objects (on Earth), with a magnitude of  $mg$ .

In symbols:  $\vec{F}_g = mg$  downward.

## One particular force: gravity

Gravity exerts a downward force on all objects (on Earth), with a magnitude of  $mg$ .

In symbols:  $\vec{F}_g = mg$  downward.

Why is the acceleration of a falling object  $g$  downward?

- A: Because  $g$  is the acceleration of all objects within Earth's gravitational field
- B: Solve Newton's law:  $\vec{F} = m\vec{a} \rightarrow mg(-\hat{j}) = m\vec{a} \rightarrow \vec{a} = -g\hat{j}$
- C: Because the definition of  $g$  is the acceleration that a falling object undergoes
- D: It's only  $g$  if there are no other forces besides gravity acting on it

Suppose an object is moving in a straight line at a constant speed. Which number of forces could *not* be acting on it?

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four

Suppose an object is moving in a straight line at a constant speed. Which number of forces could *not* be acting on it?

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four

Suppose an object is moving in a circle at a constant speed. Which number of forces could *not* be acting on it? (Hint: what is the definition of velocity? Of acceleration?)

- A: Zero
- B: One
- C: Two
- D: Three
- E: Four

# Sample questions

- What forces act on a car?

# Sample questions

- What forces act on a car?
- Which forces are bigger or smaller if it's driving at a constant speed?

# Sample questions

- What forces act on a car?
- Which forces are bigger or smaller if it's driving at a constant speed?
- Which forces are bigger or smaller if it's slowing down?



## Sample questions

- What forces act on a car?
- Which forces are bigger or smaller if it's driving at a constant speed?
- Which forces are bigger or smaller if it's slowing down?
- A 1000 kg car slows from 20 m/s to a stop over 5 sec. What force is required to do this?

## Sample questions

- What forces act on a car?
- Which forces are bigger or smaller if it's driving at a constant speed?
- Which forces are bigger or smaller if it's slowing down?
- A 1000 kg car slows from 20 m/s to a stop over 5 sec. What force is required to do this?

(Use  $\vec{F} = m\vec{a}$  to connect force to acceleration, and then kinematics to connect acceleration to motion)

# An important note

- Only *real physical things* are forces

# An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force

## An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force
- If two things don’t touch, or interact by gravity, electricity, etc., they don’t exchange forces

## An important note

- Only *real physical things* are forces
- Acceleration is not a force
- “Net force” is not a force (it’s the sum of them)
- Velocity certainly isn’t a force
- If two things don’t touch, or interact by gravity, electricity, etc., they don’t exchange forces
- “A force is something that can send you to the doctor”

Which of the following is/are *not* an example of Newton's third law?

- A: a subway car accelerates forward; you are thrown back
- B: the propeller on an airplane pushes the air backwards; the air pushes the airplane forwards
- C: an elevator accelerates upward; passengers are pushed downward
- D: the Earth's gravity pulls downward on me; my gravity pulls upward on the Earth
- E: a rocket pushes downward on its exhaust; the exhaust pushes upward on the rocket

## A sample problem

A stack of two books sits on a table. Each book weighs 10 newtons. Draw a force diagram for each one, and calculate the size of all the forces.

(Your answer should match what you know about how this works!)



- Forces: anything that pushes or pulls
- Forces cause accelerations:  $\sum \vec{F} = m\vec{a}$ 
  - If  $\sum \vec{F} = 0$ ,  $\vec{a} = 0$ : motion at a constant velocity
- Forces come in pairs: if A pushes on B, B pushes back on A
- It's the vector sum  $\sum \vec{F}$  that matters
- Draw force diagrams to keep all of this straight