




arXiv is now an independent nonprofit! Learn more x

TeX Live at arXiv

- [Supported TeX Live versions](#)
- [Supported TeX processors](#)
- [The use of `xelatex`](#)
 - [Font loading](#)
 - [Uploading fonts](#)
- [Notes concerning TeX Live 2025](#)
 - [Issues with the `array` package](#)
 - [Usage of `cleveref` package](#)

- [Loading of packages outside the toplevel](#)
- [minted](#) and other “frozen cache” packages
- [Loading order of hyperref and hyperxmp](#)
- [Other packages and classes that are known to have problems](#)
- [Notes concerning TeX Live 2023](#)
- [Update to TeX Live 2020](#)
- [Update to TeX Live 2016](#)
- [Update to TeX Live 2011](#)

Supported TeX Live versions

arXiv currently supports TeX Live 2023 and TeX Live 2025, with 2025 being the default. Submissions can select either of the two.

State of TeX Live in use:

- TeX Live 2023: state from 2023-05-21
- TeX Live 2025: state from 2025-08-03

Supported TeX processors

We are currently only supporting the following types of TeX submissions:

- plain TeX submissions named `tex` during the submission: those are converted using `etex` followed by `dvips` and `ps2pdf` ;
- plain TeX submissions named `pdftex` during the submission: those are converted using `pdftex` .
- LaTeX submissions in DVI mode named `latex` during the submission: those are converted using `latex` followed by `dvips` and `ps2pdf` ;
- LaTeX submissions in PDF mode named `pdflatex` during the submission: those are converted using `pdflatex` .
- LaTeX submissions in PDF mode named `xelatex` during the submission: those are converted using `xelatex` .

During the submission process, you will be asked which of the processors you want to use for your submission.

Selecting the correct processor

Selecting the correct processor is generally an easy task, because we will offer you the hopefully correct one automatically during submission. If you want to decide by yourself, here is a quick guide:

- if it is plain TeX, select `tex` or `pdftex` ;
- if it is a LaTeX document that includes `eps` files, select `latex` ;
- if it is a LaTeX document that includes `jpg` , `png` (and some more) files, select `pdflatex` ;
- if it is a LaTeX document that includes both `eps` and `jpg / png / pdf` files, select `xelatex` ;
- if you don't know, select `pdflatex` .

Note that at the moment, the processor type is fixed for all parts of a multi-file submission.

Notes concerning the use of `xelatex`

XeLaTeX ([TUG page](#), [Wikipedia entry](#)) has been introduced as possible processor option in November 2025. The main changes compared to `pdflatex` are:

- Unicode support
- Support for TrueType and OpenType fonts

Font loading

Note that font lookups in XeLaTeX using the `fontspec` package can be done in two ways: Using the **Font Name** and using the **File Name**. For lookups using the font name, `fontconfig` support is necessary, and fonts need to be registered with `fontconfig`. At arXiv, practically no fonts are registered with `fontconfig` (only a small set of system fonts).

Thus, to use any of the long list of TrueType or OpenType fonts shipped by TeX Live, one needs to use the file name lookup method.

See [Truetype and Opentype fonts available at arXiv's TeX Live 2025](#) for the complete list of fonts and their respective file names provided by arXiv's TeX Live.

Example for the `TeX Gyre Pagella` font:

Correct: Lookup via filename

```
\setmainfont{texgyrepagella-regular.otf}[...]
```

Incorrect/will not work: Lookup via font name

```
\setmainfont{TeX Gyre Pagella}[...]
```

For more details see the [documentation of the fontspec](#) package.

Uploading fonts

Submissions can include fonts in the upload and load them with the relative path to the font file, e.g.,

```
\setmainfont{fonts/my-private-font.otf}[...]
```

WARNING *Submitters must make sure that the license terms under which they are using the fonts permit uploading and sharing.*

Uploaded fonts will be part of the submission package and thus distributed. During the submission, authors need to select a correct license that applies to all of their submitted material, **including** uploaded fonts.

We thus strongly suggest to use only fonts that are available in the TeX Live distributions, see [this document](#) for a complete list of font names and file names.

Notes concerning TeX Live 2025

We list the most common errors we have seen in the set of current submissions. Further information can be found at the [Overleaf announcement that TeX Live 2025 is now available](#).

Issues with the `array` package

Under various circumstances, in particular when using a `revtex` documentclass together with the `array` package, compilation issue might arise.

We suggest either selecting TeX Live 2023, or requesting an older version of the `array` package using

```
\usepackage{array}[=2016-10-06]
```

Usage of `cleveref` package

The `cleveref` package has not been updated to work with TeX Live 2025. When using it in a submission with TeX Live 2025, references will all include the same name (i.e., all `\cref{...}` will have the same "name" like "Proposition").

There are three options to work around this problem: (1) switch to a supported package like `zref-clever`, (2) select TeX Live 2023 for your submission, or (3) add, for each definition of a theorem-like environment you use, the necessary `\crefalias`.

Example: If there is

```
\newtheorem{theorem}{Theorem}[section]
```

then a line as follows needs to be added:

```
\AddToHook{env/theorem/begin}{\crefalias{section}{theorem}}
```

Loading of packages outside the toplevel

Loading packages using `\usepackage` or `\RequirePackage` will now fail when happening in a group `{...}`. This manifests itself most prominently in the use of `\singleSpace`, `\doubleSpace` etc from the `setSpace` package. These are environments (!) and need to be started/ended with `\begin{...}` ... `\end{...}`.

If e.g. `\doubleSpace` is used as is, it only starts the environment but does not close it. Any `\usepackage` further down will throw an error.

Solution: Either use proper environments with `\begin{...}` and `\end{...}`, or use the `-ing` commands like `\doubleSpacing` instead.

`minted` and other "frozen cache" packages

Caches generated by `minted` or any other package in the same vein require the same TeX Live version during generation of the cache and the one used at arXiv.

Note in particular that `minted` got a completely new version in TeX Live 2025, and the previous behavior and arguments to the `\usepackage[...]{minted}` call need revision. Most recipes given on the internet are still referring to `minted version 2` or below, while TeX Live 2025 uses **minted version 3**.

As a simple recipe:

- Use `\usepackage{minted}` in your document, and run `(pdf)latex` once with `-shell-escape`. This should create a directory `_minted`.
- Include the `_minted` directory in your upload. No further changes are necessary. In particular, using options like `frozensource` etc are now unnecessary.

You can check success by running `(pdf)latex -no-shell-escape` and check whether errors related to `minted` occur.

Loading order of `hyperref` and `hyperxmp`

The package `hyperxmp` introduced a requirement that `hyperref` is begin loaded **before** `hyperxmp`. Since many times, the loading of `hyperref` also did set various parameters, this has to be changed.

Before -- this does not work with TeX Live 2025:

```
\usepackage{hyperxmp}
\usepackage[pdauthor={...},...]{hyperref}
```

needs to be converted to

```
\usepackage{hyperref}
\usepackage{hyperxmp}
\hypersetup{pdauthor={...},...}
```

Other packages and classes that are known to have problems

- `aastex` version 6 and 7: similar to the array problem mentioned above, but the fix does not work.
- `revtex` : problems with array package mentioned above. Can usually be fixed as mentioned above.

Notes concerning TeX Live 2023

Update 2023-05-22: arXiv has updated its submission system to use a plain instance of [TeXLive 2023](#) for [Submission v1.5](#). This means if your submission uses any TeX packages not included in the TeX Live 2023 release, you will need to include their style files with your submission.

TeX Live 2023 comes with an updated and improved collection of local add-ons, support for newer font sets, and everything else you'd expect in a standard TeX Live distribution. While there are enhancements, most of the advice provided for previous versions (TL2009, TL2011, TL2016, TL2020) still applies.

The new tree is based on the official TeX Live 2023 release with an updated tree of local addons. While most documents developed under TeX Live 2020 will process fine under the new TeX tree we encourage authors to switch their development environments to the latest TeX Live 2023 (if you have not done so already).

Please [contact us](#) if there are modules not include in TeX Live 2023 or our locally maintained tree that you would like to see added. In most cases you will want to add customized packages to your submission. Widely used packages may be added to our local tree for the convenience of large disciplines.

We do not anticipate significant issues for articles developed under TeX Live 2023. If you are submitting articles developed under older TeX Live releases you may experience some of the issues below. We ran some tests against TeX Live 2020 articles to get a sense for common problems with older TeX Live releases.

Common problems with articles prepared using older TeX Live releases

There have been a significant number of changes since arXiv's last TeX Live 2020 update. As part of our testing process, we have compiled articles originally developed and submitted under TL2020 using the new TL2023 release. The primary objective is to identify any potential issues that our existing authors may encounter with the new TeX Live 2023 release.

In general terms, 95% of TL2020 articles compile successfully under TL2023. Nearly 35% of recompiled article PDFs are identical or vary by a single page (often due to date). Nearly 60% of older TL2020 article source resulted in changes to multiple page of the resulting TL2023 PDF. **If you are submitting source developed under an older TeX Live version it is very important to review the PDF generated by TL2023.**

Below we detail some of the issues you may encounter. These may be of interest to authors who might be submitting updated source for a new replacement version of an existing article.

Package changes that cause compilation failures

biblatex

The error is caused by changes in LaTeX definitions. The issue has been resolved in biblatex version v3.18b and above.

Error:

! Package biblatex Error: Patching \MakeUppercase failed.

Cause:

Including an old biblatex.sty file with your submission will cause this error.

Solution:

Remove old biblatex.sty file from your submission

Also See: [StackExchange](#)

acmart class:

The class has been updated to require country field.

Error:

! Class acmart Error: No country present for an affiliation.

Cause:

Changes to acmart class to make country mandatory.

Solution:

- * Add missing country field or
- * Modify acmart behavior to only issue warnings (See below)

Also See: [How to make acmart stop complaining about missing country... @ StackExchange](#)

Glossaries:

The smallcaps option is no longer supported.

Error:

! Package glossaries Error: obsolete package option 'smallcaps' has been removed. Rollback required or use a newer alternative.

Cause:

The glossories package 'smallcaps' option has been removed.

```
'\usepackage[acronym,smallcaps,nowarn,section,nogroupskip,nonumberlist, automake]
{glossaries}'
```

From CHANGES as of v4.50 (2022-10-14):

- deprecated acronym style package options
- 'description', 'footnote', 'smaller', 'smallcaps', 'dua'
- no longer available. Use rollback for backward-compatibiliy.

Solution:

Find replacement for smallcaps option.

Use rollback for backward-compatibility.

See page 117 of [Glossaries User Manual](#). See complete Change log at [Changes](#)

iau.cls and iau379.cls compatibility issues

LaTeX kernel changes conflict with the iau.cls and iau379.cls packages.

As of now, we are not aware of an updated version of the iau packages that addresses the issue. However, we have obtained a simple fix from the TeX community that allows for successful compilation of articles utilizing the iau.csl and iau379.cls packages with TL2023.

Error:

```
! Undefined control sequence.
1.1 \documentclass
{iau379}
?
! Emergency stop.
1.1
```

Cause:

Package has not been updated to work with latest LaTeX kernel changes.

Solution: Disallow iau package modifications to the \document macro.

The provided patch saves the \document macro definition prior to calling the iau package and then restores the \document definition after the iau package has been loaded.

```
\let\Xdocument\document
\documentclass{iau379}
\let\document\Xdocument
```

Note: The iau packages compile fine under TeX Live 2020. Submitting articles using iau packages to our TeX Live 2023 system will require the above patch until we acquire and install updated versions of these packages.

Also see [“iau.cls will not compile with a basic document @ StackExchange”](#)

Runaway arguments

Some updated commands (\thanks) may generate a Runaway argument error on older TeX source.

Error:

```
Runaway argument?
```

Cause:

Incorrectly formatted argument.

Solution:

Refer to documentation and update note.

More to come...

PACKAGE CHANGES THAT RESULT IN VISUAL CHANGES TO THE TL2023 PDF

Please report cases where the update causes unexpected changes to the rendering of your article.

More on package update policies:

arXiv accepts thousands of articles every month. Our goal is to provide a stable TeX processing system where we are able to reprocess papers from TeX source at any point in the future. arXiv maintains all past TeX trees such that existing papers are processed using the TeX tree in effect when the paper was originally submitted. This preserves the original presentation (look-and-feel) of the paper.

This forces arXiv to limit updates to our TeX tree once we move it into production since thousands of papers depend on the stability of the current tree. Introducing package updates that change existing papers is not acceptable. Therefore, once in production, we do not update the TL release via the `tlmgr` command. Special exceptions are made in narrow well defined cases for bug fixes that are critical to a large community of authors. During the development process the update processed introduced bugs and broke existing papers more than once so we are extremely cautious when it comes to updates.

TeX Live Packages: Updating commonly used packages in the main TL2020 distribution is time consuming since we need to guarantee that existing papers are not adversely impacted by such a change. **New packages:** Adding new packages not included in TeX Live is possible by adding the package to our local tree. Updating existing packages in the distribution or local tree is difficult. **Options for updating existing packages:** One option is to include the modified package with your submission. Another option, for packages expected to be used by many authors, is to provide a modified version (that does not conflict with existing packages) that may be added to our local tree. If you see the need to include a large package hierarchy with your submission please contact us before including significant portions of a TeX Live tree.

Our goal is to update our TeX Live distribution every few years. Since we maintain all previous trees the overhead of frequent updates is significant. This schedule will depend on the frequency of updates to TeX Live and the demand for these updates for arXiv submissions.

We realize this is a major upgrade from TeX Live 2016 to 2020. The new tree contains thousands of improvements and bug fixes over the previous tree. Users may choose to replace older documents where such updates will improve the rendering of documents impacted by bugs in the previous TL2016-based tree.

If you are replacing a paper with older TeX source that rendered fine under the previous release we strongly encourage you to carefully examine your final PDF.

Update to TeX Live 2020 [2020-10-01]

Update 2020-10-01: arXiv updated to TeXLive 2020 arXiv is now running under [TeXLive 2020](#), with a new, updated and enhanced tree of local addons and support for newer font sets, and everything else contained within the standard distribution. As with previous updates, most of the TL2009/TL2011/TL2016 advice below still applies.

The new tree is based on the official TeX Live 2020 release with an updated tree of local addons. While most documents developed under TeX Live 2016 will process fine under the new TeX tree we encourage authors to switch their development environments to the latest TeX Live 2020 (if you have not done so already).

TeX Live 2020 expects LaTeX source files to be encoded in UTF-8 by default and there is no longer a forgiving fall through to UTF-8 encoding. Compilation without an encoding declaration and with characters outside of the UTF-8 encoding will fail with an error.

Authors have multiple options to resolve the encoding problem. Ideally, you will determine the correct encoding and add the following line to your source:

```
\usepackage[encoding name]{inputenc}
```

Please review the `inputenc.sty` package's [documentation](#) to determine the correct options for your source. The second option is to add `\UseRawInputEncoding` as the first line of your source file. Please see [Tug News 28](#) for more details.

Addons: Many modules not included in the core TeX Live release and maintained in our local tree have been updated to the most recent version, so long as the update does not drastically change or break existing documents. Modules with little or no recent usage have been dropped from our local tree.

Please contact us if there are modules not include in TeX Live 2020 or our locally maintained tree that you would like to see added. In most cases you will want to add customized packages to your submission. Widely used packages may be added to our local tree for the convenience of large disciplines.

Update to TeX Live 2016 [2017-02-09]

TeX Live changes that may impact some arXiv users:

1. **psfig**: use of psfig to include figures.

The psfig license is 'non-free' which is incompatible with the inclusion policies of the TeX Live organization and as such all support for psfig has been removed from the TeX Live 2016 release.

From [psfig's CTAN page](#):

The psfig package is largely superseded, for various reasons, including its non-free licence. For new work, users are strongly encouraged to use the LATEX graphics bundle, specifically, either the graphicx or even epsfig package. In particular, epsfig, which is always to be found in modern distributions, implements a close analogue of the syntax of psfig.

fix: update to modern graphics package for including figures. The TeX community recommends using the `\includegraphics` directive from the `graphicx` package which is part of latex-graphics - *The LATEX standard graphics bundle*.

Issues currently under investigation:

These issues currently involve packages from the main TL2016 distribution.

1. tikz: figures with equations do not render properly with *LaTeX* yet the same TeX source renders fine with *pdfLaTeX*.

We are working with TeX community to learn more about this issue.

2. pdfpages/lscapex/revtex4: unwanted page rotation This rotation problem was originally attributed to pdfpages but has since been attributed to a conflict between lscapex and revtex. Recent versions of pdfpages now use lscapex such that some of our users are experiencing unwanted page rotations.

We are working to resolve this issue with the package maintainers.

fix: include older *pre-lscapex* version of pdfpages with submission.

3. cleveref: unresolved citations leave ?? (Ex. 'Eq. (??)') in paper instead of citation number.

2017-04-25 Update:

Summary: The problem of unresolved citations is due to the load order of the cleveref and hyperref packages. The hyperref package must be loaded prior to loading cleveref package. arXiv automatically includes the hyperref package when it sees the `\documentclass \begin{document}` directives. This results in the hyperref module getting loaded after cleveref module and since both modules redefine low level macros hyperref ends up redefining the ones cleveref defined earlier. In the past if the user attempted to load the hyperref package they would see option clash errors. These issues often resulted in authors disabling the automatic hyperref inclusion.

Solution: Our TeX processing module has been modified to include the hyperref package before the cleveref package. This enforces the load order dependency and eliminates unresolved citations. The code has also been modified to recognize user included hyperref inclusion to eliminate options conflicts.

Original fix: add `\usepackage{hyperref}` before *cleveref*.

```
\usepackage{hyperref}
```

```
\usepackage{cleveref}
```

Note: You no longer need to explicitly include hyperref package as our code now does this automatically before cleveref package.

Old fix: include ooREADME.XXX file with nohypertex directive.

In the event conflicts are due to system packages included in your paper you may still need to turn off our hyperref inclusion.

An incomplete list of common symptoms, errors, and fixes follows:

1. TikZ and PGF graphics packages.

Reports from users indicate there are problems with these packages in our older TeX Live 2011 system. We observed improvements to graphics in some TeX Live 2011 submissions that were processed under the new TeX Live 2016 tree.

Users who experienced issues with these packages may wish to replace their documents in order to take advantage of the latest enhancements and bug fixes for these packages.

fix: replace document to reprocess with latest versions of these packages.

Update to TeX Live 2011 [2011-12-06]

Update 2011-12-06: arXiv switched to [texlive 2011](#) with a new, updated and enhanced tree of local addons. Most of the advice below still applies.

As of 31 December 2009 arXiv is running [texlive 2009](#) with a new, updated and enhanced tree of local addons, for processing all new submissions and replacements. This represents a significant improvement over the aging teTeX system but will likely be slightly disruptive initially. Submitters may have to change some of their (bad) habits, and possibly adjust some TeX sources.

The good news is that the arXiv installation has been kept very close to the official texlive-2009 system with very few local customizations and modifications. Texlive is one of the current comprehensive mainstream tex systems available for most platforms (and as live DVD). Therefore authors with up to date TeX system should encounter fewer surprises and problems

An incomplete list of common symptoms, errors, and fixes follows:

1. [natbib](#) was updated to version 8.31 [2009/07/16 8.31 (PWD, AO)]. There are some incompatibilities with previous version of natbib (arXiv's previous version was 7.1 [2003/06/06 7.1 (PWD)]). We recommend to adjust sources to use the current version of natbib. If all else fails, bundle your version of natbib.sty with your submission.

The typical symptoms are

```
! Package natbib Error: Bibliography not compatible with author-year
citations.

(natbib)                      Press <return> to continue in numerical citation
style.

See the natbib package documentation for explanation.
Type H <return> for immediate help.
...

1.125 ...and\NAT@force@numbers{ }\NAT@force@numbers

?
! Emergency stop.
```

fix: The submission must be made compatible with natbib version 8.31

2. aa.cls (6.1) and natbib.sty (8.3x collide). The symptoms are:

```
! LaTeX Error: Command \bibfont already defined.
      Or name \end... illegal, see p.192 of the manual.

See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
...

1.15 \begin{document}
```

fix: do not include your own copy of aa.cls (v6.1). arXiv has a patched version which avoids the above problem.

3. Bad size declared in binary blocks of PostScript files (%%BeginBinary: count). Symptoms:

```
dvips: ! premature end of file in binary section

dvips: expected to see %%EndBinary at end of data; struggling on
dvips: ! premature end of file in binary section
```

fix: figure must be corrected

We gratefully acknowledge support from our **major funders, member institutions**, and all contributors.

[About](#) · [Help](#) · [Contact](#) · [Subscribe](#) · [Copyright](#) · [Privacy](#) · [Accessibility](#) · [Operational Status](#) (opens in new tab)

Major funding support from



**SIMONS
FOUNDA
INTERN**

