Raw dataset:

```sql
-- Create the orders table
CREATE TABLE orders (
    Order_id VARCHAR(20),
    Customer_code VARCHAR(20),
    Placed_at DATETIME,
    Restaurant_id VARCHAR(10),
    Cuisine VARCHAR(20),
    Order_status VARCHAR(20),
    Promo_code_Name VARCHAR(20)
);

-- Insert data with multiple restaurants per cuisine
INSERT INTO orders VALUES ('OF1900191801','UFDDN1991918XUY1','2025-01-
01 15:30:20','KMKMH6787','Lebanese','Delivered','Tasty50');
INSERT INTO orders VALUES ('OF1900191802','UFDDN1991918XUY1','2025-01-
02 12:15:45','LEBANESE2','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191803','UFDDN1991918XUY1','2025-01-
10 18:45:30','PIZZA123','Italian','Cancelled','HUNGRY20');
INSERT INTO orders VALUES ('OF1900191804','UFDDN1991918XUY1','2025-01-
15 19:20:15','ITALIAN2','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191805','UFDDN1991918XUY1','2025-01-
20 11:30:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191806','ABC1234567890XYZ','2025-01-
01 08:45:00','AMERICAN2','American','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191807','ABC1234567890XYZ','2025-01-
05 13:20:00','TACO789','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191808','DEF9876543210XYZ','2025-01-
02 09:15:00','MEXICAN2','Mexican','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191809','GHI5678901234XYZ','2025-01-
03 14:30:00','SUSHI456','Japanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191810','JKL3456789012XYZ','2025-01-
04 12:00:00','JAPANESE2','Japanese','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191811','MNO7890123456XYZ','2025-01-
05 19:45:00','KMKMH6787','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191812','PQR1234567890ABC','2025-01-
06 11:30:00','LEBANESE2','Lebanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191813','STU9876543210ABC','2025-01-
07 13:15:00','PIZZA123','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191814','VWX5678901234ABC','2025-01-
08 18:00:00','ITALIAN2','Italian','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191815','YZA3456789012ABC','2025-01-
09 12:45:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191816','BCD7890123456ABC','2025-01-
10 20:15:00','AMERICAN2','American','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191817','EFG1234567890DEF','2025-01-
11 09:30:00','TACO789','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191818','HIJ9876543210DEF','2025-01-
12 14:45:00','MEXICAN2','Mexican','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191819','KLM5678901234DEF','2025-01-
13 17:30:00','SUSHI456','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191820','NOP3456789012DEF','2025-01-
14 12:15:00','JAPANESE2','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191821','QRS7890123456DEF','2025-01-
15 19:00:00','KMKMH6787','Lebanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191822','TUV1234567890GHI','2025-01-
16 10:45:00','LEBANESE2','Lebanese','Delivered',null);
```

```sql
INSERT INTO orders VALUES ('OF1900191823','WXY9876543210GHI','2025-01-
17 15:30:00','PIZZA123','Italian','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191824','ZAB5678901234GHI','2025-01-
18 18:15:00','ITALIAN2','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191825','CDE3456789012GHI','2025-01-
19 11:00:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191826','FGH7890123456GHI','2025-01-
20 20:45:00','AMERICAN2','American','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191827','IJK1234567890JKL','2025-01-
21 09:15:00','TACO789','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191828','LMN9876543210JKL','2025-01-
22 14:30:00','MEXICAN2','Mexican','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191829','OPQ5678901234JKL','2025-01-
23 17:45:00','SUSHI456','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191830','RST3456789012JKL','2025-01-
24 12:30:00','JAPANESE2','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191831','UVW7890123456JKL','2025-01-
25 19:15:00','KMKMH6787','Lebanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191832','XYZ1234567890MNO','2025-01-
26 10:00:00','LEBANESE2','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191833','ABC9876543210MNO','2025-01-
27 15:15:00','PIZZA123','Italian','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191834','DEF5678901234MNO','2025-01-
28 18:30:00','ITALIAN2','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191835','GHI3456789012MNO','2025-01-
29 11:45:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191836','JKL7890123456MNO','2025-01-
30 20:00:00','AMERICAN2','American','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191837','MNO1234567890PQR','2025-01-
31 09:45:00','TACO789','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191838','PQR9876543210PQR','2025-01-
31 14:00:00','MEXICAN2','Mexican','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191839','STU5678901234PQR','2025-01-
31 17:15:00','SUSHI456','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191840','VWX3456789012PQR','2025-01-
31 12:00:00','JAPANESE2','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191841','JAN_ONLY_ORDER1','2025-01-15
13:30:00','KMKMH6787','Lebanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191842','JAN_ONLY_ORDER2','2025-01-20
18:45:00','LEBANESE2','Lebanese','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191843','NO_ORDER_LAST7_1','2025-02-
01 12:15:00','PIZZA123','Italian','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191844','NO_ORDER_LAST7_2','2025-02-
05 19:30:00','ITALIAN2','Italian','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191845','THIRD_ORDER_CUST1','2025-01-
05 11:45:00','BURGER99','American','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191846','THIRD_ORDER_CUST1','2025-01-
10 14:15:00','AMERICAN2','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191847','THIRD_ORDER_CUST1','2025-01-
15 17:45:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191848','THIRD_ORDER_CUST2','2025-01-
10 10:30:00','TACO789','Mexican','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191849','THIRD_ORDER_CUST2','2025-01-
15 13:45:00','MEXICAN2','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191850','THIRD_ORDER_CUST2','2025-01-
20 16:30:00','TACO789','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191851','MULTI_CUISINE_CUST','2025-
01-05 12:00:00','KMKMH6787','Lebanese','Delivered','NEWUSER');
```

```sql
INSERT INTO orders VALUES ('OF1900191852','MULTI_CUISINE_CUST','2025-01-10 15:30:00','LEBANESE2','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191853','MULTI_CUISINE_CUST','2025-01-15 18:45:00','PIZZA123','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191854','MULTI_CUISINE_CUST','2025-01-20 11:15:00','ITALIAN2','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191855','MULTI_CUISINE_CUST','2025-01-25 14:45:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191856','SINGLE_ORDER_JAN','2025-01-10 19:00:00','AMERICAN2','American','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191857','NO_ORDER_RECENT','2025-02-10 12:30:00','TACO789','Mexican','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191858','NO_ORDER_RECENT','2025-02-15 18:00:00','MEXICAN2','Mexican','Delivered',null);
INSERT INTO orders VALUES ('OF1900191859','PROMO_FIRST_ONLY','2025-02-01 11:45:00','SUSHI456','Japanese','Delivered','WELCOME50');
INSERT INTO orders VALUES ('OF1900191860','PROMO_FIRST_ONLY','2025-02-05 14:15:00','JAPANESE2','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191861','PROMO_FIRST_ONLY','2025-02-10 17:30:00','SUSHI456','Japanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191862','LAST_ORDER_7DAYS','2025-03-20 10:00:00','KMKMH6787','Lebanese','Delivered','FIRSTORDER');
INSERT INTO orders VALUES ('OF1900191863','LAST_ORDER_7DAYS','2025-03-25 13:15:00','LEBANESE2','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191864','LAST_ORDER_7DAYS','2025-03-31 16:30:00','KMKMH6787','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191865','ABC9876543210MNO','2025-02-27 15:15:00','PIZZA123','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191866','CDE3456789012GHI','2025-03-27 15:15:00','PIZZA123','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191867','ABC9876543210MNO','2025-03-15 15:15:00','LEBANESE2','Lebanese','Delivered',null);
INSERT INTO orders VALUES ('OF1900191868','ZZZ9876543210MNO','2025-03-20 15:15:00','LEBANESE2','Lebanese','Delivered','NEWUSER');
INSERT INTO orders VALUES ('OF1900191869','UFDDN1991918XUY1','2025-03-28 11:30:00','BURGER99','American','Delivered',null);
INSERT INTO orders VALUES ('OF1900191870','MULTI_CUISINE_CUST','2025-03-31 14:45:00','PIZZA123','Italian','Delivered',null);
INSERT INTO orders VALUES ('OF1900191871','DEF9876543210XYZ','2025-03-02 09:15:00','KMKMH6787','Lebanese','Delivered','TASTY50');
INSERT INTO orders VALUES ('OF1900191872','UVW7890123456JKL','2025-02-25 19:15:00','KMKMH6787','Lebanese','Delivered','TASTY25');
INSERT INTO orders VALUES ('OF1900191873','UVW7890123456JKL','2025-03-25 19:15:00','PIZZA123','Italian','Delivered','TASTY50');
```