

WEST TN LAWN & PEST

Chemical Rate Card | Top Spray Products westtnlawnandpest.com • Jackson, TN

200-GAL TANK REFERENCE Laminate & keep in every truck 200 gal = ~133K sq ft @ 1.5 gal/1K

PRODUCT	CATEGORY	LABEL RATE oz/1K or oz/Acre	RATE / ACRE oz per acre	200 GAL TANK oz total in tank	COST RANGE approx \$/1K	TIMING / NOTES Temperature Guidelines
■ PRE-EMERGENT HERBICIDES						
Resolute 4FL ★	Pre-Emergent	0.5–1.5 oz/1K	22–65 oz/ac	67–200 oz	\$0.15–0.50	Apply BEFORE soil temp 55°F Fall split-app ok Excellent crabgrass & goosegrass control Do not apply to newly seeded areas ★ Inventory
Specticle Flo ★	Pre-Emergent	0.06–0.08 oz/1K	2.5–3.5 oz/ac	8–11 oz	\$0.80–1.20	Apply early spring or fall BEFORE weed germination Soil temp <55°F Best-in-class indaziflam — outstanding residual Safe bermuda & zoysia ★ Inventory
Dimension 2EW	Pre-Emergent	0.5–1.5 oz/1K	22–65 oz/ac	67–200 oz	\$0.30–0.90	Apply before 55°F soil temp Limited POST on young crabgrass (1–2 tiller) Spring timing: first forsythia bloom Works as PRE and very early POST
Prodiamine 65 WDG	Pre-Emergent	0.37–0.73 oz/1K	16–32 oz/ac	49–97 oz	\$0.20–0.45	Fall/spring split-app recommended Do not disturb soil after application Long residual — ideal two-app program
Barricade 65 WDG	Pre-Emergent	0.37–0.73 oz/1K	16–32 oz/ac	49–97 oz	\$0.30–0.60	Premium prodiamine — extended residual Safe established bermuda & zoysia Split-app for season-long control
■ POST-EMERGENT HERBICIDES						
Celsius WG ★	Post-Em Herb	0.11–0.45 oz/1K	5–20 oz/ac	15–60 oz	\$1.60–4.30	WARM-SEASON ONLY Air temp 70–90°F Requires MSO or HSOC surfactant Controls 150+ weeds incl. dallisgrass, sedge, spurge Do NOT apply during dormancy ■ ALS MOA ★ Inventory
Certainty ★	Post-Em Herb	0.125–0.25 oz/1K	5–11 oz/ac	17–33 oz	\$3.50–7.00	Warm-season only Air temp 65°F+ Nutsedge, kyllinga, broadleaves Requires NIS surfactant Repeat apps at 6-wk intervals ■ ALS MOA ★ Inventory
Halo 75WDG ★	Post-Em Herb	0.5–1.3 oz/1K	22–57 oz/ac	67–173 oz	\$1.00–2.50	Halosulfuron-methyl Air temp 65°F+ Excellent nutsedge suppression Rain-fast 1 hr ■ ALS MOA — rotate ★ Inventory
Change Up ★	Post-Em Herb	1.1–1.8 oz/1K	48–78 oz/ac	147–240 oz	\$0.50–1.00	MCPA + Fluroxypyr + Dicamba Group 4 synthetic auxin/phenoxy Temp 65–90°F Controls 200+ broadleaf weeds 2,4-D alternative Air temp do NOT exceed 90°F ★ Inventory
MSM Turf ★	Post-Em Herb	0.025–0.10 oz/1K	1–4 oz/ac	3–13 oz	\$0.05–0.20	Metsulfuron-methyl Air temp 60°F+ Broad broadleaf + woody control NIS surfactant Caution on bermuda during heat/dormancy stress ■ ALS MOA — rotate ★ Inventory
Quali-Pro 3D ★	Post-Em Herb	1.1–1.8 oz/1K	48–78 oz/ac	147–240 oz	\$0.40–0.70	Dicamba + MCPP + 2,4-D Air temp 65–90°F Do NOT apply above 90°F or drought stress Safe established bermuda & zoysia at label rates ★ Inventory
Quintessential ★	Post-Em Herb	1.10–1.45 oz/1K	48–63 oz/ac	147–193 oz	\$1.00–2.50	Quinclorac 18.92% H Value Tech — controls crabgrass incl. 3–5 tiller stage Air temp 65°F+ REQUIRES MSO Max annual 2.9 oz/1K Group 4 MOA — different from ALS products ★ Inventory
Tribute Total	Post-Em Herb	0.073 oz/1K max	3.2 oz/ac max	~10 oz	\$8.00–12.00	Thiencarbazone + Foramsulfuron + Halosulfuron Bermuda & zoysia ONLY Air temp 65–90°F MSO or NIS required Max 3.2 oz/ac per app; 6.4 oz/ac/year Dallisgrass, crabgrass, kyllinga, sedge Transition aid (removes overseeded ryegrass) ■ ALS MOA — all 3 Als are ALS inhibitors
Dismiss NXT	Post-Em Herb	0.117–0.350 oz/1K	5–15 oz/ac	16–47 oz	\$3.00–6.00	Sulfentrazone + Carfentrazone Warm season: use 0.234–0.350 oz/1K Yellow nutsedge + kyllinga Visible results 24 hrs Tuber mortality = residual prevention No surfactant needed Air temp 65–85°F 45+ weeds controlled PPO inhibitor — different MOA from ALS
Southpaw	Post-Em Herb	0.138–0.230 oz/1K	6–10 oz/ac	18–31 oz	\$2.00–4.00	Metsulfuron + Dicamba + Sulfosulfuron Bermuda/Zoysia: 8–10 oz/ac St. Aug/Centipede: 6–8 oz/ac DUAL MOA: ALS + synthetic auxin (Groups 2 & 4) Kyllinga, dollarweed, clover, doveweed, ground ivy, quackgrass Max 2 apps totaling 16 oz/ac/yr Air temp 65–90°F Do not apply to stressed turf
Speedzone Southern	Post-Em Herb	1.1–1.8 oz/1K	48–78 oz/ac	147–240 oz	\$0.80–1.30	2,4-D + MCPP + Dicamba + Carfentrazone Fast burndown, visible in hours Air temp 60–90°F Do NOT apply above 90°F Broadleaf 3-way + carfentrazone for speed
Trimec Classic	Post-Em Herb	1.5–4.0 oz/1K	65–174 oz/ac	200–533 oz	\$0.40–1.10	2,4-D + MCPP + Dicamba Air temp 50–90°F Use lower rates on warm-season turf High rates for cool-season only Budget broadleaf option

PRODUCT	CATEGORY	LABEL RATE oz/1K or oz/Acre	RATE / ACRE oz per acre	200 GAL TANK oz total in tank	COST RANGE approx \$/1K	TIMING / NOTES Temperature Guidelines
Drive XLR8	Post-Em Herb	1.5–6.0 oz/1K	65–261 oz/ac	200–800 oz	\$1.20–4.80	Quinclorac Air temp 65°F+ Requires MSO/HSOC surfactant Wide range: low = preventive, high = mature/resistant crabgrass Moderate sedge activity
Blindside	Post-Em Herb	0.1–0.2 oz/1K	4–9 oz/ac	13–27 oz	\$4.00–8.00	Flucarbazone + Metsulfuron Air temp 65°F+ Nutsedge + broadleaf Warm-season safe NIS required Good Poa annua suppression fall
Tenacity	Post-Em Herb	5–8 oz/acre	5–8 oz/ac	15–25 oz	\$2.50–4.00/a c	Mesotrione ■ DO NOT apply to bermudagrass — bleaching/damage Zoysia: test first Air temp 50°F+ 3-app program at 2–3 wk intervals NUG, crabgrass, broadleaf
■ PLANT GROWTH REGULATORS (PGR)						
Primo MAXX	PGR	0.125–0.25 oz/1K	5–11 oz/ac	17–33 oz	\$0.50–1.00	Trinexapac-ethyl Active growth only Air temp 65–95°F Apply every 2–3 weeks Do NOT apply during dormancy or above 95°F Reduces clipping 30–50%; improves density
Trin-Pac Select ★	PGR	0.125–0.25 oz/1K	5–11 oz/ac	17–33 oz	\$0.35–0.70	Trinexapac-ethyl generic = same as Primo MAXX Air temp 65–95°F Every 2–3 weeks during active growth ★ Inventory
■ INSECTICIDES						
Talstar Pro	Insecticide	1.0–2.0 oz/1K	44–87 oz/ac	133–267 oz	\$0.40–0.80	Bifenthrin 7.9% Air temp 55°F+ Broad-spectrum Water in lightly for surface; 0.5" for grubs Mosquito apps: 1 oz/1K to turf + shrubs Residual 1–3 months
Crosscheck Plus	Insecticide	1.0–1.5 oz/1K	44–65 oz/ac	133–200 oz	\$0.25–0.38	Bifenthrin 7.9% — same AI as Talstar Pro, generic option Air temp 55°F+ Do not apply to standing water
Dominion 2L	Insecticide	0.3–0.6 oz/1K	13–26 oz/ac	40–80 oz	\$0.25–0.50	Imidacloprid Systemic grub preventive Apply May–July BEFORE egg hatch Must irrigate 0.5" immediately Season-long residual Soil temp 55°F+
Merit 75 WP	Insecticide	0.02–0.04 oz/1K	0.9–1.7 oz/ac	3–5 oz	\$0.80–1.60	Imidacloprid Premium grub preventive Apply May–July Irrigate 0.5" Long activity window Soil temp 55°F+
Acelepryn	Insecticide	0.046–0.184 oz/1K	2–8 oz/ac	6–25 oz	\$2.50–5.00	Chlorantraniliprole Premium grub/caterpillar preventive Apply March–June 2–3 month window Best safety profile Air temp 50°F+ Best preventive available
Dylox 420 SL	Insecticide	2.67–4.0 oz/1K	116–174 oz/ac	356–533 oz	\$0.60–0.90	Trichlorfon CURATIVE grub control Apply when grubs actively feeding July–Sept ■ MUST irrigate 0.5" within 24 hrs Air temp 60–85°F Short residual — timing critical
■ FUNGICIDES						
Headway G	Fungicide	2–4 lbs/1K	87–174 lbs/ac	Granular	\$0.80–1.60	Azoxystrobin + Propiconazole Dollar spot, brown patch, take-all Apply preventively spring & fall Brown patch: night temps >70°F Do NOT apply above 90°F Irrigate in lightly after
Armada 50 WDG	Fungicide	0.4–0.8 oz/1K	17–35 oz/ac	53–107 oz	\$3.00–6.00	Trifloxystrobin + Triadimefon Preventive program Brown patch window: night temps >70°F Apply every 14–21 days preventively Air temp 65°F+
■ NON-SELECTIVE						
Roundup Pro Conc.	Non-Selective	1.5–5 oz/ gal H2O	—	—	\$0.20–0.35/g al	Glyphosate 50.2% ■ NON-SELECTIVE — kills ALL vegetation Use beds, cracks, fence lines ONLY — NEVER on turf Air temp 65–85°F Activity slows below 50°F ★ Glyphosate in inventory

■ **ALS RESISTANCE ALERT:** Celsius, Certainty, Halo 75WDG, MSM Turf, and Tribute Total all share the ALS (acetolactate synthase) mode of action. Rotate seasonally to non-ALS chemistries (Quinclorac, Dismiss NXT, Prodiamine, Dicamba-based) to prevent resistance build-up.

★ = In current inventory | ▲ Rate/Acre column = oz/ac (highlighted amber for quick field reference) | 200-gal tank = label rate × 133,333 sq ft (200 gal ÷ 1.5 gal/1K output rate) | Cost ranges are estimates — confirm with distributor. Always read and follow current product label. West TN Lawn & Pest / GrowPros LLC not liable for application errors.