



CONCRETE SLAB EXTERIOR STEEL FRAME @ CORNER DETAIL

1
S-1
SCALE: 1 1/2"=1'-0"




CONCRETE SLAB CONNECTION DETAIL BETWEEN MOD.

2
S-1
SCALE: 1 1/2"=1'-0"



RIGGING EMBEDDED ANCHOR DETAIL

3
S-1
SCALE: 1 1/2"=1'-0"




TOP / SIDE RIGGING EMBEDDED ANCHOR DETAIL

4
S-1
SCALE: 1 1/2"=1'-0"

NOTES: (LIGHT WEIGHT CONCRETE)

1. ALL REBAR TO BE GRADE 60.
2. ALL WELDABLE REINFORCEMENTS TO BE ASTM A706.
3. CONCRETE STRENGTH TO BE 4000 PSI WITH SPECIAL ADDITIVE.
4. MINIMUM CONCRETE COVER = 1 1/4" FOR #4 AND #5 BARS. TOP BARS MAY BE LOWER ONLY WHERE REQUIRED BY SPECIFIED SLOPES.
5. PROVIDE (2) #5 BARS @ 8" O.C. TOP & BOTTOM AT PERIMETER OF EACH SLAB & PROVIDE (3) #5 BARS @ 8" O.C. TOP & BOTTOM AT EACH LIFTING LOCATION.
6. TOP MAT: ADD TRIMMER BARS NEXT TO BLOCK OUTS IF CLEARANCE TO REGULAR LAYOUT IS GREATER THAN 2". TRIMMER BARS EXTEND 18" PAST OPENING, OR TERMINATE WITH 90° HOOK AND 8" EXTENSION. CENTER OF TRIMMER BARS TO BLOCK OUTS TO BE 2", TYP.
7. SMALL BLOCK OUTS (8" x 8" MAX.) MAY BE ADDED AS REQUIRED FOR SERVICES. ADD TRIMMER BARS IF CLEARANCE TO REGULAR LAYOUT IS GREATER THAN 2".
8. SPLICES: #4 BARS - 20" LAP
#5 BARS - 24" LAP
9. PROTECT PIPE & FLOOR DRAINS THAT WILL BE ENCASED IN THE CONCRETE BY PROVIDING AN APPROVED WRAP.
10. ONLY WHERE NOTED, IT IS ACCEPTABLE TO NOTCH HORIZONTAL LEG OF PERIMETER ANGLE.
11. ALL EXPOSED FACES OF SLAB PERIMETER STEEL ANGLES SHALL RECEIVE GALVANIZING PAINT COATING.



CONCRETE SLAB & STEEL PERIMETER PLAN

SCALE: 1/2"=1'-0"

STRUCTURAL ONLY
These documents are for structural design only. They are not to be used for other purposes. The user is responsible for obtaining all necessary permits and approvals. The user is responsible for obtaining all necessary permits and approvals. The user is responsible for obtaining all necessary permits and approvals.

NTA, Inc., 305 N Oakland Ave
Naperville, Indiana 46550

These documents are applicable only to the elements and loading criteria specifically provided herein. These documents shall not be construed as a way to identify, verify or design any aspects of the building not contained herein. Specific design criteria are used only on information provided by the client and must be verified and approved by the local authority having jurisdiction. NTA, Inc. is not responsible for fabrication or erection. It is expected that these documents have been modified, substituted or altered in any way, correct NTA, Inc. all (204) 775-7070 to obtain the copy.

DO NOT SCALE - DIMENSIONS PRESIDE
24x36 SHEET - SCALE AS NOTED
11x17 SHEET - NTS

No.	Description	Date

CONSTRUCTION DOCUMENTS
02 / 15 / 2018

COPYRIGHT 2018, PUBLIC RESTROOM COMPANY THIS MATERIAL IS THE EXCLUSIVE PROPERTY OF PUBLIC RESTROOM COMPANY AND SHALL NOT BE REPRODUCED, USED, OR DISCLOSED TO OTHERS EXCEPT AS AUTHORIZED BY THE WRITTEN PERMISSION OF PUBLIC RESTROOM COMPANY



PROJECT OWNER:

LAND CONSERVANCY of SLO
San Luis Obispo County, CA

PROJECT NAME AND LOCATION:

PISMO PRESERVE
LAND CONSERVANCY of SLO
San Luis Obispo County, CA

SHEET TITLE:

CONCRETE SLAB & STEEL
PERIMETER PLAN & DETAILS

Drawn by: **NS / EVE** Job No. **10347**
Checked by: **BB / CEK**
Current Date: **02/15/2018**
Start Date: **01/03/2018**

S-1