


Quartus II 9.1 Decode Process (1)

- 請將破解檔
 - \QII_9.1CRACK\bin\ sys_cpt.dll
 - \QII_9.1CRACK\bin64\ sys_cpt.dll
- 分別複製於Quartus安裝目錄下覆蓋
 - ...\altera\91\quartus\bin\
➤ ...\altera\91\quartus\bin64\


Quartus II 9.1 Decode Process (2)

請啟動Quartus II(如下圖操作)



進入License Setup

Quartus II 9.1 Decode Process (3)



請複製(NIC)，有兩張網卡
就會有兩個號碼(如圖)。


請隨意複製一個。

Ex:

“00235a58afad”

Quartus II 9.1 Decode Process (4)

- 請將“license.DAT”複製於
 - C:\altera\91 \
- 請用記事本打開“license.DAT”
 - 請將 HOSTID=XXXXXXXXXXXX
 - 改為 HOSTID= 00235a58afad (請用前一頁得到的NIC)共有兩處要更改



```
license - 記事本
檔案(F) 編輯(E) 格式(O) 檢視(V) 說明(H)

FEATURE quartus_alterad 2037.12 permanent uncounted 385FB2185EE1 \
  HOSTID=XXXXXXXXXXXX TS_OK SIGN="1113 5A52 EA34 2C59 C5B7 B031 \
  CE45 D947 B4AB 5969 C1E6 913F DE27 F3FE 08B7 07E0 9AF1 4546 \
  392F BDEF 2D19 E184 8A44 4C38 FD10 88F9 0F2F 1E21 5754 B8E8"


FEATURE 6AF7_00A2 alterad 2037.12 31-dec-2037 uncounted 25E460565093 \
  VENDOR_STRING= 11111111dLkhIIIIIIImPDuiaaaaaaaaaP1X38DDDDDDDDmjz5cdddd
  HOSTID=XXXXXXXXXXXX TS_OK SIGN="1522 268B BDB1 6671 2B23 C443 \
  3798 D110 5ACD 5571 F8CD 45C6 11E7 EB10 992E 1B47 84FE A8CB \
  111D 4C18 EAC6 A7AA 2F4B 1CFA 5DC7 93E3 57D7 93C6 C45A A622"

#license 佬璃湍溫腔線嚟摩備样夔婦漪瑩跼睿諾跡ぞ諾跡禰疹蜥狙赫盡測殺(
#參license.dat 爵腔XXXXXXXXXXXX蜥蠟燥腔庫縐瘍殺遙(斐Quartus II腔Tools粕等
```

Quartus II 9.1 Decode Process (5)




選擇先試用




進入License Setup


Quartus II 9.1 Decode Process (6)



請點選...(Browser)並選擇
...\altera\91\ license.DAT



Quartus II 9.1 Decode Process (7)



Current License

License Type: Full Version

Subscription Expiration: 2037.12

Host ID Type: NIC ID

Host ID Value: 00235a58afad