```
<?xml version="1.0" encoding="UTF-8"?>
<wsdl:definitions targetNamespace="urn:fws"</pre>
    xmlns:fwsmodel="http://model.ws.foundation.groundwork.org"
    xmlns:apachesoap="http://xml.apache.org/xml-soap" xmlns:impl="urn:fws"
    xmlns:intf="urn:fws"
    xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
    xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
    xmlns:wsdlsoap="http://schemas.xmlsoap.org/wsdl/soap/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <!--
        Collage - The ultimate data integration framework.
        Copyright (C) 2004-2007 GroundWork Open Source Inc.
        info@groundworkopensource.com
        This program is free software; you can redistribute it and/or modify
        it under the terms of version 2 of the GNU General Public License
        as published by the Free Software Foundation.
        This program is distributed in the hope that it will be useful,
        but WITHOUT ANY WARRANTY; without even the implied warranty of
        MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
        GNU General Public License for more details.
        You should have received a copy of the GNU General Public License
        along with this program; if not, write to the Free Software
        Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-
        1301 USA
    <wsdl:import namespace="urn:fwsmodel"</pre>
        xmlns:fwsmodel="http://model.ws.foundation.groundwork.org"
        location="../fwsmodel.wsdl" />
    <wsdl:message name="getRootCategoriesRequest">
        <wsdl:part name="entityTypeName" type="xsd:string" />
        <wsdl:part name="startRange" type="xsd:int" />
        <wsdl:part name="endRange" type="xsd:int" />
        <wsdl:part name="orderBy" type="fwsmodel:SortCriteria" />
        <wsdl:part name="retrieveChildren" type="xsd:boolean" />
        <wsdl:part name="namePropertyOnly" type="xsd:boolean" />
    </wsdl:message>
    <wsdl:message name="getRootCategoriesResponse">
        <wsdl:part name="getRootCategoriesReturn"</pre>
            type="fwsmodel:WSFoundationCollection" />
    </wsdl:message>
    <wsdl:message name="getCategoryEntitiesRequest">
        <wsdl:part name="categoryName" type="xsd:string" />
        <wsdl:part name="entityTypeName" type="xsd:string" />
        <wsdl:part name="startRange" type="xsd:int" />
        <wsdl:part name="endRange" type="xsd:int" />
        <wsdl:part name="orderBy" type="fwsmodel:SortCriteria" />
        <wsdl:part name="retrieveChildren" type="xsd:boolean" />
        <wsdl:part name="namePropertyOnly" type="xsd:boolean" />
    </wsdl:message>
```

```
<wsdl:message name="getCategoryEntitiesResponse">
    <wsdl:part name="getCategoryEntitiesReturn"</pre>
        type="fwsmodel:WSFoundationCollection" />
</wsdl:message>
<wsdl:message name="getCategoryByNameRequest">
    <wsdl:part name="categoryName" type="xsd:string" />
    <wsdl:part name="entityTypeName" type="xsd:string" />
</wsdl:message>
<wsdl:message name="getCategoryByNameResponse">
    <wsdl:part name="getCategoryByNameReturn"</pre>
        type="fwsmodel:WSFoundationCollection" />
</wsdl:message>
<wsdl:message name="getCategoriesRequest">
    <wsdl:part name="filter" type="fwsmodel:Filter" />
    <wsdl:part name="startRange" type="xsd:int" />
    <wsdl:part name="endRange" type="xsd:int" />
    <wsdl:part name="orderBy" type="fwsmodel:SortCriteria" />
    <wsdl:part name="retrieveChildren" type="xsd:boolean" />
    <wsdl:part name="namePropertyOnly" type="xsd:boolean" />
</wsdl:message>
<wsdl:message name="getCategoriesResponse">
    <wsdl:part name="getCategoriesReturn"</pre>
        type="fwsmodel:WSFoundationCollection" />
</wsdl:message>
<wsdl:message name="getCategoriesByEntityTypeRequest">
    <wsdl:part name="entityTypeName" type="xsd:string" />
    <wsdl:part name="startRange" type="xsd:int" />
    <wsdl:part name="endRange" type="xsd:int" />
    <wsdl:part name="orderBy" type="fwsmodel:SortCriteria" />
    <wsdl:part name="retrieveChildren" type="xsd:boolean" />
    <wsdl:part name="namePropertyOnly" type="xsd:boolean" />
</wsdl:message>
<wsdl:message name="getCategoriesByEntityTypeResponse">
    <wsdl:part name="getCategoriesByEntityTypeReturn"</pre>
        type="fwsmodel:WSFoundationCollection" />
</wsdl:message>
<wsdl:message name="getCategoryByIdRequest">
    <wsdl:part name="categoryId" type="xsd:int" />
</wsdl:message>
<wsdl:message name="getCategoryByIdResponse">
    <wsdl:part name="getCategoryByIdReturn"</pre>
        type="fwsmodel:WSFoundationCollection" />
</wsdl:message>
<wsdl:portType name="WSCategory">
    <wsdl:operation name="getRootCategories"</pre>
        parameterOrder="entityTypeName startRange endRange orderBy
        retrieveChildren namePropertyOnly">
        <wsdl:input message="impl:getRootCategoriesRequest"</pre>
```

```
name="getRootCategoriesRequest" />
    <wsdl:output message="impl:getRootCategoriesResponse"</pre>
        name="getRootCategoriesResponse" />
    <wsdl:fault message="impl:WSFoundationException"</pre>
        name="WSFoundationException" />
</wsdl:operation>
<wsdl:operation name="getCategoryEntities"</pre>
    parameterOrder="categoryName entityTypeName startRange endRange
    orderBy retrieveChildren namePropertyOnly">
    <wsdl:input message="impl:getCategoryEntitiesRequest"</pre>
        name="getCategoryEntitiesRequest" />
    <wsdl:output message="impl:getCategoryEntitiesResponse"</pre>
        name="getCategoryEntitiesResponse" />
    <wsdl:fault message="impl:WSFoundationException"</pre>
        name="WSFoundationException" />
</wsdl:operation>
<wsdl:operation name="getCategoryByName"</pre>
    parameterOrder="categoryName entityTypeName">
    <wsdl:input message="impl:getCategoryByNameRequest"</pre>
        name="getCategoryByNameRequest" />
    <wsdl:output message="impl:getCategoryByNameResponse"</pre>
        name="getCategoryByNameResponse" />
    <wsdl:fault message="impl:WSFoundationException"</pre>
        name="WSFoundationException" />
</wsdl:operation>
<wsdl:operation name="getCategories"</pre>
    parameterOrder="filter startRange endRange orderBy
    retrieveChildren namePropertyOnly">
    <wsdl:input message="impl:getCategoriesRequest"</pre>
        name="getCategoriesRequest" />
    <wsdl:output message="impl:getCategoriesResponse"</pre>
        name="getCategoriesResponse" />
    <wsdl:fault message="impl:WSFoundationException"</pre>
        name="WSFoundationException" />
</wsdl:operation>
<wsdl:operation name="getCategoriesByEntityType"</pre>
    parameterOrder="entityTypeName startRange endRange orderBy
    retrieveChildren namePropertyOnly">
    <wsdl:input message="impl:getCategoriesByEntityTypeRequest"</pre>
        name="getCategoriesByEntityTypeRequest" />
    <wsdl:output</pre>
        message="impl:getCategoriesByEntityTypeResponse"
        name="getCategoriesByEntityTypeResponse" />
    <wsdl:fault message="impl:WSFoundationException"</pre>
        name="WSFoundationException" />
</wsdl:operation>
<wsdl:operation name="getCategoryById"</pre>
    parameterOrder="categoryId">
    <wsdl:input message="impl:getCategoryByIdRequest"</pre>
```

```
name="getCategoryByIdRequest" />
        <wsdl:output message="impl:getCategoryByIdResponse"</pre>
            name="getCategoryByIdResponse" />
        <wsdl:fault message="impl:WSFoundationException"</pre>
            name="WSFoundationException" />
    </wsdl:operation>
</wsdl:portType>
<wsdl:binding name="categorySoapBinding" type="impl:WSCategory">
    <wsdlsoap:binding style="rpc"</pre>
        transport="http://schemas.xmlsoap.org/soap/http" />
    <wsdl:operation name="getRootCategories">
        <wsdlsoap:operation</pre>
            soapAction="/foundation-webapp/services/wscategory" />
        <wsdl:input name="getRootCategoriesRequest">
            <wsdlsoap:body
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                namespace="urn:fws" use="literal" />
        </wsdl:input>
        <wsdl:output name="getRootCategoriesResponse">
            <wsdlsoap:body
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                namespace="urn:fws" use="literal" />
        </wsdl:output>
        <wsdl:fault name="WSFoundationException">
            <wsdlsoap:fault</pre>
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                name="WSFoundationException" use="literal" />
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="getCategoryEntities">
        <wsdlsoap:operation</pre>
            soapAction="/foundation-webapp/services/wscategory" />
        <wsdl:input name="getCategoryEntitiesRequest">
            <wsdlsoap:body
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                namespace="urn:fws" use="literal" />
        </wsdl:input>
        <wsdl:output name="getCategoryEntitiesResponse">
            <wsdlsoap:body
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                namespace="urn:fws" use="literal" />
        </wsdl:output>
        <wsdl:fault name="WSFoundationException">
            <wsdlsoap:fault</pre>
                encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                name="WSFoundationException" use="literal" />
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="getCategoryByName">
```

```
<wsdlsoap:operation</pre>
        soapAction="/foundation-webapp/services/wscategory" />
    <wsdl:input name="getCategoryByNameRequest">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:input>
    <wsdl:output name="getCategoryByNameResponse">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:output>
    <wsdl:fault name="WSFoundationException">
        <wsdlsoap:fault</pre>
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            name="WSFoundationException" use="literal" />
    </wsdl:fault>
</wsdl:operation>
<wsdl:operation name="getCategories">
    <wsdlsoap:operation</pre>
        soapAction="/foundation-webapp/services/wscategory" />
    <wsdl:input name="getCategoriesRequest">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:input>
    <wsdl:output name="getCategoriesResponse">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:output>
    <wsdl:fault name="WSFoundationException">
        <wsdlsoap:fault</pre>
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            name="WSFoundationException" use="literal" />
    </wsdl:fault>
</wsdl:operation>
<wsdl:operation name="getCategoriesByEntityType">
    <wsdlsoap:operation</pre>
        soapAction="/foundation-webapp/services/wscategory" />
    <wsdl:input name="getCategoriesByEntityTypeRequest">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:input>
    <wsdl:output name="getCategoriesByEntityTypeResponse">
        <wsdlsoap:body
            encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
            namespace="urn:fws" use="literal" />
    </wsdl:output>
    <wsdl:fault name="WSFoundationException">
        <wsdlsoap:fault</pre>
```

```
encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                    name="WSFoundationException" use="literal" />
            </wsdl:fault>
        </wsdl:operation>
        <wsdl:operation name="getCategoryById">
            <wsdlsoap:operation</pre>
                soapAction="/foundation-webapp/services/wscategory" />
            <wsdl:input name="getCategoryByIdRequest">
                <wsdlsoap:body
                    encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                    namespace="urn:fws" use="literal" />
            </wsdl:input>
            <wsdl:output name="getCategoryByIdResponse">
                <wsdlsoap:body
                    encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                    namespace="urn:fws" use="literal" />
            </wsdl:output>
            <wsdl:fault name="WSFoundationException">
                <wsdlsoap:fault</pre>
                    encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
                    name="WSFoundationException" use="literal" />
            </wsdl:fault>
        </wsdl:operation>
    </wsdl:binding>
    <wsdl:service name="WSCategoryService">
        <wsdl:port binding="impl:categorySoapBinding"</pre>
            name="wscategory">
            <wsdlsoap:address</pre>
                location="http://localhost:8080/foundation-
                webapp/services/wscategory" />
        </wsdl:port>
    </wsdl:service>
</wsdl:definitions>
```