FJD Trion P1 LiDAR SLAM Handy Scanner｜AKT | AKASAKATEC

网页阅读存档 PDF · 来自实际采集正文，非原站完整镜像

原始 URL：https://www.akasakatec.com/en/products/hardware/fjd-trion-p1
最终 URL：https://www.akasakatec.com/en/products/hardware/fjd-trion-p1/
证据采集／索引时间：2026-10-20T11:46:57.088481+00:00
证据来源：网页正文摘要

线索内容摘要

已保存网页正文显示，内容涉及FJD Trion、FJ DYNAMICS。现有文字尚不足以确认具体品牌经营、适配、合作或身份使用行为。此摘要对应采集时内容，不代表原站当前状态。品牌命中、商品经营或身份声明均不等同于授权已核实或侵权认定。

已保存网页正文

FJD Trion P1 LiDAR SLAM Handy Scanner｜AKT | AKASAKATEC

DOWNLOAD CONTACT

PRODUCT

HOME /

PRODUCT /

FJD Trion P1

FJD Trion P1 LiDAR SLAM Handy Scanner

Product Summary

Suitable Industries：Construction Industry／Manufacturing Industry／Infrastructure Management

NEW

i-Con

TRION P1 is a handheld 3D LiDAR scanner with SLAM Technology. Powerful SLAM technology allows measurements in practically any conditions, under direct sunlight, middle of night, underground or outdoor, accurate measurement can still be taken no matter where you are. Visualise the point cloud data in real time via a specialised app along with real time pathing to prevent double tracking and ensure complete measurement.

※This product is part of 『 LiSm³ (Cubism) 』 Set

※Not sold separately, no inhouse hardware support service

Features

FJD TRION P1 Main Features

Lightweight and Compact Design

Useable Day, Night, Outdoor or Underground

Real Time Point Cloud Visualisation

Compact and Rugged

TRION P1 weighs only 1 kg and is able to fit inside of a messenger bag. With an easily replaceable battery, long operations can be done easily and without hassle.

Day, Night, Underground or Outdoor

Whether it is to scan a beautiful architecture, visualise hidden infrastructure, forensic investigation or city plant-life evaluation, whether it is day or night, underground to the great outdoors, TRION P1 can be used practically anywhere.

Real Time Visualisation

Use a special software to visualise the data in real time as well as path tracing to ensure complete coverage.

Use Case

Ranging from property management to disaster investigation, construction to robotics, the potential uses are almost limitless.

Specification

Weight 1kg (Excluding Camera and Baseplate) Dimensions 160 x 120 x 270 mm (Excluding Camera) Relative Accuracy Up to 2cm (Under Experimental Conditions) Scanning Range 40m @ 10% Reflectivity

70m @ 80% Reflectivity Wavelength 905nm Laser Rating Class 1, Eye Safe FoV 360° x 59° Laser Heads 1 Point/s 200,000 Processing Real-time Display Real-time point cloud preview Power Source Rechargeable grip battery Power Supply 10.8V,3A Power Delivery Type-C Data Interface Type-C,USB-3.0 Power Consumption 12W (Scanner Only) Battery Life 2 Hours (In Ideal Conditions) Wi-Fi 2.4 GHz, 5 GHz Memory 512 GB Operational Temperature -10℃ ～ 45℃ Camera Resolution 5760 x 2880 @ 30fps Camera FoV 180°

※Although it is not waterproof, it is possible to perform measurements by covering the casing with vinyl.

※This is a product from FJDynamics

Specifications can change without notice

For the latest specification, please see FJDynamics website

FJDynamics：TRION P1 [External link]

Other products information

LiS㎥ Ship Cargo Volumetric Measuring System

LiSm³ (Cubism) is a cargo volumetric measuring system for vessels such as the hopper barge, that utilises LiDAR-SLAM to take point cloud data to calculate the volume of the cargo.

LiS㎥ Ship Cargo Volumetric Measuring System[Page Link]

Related products

SATLAB Lixel X1

LiDAR SLAM Handy Scanner

SLAM Capable LiDAR Handy Scanner

LiS㎥

Ship Cargo Volumetric Measuring System

LiDAR SLAM Cargo Haul Measuring System

KIGIS IVIEW+

AI camera for heavy machinery

AI Enhanced Detection Camera

Atos G-eye Smart Glasses

Smart Glasses

AndroidOS Smart Glasses

Product List

SOFTWARE

Astep-1LT／PostProcess Ship’s Speed and Performance Measuring System

BucketStop Bucket Operation Safety System

ClinoAlarm Tilt Monitoring System

ClinoWeb Cloud Based Tilt Monitoring System

E2Warning Construction Site Entrance Warning System

EagleEye Slope Deformation Monitoring System

GPClino All in One Wireless TIlt/Slope Measuring System

GPGlove Grab Vessel Guidance Management System

GPMate-ECHO GNSS Positioning and Bathymetry System

GPSkySafety（Land） Crane Height Safety System

GPSkySafety（Sea） Crane Height Safety System

HDT Background Radar Millimetre Wave Radar Warning Software

HonsenMail Ship Mail System

KOUKOU MSCO/DRA MSCO Sea and Land Traffic Disaster Mitigation System

LiSm³ Ship Cargo Volumetric Measuring System

LRWarning Road Construction Oncoming Traffic Warning System

NetBreeze 4ll Ship Internet Communication Service

P-Sight forF Optical Pile Driving Measurement System

PILEXR Extended Reality Positioning Guidance Application (Under Development)

SmartAgitator Ground Improvement Guidance System

SmartMate GNSS Measuring Application

SmartPile Ground Improvement Management System

SmartRoller Cloud Compaction Management System

SmartScraper Road Excavation Measurement System

TrackLink Underwater Tracking and Locating System

VasMap Vehicle Operation Support System

WaterLevel Fluid Level and Wave Height Measurement System

Millimetre Wave Radar Berth Docking System

Millimetre Wave Radar Starter Kit for Inspection Use

Millimetre Wave Radar Ship-to-Ship Docking System

Crew Location Management System

HARDWARE

A8500U Compact Wireless Unit

AR270 Quad-Frequency GNSS Antenna

AT-NDB310 RS232C Signal Splitter

CLAcanS CLAS GNSS Receiver

CS Mate PRO GNSS Antenna & Receiver All-in-One

FJD Trion P1 LiDAR SLAM Handy Scanner

HDT320 Dual-Frequency RTK-GNSS Receiver Terminal

KIGIS IVIEW+ AI camera for heavy machinery

MG881 Quad-Frequency GNSS Antenna

nico・one Dual-Frequency RTK-GNSS Reciever

RTF800 Dual-Frequency RTK-GNSS Receiver

SATLAB Cygnus LiDAR SLAM Handy Scanner

SATLAB Lixel X1 LiDAR SLAM Handy Scanner

U7000UJC181 Digital CR Wireless Transceiver

Bipod Pole Set Surveying Accessories

Millimetre Wave Radar Unit 24GHz / 77GHz / 79GHz band Sensor Series

Senbondenki PDR Series Precision Echo Sounder

原始响应 SHA-256：736ff7b022a33112d5ec291316c0485045978e8db0ec838b4f0ec030bbb7a069

本文件是辅助核查资料，不能据此确认授权关系或认定侵权；不等同于公证或可信时间戳。