CMPS 102 — Fall 2018 — Homework 3

"I have read and agree to the collaboration policy." - ***Kevin Wang***

Solution to Problem 2: Space-Efficient MST

Let connected graph $G = (V, E)$, where $|V| = n$ and $|E| = m$, have a weight function $w : E \to \mathbb{R}$. Vertex s is the source.

Algorithm 1 Finds the MWST using eager implementation of Prim's

```
EAGER-PRIMS (G, s):
Initialize array edgeTo[ ] // Stores the shortest edge from a MST vertex
Initialize array distTo[ ] // Stores weight of edgeTo[ ]
Initialize array onTree[ ] // Stores 'true' if vertex is on MST
Initialize indexable priority queue Q
for i = 1 to n do
    distTo[i] = ∞
end for
distTo[0] = 0.0
Q = (s, 0.0) // Initialize indexable queue with key: source weight: 0.0
while |Q| ≠ 0 do
    x =EXTRACT-MIN(Q) // Get closest vertex
    onTree[x] = true
    for each y ∈ adj[x] do
        if onTree[y] then
            Continue
        else
            if distTo{y} >weight(x—y) then
                edgeTo[y] = x—y
                distTo[y] = weight(x—y)
                DECREASE-KEY(y, distTo[y])
            end if
        end if
    end for
end while
```

The algorithm uses arrays and a priority queue indexed and keyed by vertex thus each array is at most size n. Thus the space complexity is $4 \times O(n) = O(n)$.