DiDi: complete five-model evaluation

2026-10-30 | 180 sequences | 274,882 frames/model | 900 trajectories

All five models have predictions for the identical 180 DiDi sequences (274,882 frames per model; 900 trajectories in total). The three added models contribute 540 new trajectories. Scoring job 7484749 finished with status verified at 00:10 CDT on 30 October 2026. This report packages existing results; it does not rerun inference.

1. Overall results / symmetric boxes

Model	Q	A	R	Q vs DAM pp
SENTRY-D4S	0.7229	0.7548	0.9448	+0.55
DAM4SAM	0.7174	0.7504	0.9436	+0.00
SAMURAI	0.7104	0.7524	0.9319	-0.70
HiM2SAM	0.6990	0.7483	0.9199	-1.84
SAM2.1	0.6795	0.7505	0.8899	-3.80

SENTRY-D4S has the highest mean Q under both protocols. Under symmetric boxes it exceeds DAM4SAM by 0.55 percentage points, SAMURAI by 1.25 points, HiM2SAM by 2.39 points, and SAM2.1 by 4.35 points. Against DAM4SAM it wins on 106 sequences, loses on 73, and ties on one (tolerance 1e-6). These results do not show uniform improvement across videos.




Figure: symmetric boxes. Original-protocol scores follow.

2. Scoring protocols and Q/A/R

Two separate scoring protocols

The default symmetric_box view converts predicted masks and mask ground truth to bounding boxes with the same VOT conversion convention; existing rectangle GT is retained. This is a derived protocol for consistent geometry, not the original paper protocol. The original view converts predictions to boxes but leaves active GT geometry unchanged. Both views use the same predictions. There are 21 mask-GT sequences with 6,211 mask annotations; the other 159 sequences have no mask annotations. Switching protocols is a scoring change, not a model improvement.

Q: quality

For each sequence, Q is the finite mean overlap returned by VOT 0.7.1 gather_overlaps with burnin=0, ignore_unknown=False and ignore_invisible=False. GT-unknown frames are skipped. A prediction Special(0) does not cause the frame to be skipped: overlap follows the region rules (zero against nonempty GT; one when both regions are empty). Initialization follows the toolkit special-region rules. Q is not a new metric invented for this report.

A: accuracy

A uses gather_overlaps with ignore_invisible=True and threshold=0. On ordinary frames it averages positive overlaps with a nonempty GT. Initialization is an implementation exception: the Special(1), burnin=0 branch can retain zero overlap. Thus A should be understood as conditional localization quality with this explicit exception, rather than an unconditional success-only mean.

R: robustness

R = T / (T + F + M). Among frames with known nonempty GT, T has positive overlap, F has a nonempty prediction with zero overlap, and M has an empty prediction. H/N on empty GT do not enter this denominator. Ordinary GT-unknown frames are skipped. Positive overlap alone does not mean an accurate mask. Q, A and R are computed per sequence and then averaged equally across the 180 sequences; aggregate Q is not aggregate A times aggregate R.


Original-protocol aggregate scores

Model	Q	A	R	Q vs DAM pp
SENTRY-D4S	0.6896	0.7206	0.9448	+0.37
DAM4SAM	0.6860	0.7173	0.9436	+0.00
SAMURAI	0.6793	0.7207	0.9319	-0.66
HiM2SAM	0.6710	0.7172	0.9199	-1.50
SAM2.1	0.6501	0.7199	0.8899	-3.59

3. Comparability, differences and completion

Inference uses the complete provided first_frame_segm.txt target mask, without subsequent GT prompts or resets. The score trajectories place Special(1) at frame zero; this marker is separate from the actual mask supplied to inference. The backbone checkpoint is SAM 2.1 Large. HiM2SAM also uses CoTracker; SENTRY-D4S uses its released bundled DAM fork with the selected AMG-off profile. Different implementations and environments mean this is a common-data baseline comparison, not a strict single-module ablation or a speed benchmark.

All 900 trajectories are included. The 1,620 native mask-to-box spot checks passed. The 3,240 old-reference Q/A/R checks match exactly, and independently recomputed means differ from summary JSON by at most 2.22e-16. The active ground-truth files were not modified; 90 backup GT files were kept outside the temporary loader namespace. All model/metric means have 180 finite sequence values. The SENTRY insufficient_history_for_selection count (8,485) is a recorded operating condition, not a failed job. Evidence JSON and scoring code are in data/.



Against DAM	Q delta (pp)	W / L / T
SAM2.1	-3.80	73 / 107 / 0
SAMURAI	-0.70	82 / 98 / 0
HiM2SAM	-1.84	78 / 101 / 1
SENTRY-D4S	+0.55	106 / 73 / 1

Tie tolerance is 1e-6. Sequence outcomes vary; a mean alone does not describe every video.

4. Shared difficulty and representative cases

With symmetric boxes, all five models have whole-sequence Q below 0.5 on 16 sequences, below 0.3 on three, and below 0.2 on one. Under the original protocol the counts are 28, six and one. These are descriptive screening thresholds, not official failure categories or confirmed identity switches. No new framewise failure mining or causal memory analysis was performed for this bundle.

Sequence	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
LaSOT_train-1	0.194	0.054	0.182	0.089	0.053
VOT2022-LT_hand	0.217	0.245	0.217	0.095	0.246
LaSOT_pig-18	0.200	0.182	0.265	0.291	0.185
VOT2022-ST_rabbit	0.121	0.314	0.272	0.226	0.319
LaSOT_hand-9	0.340	0.316	0.338	0.318	0.317
VOT2022-LT_goldfish	0.371	0.295	0.360	0.280	0.300
VOT2022-ST_hand2	0.372	0.246	0.357	0.234	0.246
VOT2022-LT_dancingshoe	0.372	0.206	0.346	0.327	0.208
LaSOT_robot-19	0.354	0.278	0.367	0.388	0.144
UTB180_Video_0120	0.326	0.346	0.323	0.391	0.351
VOT2022-ST_marathon	0.397	0.404	0.397	0.395	0.408
LaSOT_tank-9	0.385	0.424	0.416	0.423	0.425
VOT2022-LT_skiing	0.436	0.283	0.362	0.369	0.252
LaSOT_zebra-16	0.233	0.232	0.434	0.438	0.246
LaSOT_surfboard-12	0.410	0.457	0.428	0.431	0.468
UTB180_Video_0107	0.441	0.473	0.349	0.341	0.476

All five models have Q below 0.2 on LaSOT_train-1; all 1,150 GT frames are rectangles, so the mask-GT geometry correction cannot explain the low scores. Its partial emergence from a tunnel leaves ambiguity about locomotive versus whole-train extent: this alone is not proof of a part-identity or memory error. On VOT2022-ST_flamingo1, SENTRY-D4S reaches Q=0.7958 versus DAM4SAM 0.2974 and SAMURAI 0.1596. This sequence accounts for about 50.4% of the net overall Q gain of SENTRY over DAM. Its saved preview contains sampled prediction masks without a GT overlay; it is not a complete framewise verification.

5. Available videos and research interpretation

This folder includes all 180 existing full DAM4SAM/SAMURAI side-by-side videos. Their original on-screen score labels remain unchanged and may differ from the default symmetric-box tables. These are two-model videos, not five-model videos. For the three added models, complete scores are available but full local comparison videos have not been rendered; three existing sampled mask previews are included. Playback frame rate is a display setting and must not be read as inference speed.



SENTRY-D4S / flamingo1: sampled green prediction masks, without GT overlay.

The results identify sequences worth reviewing and show complementary behavior. Low box overlap cannot by itself distinguish wrong identity, target-extent ambiguity, visibility effects or segmentation mistakes. A publishable part-tracking or memory-repair claim will require controlled comparisons, multiple examples, and an explicit target definition. This report does not establish such a causal mechanism or cross-dataset generalization.

Offline reading and files

Open index.html for the full interactive report. CSV files contain full-precision Q/A/R under both protocols. data/ contains scoring evidence. Keep videos/ with HTML for offline playback. The appendix lists symmetric-box Q for all 180 sequences; CSV files contain all Q/A/R.

Appendix: all 180 sequences / symmetric-box Q (1/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s000	GOT-10k_GOT-10k_Val_000014	100	0.7270	0.7856	0.7273	0.7814	0.7851
s001	GOT-10k_GOT-10k_Val_000082	90	0.7195	0.7967	0.7208	0.7960	0.7985
s002	GOT-10k_GOT-10k_Val_000126	101	0.8893	0.8824	0.8854	0.8833	0.8797
s003	GOT-10k_GOT-10k_Val_000175	271	0.6642	0.6435	0.6666	0.6658	0.6374
s004	UTB180_Video_0002	484	0.8921	0.2234	0.8906	0.8802	0.2161
s005	UTB180_Video_0015	105	0.9372	0.9385	0.9370	0.9371	0.9379
s006	UTB180_Video_0016	105	0.8999	0.9032	0.8946	0.8943	0.9021
s007	UTB180_Video_0024	220	0.8609	0.8745	0.8632	0.8692	0.8794
s008	UTB180_Video_0030	308	0.7630	0.7601	0.7633	0.7651	0.7597
s009	UTB180_Video_0034	176	0.6375	0.6189	0.6443	0.6445	0.6180
s010	UTB180_Video_0042	105	0.7874	0.8277	0.8196	0.7938	0.8279
s011	UTB180_Video_0046	350	0.8930	0.8699	0.8679	0.8955	0.8685
s012	UTB180_Video_0047	451	0.7661	0.7826	0.7676	0.5675	0.7846
s013	UTB180_Video_0051	588	0.8253	0.8213	0.8292	0.8276	0.8049
s014	UTB180_Video_0056	804	0.7232	0.7680	0.7596	0.7288	0.7636
s015	UTB180_Video_0063	324	0.9223	0.9225	0.9211	0.9243	0.9229
s016	UTB180_Video_0065	309	0.8337	0.8483	0.8386	0.8534	0.8495
s017	UTB180_Video_0066	405	0.1972	0.1978	0.8618	0.7966	0.1973
s018	UTB180_Video_0067	391	0.9199	0.9200	0.9095	0.9123	0.9185
s019	UTB180_Video_0070	441	0.8348	0.8287	0.8442	0.8681	0.8214
s020	UTB180_Video_0082	250	0.6292	0.6479	0.6289	0.6170	0.6991
s021	UTB180_Video_0087	178	0.9213	0.9374	0.9209	0.9215	0.9376
s022	UTB180_Video_0088	462	0.6865	0.5722	0.6915	0.7001	0.5330
s023	UTB180_Video_0093	318	0.8447	0.8487	0.8348	0.8669	0.8511
s024	UTB180_Video_0099	130	0.7986	0.8068	0.7987	0.8112	0.8047
s025	UTB180_Video_0100	125	0.8870	0.8405	0.8469	0.8275	0.8440

Appendix: all 180 sequences / symmetric-box Q (2/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s026	UTB180_Video_0101	120	0.7918	0.8136	0.8040	0.8136	0.8139
s027	UTB180_Video_0103	213	0.2347	0.8107	0.2376	0.8109	0.8021
s028	UTB180_Video_0105	232	0.8252	0.8264	0.8282	0.8326	0.8331
s029	UTB180_Video_0106	361	0.8190	0.8216	0.8170	0.7732	0.8162
s030	UTB180_Video_0107	269	0.4405	0.4726	0.3486	0.3408	0.4755
s031	UTB180_Video_0110	237	0.8404	0.8725	0.8324	0.8788	0.8363
s032	UTB180_Video_0111	415	0.8078	0.7722	0.8149	0.8295	0.7744
s033	UTB180_Video_0112	390	0.7620	0.7332	0.7743	0.7606	0.7573
s034	UTB180_Video_0113	386	0.7831	0.7907	0.7873	0.7985	0.8008
s035	UTB180_Video_0114	284	0.8833	0.8731	0.8834	0.8840	0.8823
s036	UTB180_Video_0117	213	0.7704	0.7669	0.7728	0.7733	0.7692
s037	UTB180_Video_0118	232	0.8521	0.8651	0.8491	0.8559	0.8667
s038	UTB180_Video_0119	232	0.6117	0.8457	0.6624	0.8324	0.8472
s039	UTB180_Video_0120	232	0.3256	0.3465	0.3231	0.3913	0.3512
s040	UTB180_Video_0122	429	0.7152	0.6669	0.7128	0.2359	0.6737
s041	UTB180_Video_0123	220	0.8065	0.8128	0.8136	0.8124	0.8109
s042	UTB180_Video_0125	451	0.9178	0.9193	0.9174	0.9181	0.9188
s043	UTB180_Video_0126	316	0.6436	0.6496	0.6558	0.6637	0.6466
s044	UTB180_Video_0127	316	0.7082	0.7325	0.7096	0.7089	0.7405
s045	UTB180_Video_0130	334	0.7331	0.7103	0.7094	0.7712	0.7178
s046	UTB180_Video_0132	503	0.8253	0.8283	0.8260	0.8379	0.8335
s047	UTB180_Video_0133	363	0.7661	0.7649	0.7554	0.7614	0.7422
s048	UTB180_Video_0134	338	0.8809	0.8814	0.8777	0.8809	0.8831
s049	UTB180_Video_0137	391	0.8060	0.8138	0.8019	0.7892	0.8332
s050	UTB180_Video_0138	391	0.8721	0.8695	0.8626	0.8790	0.8782
s051	UTB180_Video_0139	386	0.8345	0.8324	0.8395	0.8401	0.8361

Appendix: all 180 sequences / symmetric-box Q (3/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s052	UTB180_Video_0140	386	0.3647	0.7782	0.3635	0.4203	0.7800
s053	UTB180_Video_0142	363	0.8411	0.8409	0.8324	0.8376	0.8441
s054	UTB180_Video_0143	471	0.8417	0.8612	0.8289	0.8551	0.8616
s055	UTB180_Video_0151	266	0.8124	0.7876	0.8081	0.8327	0.7984
s056	UTB180_Video_0152	292	0.9448	0.9395	0.9441	0.9306	0.9432
s057	UTB180_Video_0153	387	0.6447	0.6255	0.6465	0.6824	0.6420
s058	UTB180_Video_0156	213	0.6607	0.8757	0.8695	0.8126	0.8789
s059	UTB180_Video_0160	370	0.7678	0.7643	0.7776	0.7769	0.7697
s060	VOT2022-ST_ants1	325	0.4702	0.5067	0.4714	0.3979	0.5068
s061	VOT2022-ST_basketball	725	0.9248	0.9237	0.9257	0.9256	0.9240
s062	VOT2022-ST_birds1	339	0.8149	0.8259	0.8162	0.6317	0.8272
s063	VOT2022-ST_birds2	80	0.8376	0.7871	0.8400	0.8912	0.7855
s064	VOT2022-ST_bolt1	350	0.8997	0.8957	0.9042	0.9018	0.8957
s065	VOT2022-ST_crabs1	160	0.8490	0.8549	0.8464	0.1621	0.8694
s066	VOT2022-ST_drone1	355	0.6382	0.6369	0.6293	0.6327	0.6395
s067	VOT2022-ST_fish2	310	0.8589	0.8572	0.8608	0.8513	0.8575
s068	VOT2022-ST_flamingo1	1377	0.1486	0.2974	0.1596	0.0848	0.7958
s069	VOT2022-ST_hand2	145	0.3717	0.2461	0.3568	0.2342	0.2461
s070	VOT2022-ST_handball1	377	0.4592	0.5942	0.4493	0.4740	0.5827
s071	VOT2022-ST_lamb	100	0.9007	0.8984	0.8970	0.8852	0.8984
s072	VOT2022-ST_leaves	63	0.7221	0.7377	0.7380	0.7328	0.7406
s073	VOT2022-ST_marathon	101	0.3973	0.4041	0.3968	0.3946	0.4077
s074	VOT2022-ST_monkey	101	0.9162	0.9159	0.9167	0.9202	0.9146
s075	VOT2022-ST_polo	111	0.8941	0.8929	0.8935	0.8928	0.8926
s076	VOT2022-ST_rabbit	158	0.1211	0.3136	0.2718	0.2255	0.3194
s077	VOT2022-ST_soccer1	392	0.7644	0.7831	0.7779	0.7715	0.7803

Appendix: all 180 sequences / symmetric-box Q (4/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s078	VOT2022-ST_soccer2	129	0.7502	0.7501	0.7524	0.7482	0.7522
s079	VOT2022-ST_zebrafish1	400	0.6464	0.6332	0.6423	0.3640	0.6346
s080	LaSOT_basketball-1	1088	0.7060	0.7133	0.7125	0.7057	0.7135
s081	LaSOT_bird-15	1575	0.7764	0.6474	0.7767	0.8568	0.5525
s082	LaSOT_bird-2	4101	0.7871	0.7933	0.8474	0.8468	0.8515
s083	LaSOT_bottle-12	2400	0.8827	0.8882	0.8837	0.8860	0.8893
s084	LaSOT_bus-19	1930	0.1644	0.8686	0.8705	0.8677	0.8671
s085	LaSOT_car-17	2251	0.2142	0.7945	0.1141	0.7558	0.7948
s086	LaSOT_cattle-13	2321	0.7219	0.7235	0.7239	0.7194	0.7265
s087	LaSOT_cattle-2	2461	0.8488	0.8551	0.8501	0.8430	0.8546
s088	LaSOT_chameleon-20	1650	0.5527	0.5150	0.5792	0.4858	0.7909
s089	LaSOT_coin-18	1100	0.9406	0.9320	0.9392	0.4596	0.9319
s090	LaSOT_coin-3	1020	0.9257	0.8323	0.9273	0.9285	0.8310
s091	LaSOT_cup-1	1433	0.4581	0.8629	0.8290	0.8569	0.8595
s092	LaSOT_deer-10	1411	0.3212	0.6095	0.6084	0.6077	0.6101
s093	LaSOT_deer-8	2911	0.7627	0.8083	0.7647	0.8002	0.8085
s094	LaSOT_dog-1	1168	0.7063	0.8270	0.8406	0.8406	0.8278
s095	LaSOT_dog-19	1514	0.8825	0.8855	0.8858	0.8877	0.8856
s096	LaSOT_drone-15	1362	0.3614	0.7245	0.4872	0.3596	0.3494
s097	LaSOT_drone-7	2817	0.5452	0.7538	0.7502	0.7445	0.6261
s098	LaSOT_electricfan-10	1601	0.9490	0.9488	0.9489	0.9490	0.9488
s099	LaSOT_electricfan-18	1863	0.6576	0.8629	0.6917	0.8075	0.8614
s100	LaSOT_elephant-1	1889	0.7344	0.8019	0.6456	0.7036	0.6679
s101	LaSOT_elephant-12	1053	0.8531	0.8634	0.8603	0.5445	0.8645
s102	LaSOT_flag-3	1904	0.8557	0.8671	0.8557	0.8622	0.8667
s103	LaSOT_gametarget-1	2251	0.8542	0.8743	0.8545	0.8385	0.8768

Appendix: all 180 sequences / symmetric-box Q (5/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s104	LaSOT_gametarget-2	1834	0.7230	0.8675	0.8505	0.8608	0.8677
s105	LaSOT_gecko-5	1251	0.4789	0.5304	0.7850	0.6402	0.5298
s106	LaSOT_goldfish-3	2375	0.5080	0.5896	0.5998	0.7292	0.5900
s107	LaSOT_goldfish-8	2250	0.1468	0.1862	0.5134	0.4935	0.1709
s108	LaSOT_gorilla-9	1839	0.8405	0.8455	0.8330	0.8525	0.8446
s109	LaSOT_guitar-10	1890	0.6019	0.7137	0.6712	0.5569	0.7242
s110	LaSOT_hand-9	1733	0.3400	0.3165	0.3380	0.3182	0.3165
s111	LaSOT_hat-1	3486	0.6232	0.6802	0.0915	0.5584	0.6906
s112	LaSOT_hat-5	8000	0.5763	0.5443	0.5631	0.5030	0.5435
s113	LaSOT_helmet-19	1408	0.6983	0.6913	0.7013	0.6959	0.6914
s114	LaSOT_kangaroo-5	3119	0.6011	0.4700	0.6917	0.5812	0.4813
s115	LaSOT_kite-10	3309	0.4315	0.6965	0.2007	0.6787	0.6981
s116	LaSOT_kite-4	3223	0.3570	0.7704	0.7737	0.7699	0.7709
s117	LaSOT_kite-6	3774	0.7612	0.7750	0.7869	0.8475	0.6923
s118	LaSOT_licenseplate-12	2685	0.6410	0.6367	0.6459	0.6385	0.6393
s119	LaSOT_microphone-2	4017	0.5084	0.4930	0.4664	0.5027	0.4805
s120	LaSOT_monkey-3	1261	0.8279	0.8292	0.8296	0.8283	0.8293
s121	LaSOT_monkey-4	1435	0.3265	0.7773	0.3379	0.7967	0.7765
s122	LaSOT_motorcycle-18	2557	0.1202	0.0899	0.7378	0.7124	0.6907
s123	LaSOT_person-12	1990	0.7867	0.7887	0.7805	0.7875	0.7888
s124	LaSOT_person-5	2967	0.9638	0.9635	0.9635	0.5099	0.9634
s125	LaSOT_pig-18	2401	0.2001	0.1821	0.2655	0.2912	0.1847
s126	LaSOT_pig-2	2671	0.9155	0.9126	0.9125	0.9128	0.9115
s127	LaSOT_pool-12	1801	0.9290	0.9292	0.9277	0.9233	0.9286
s128	LaSOT_pool-15	1338	0.9319	0.9334	0.9395	0.9281	0.9344
s129	LaSOT_pool-3	2256	0.8250	0.8207	0.8279	0.8309	0.8219

Appendix: all 180 sequences / symmetric-box Q (6/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s130	LaSOT_rabbit-10	2098	0.9276	0.8507	0.9293	0.8340	0.8505
s131	LaSOT_racing-10	1508	0.8699	0.8652	0.8715	0.8694	0.8589
s132	LaSOT_racing-16	2186	0.8529	0.8563	0.8570	0.8566	0.8570
s133	LaSOT_robot-1	5609	0.4006	0.3997	0.4007	0.8596	0.3998
s134	LaSOT_robot-19	5797	0.3536	0.2777	0.3674	0.3883	0.1442
s135	LaSOT_robot-5	2325	0.3187	0.7232	0.4814	0.6178	0.7168
s136	LaSOT_rubicCube-1	1800	0.9193	0.9235	0.9181	0.9215	0.9236
s137	LaSOT_rubicCube-19	2101	0.9118	0.9092	0.9119	0.9121	0.9098
s138	LaSOT_sepia-13	2756	0.9352	0.9420	0.9404	0.9396	0.9421
s139	LaSOT_shark-2	3455	0.4768	0.3276	0.5238	0.5083	0.2581
s140	LaSOT_sheep-5	1000	0.8063	0.8298	0.8094	0.7441	0.8313
s141	LaSOT_sheep-7	1256	0.9366	0.9364	0.9372	0.9374	0.9404
s142	LaSOT_sheep-9	1840	0.8551	0.8656	0.8582	0.8651	0.8658
s143	LaSOT_skateboard-8	4112	0.5540	0.6118	0.5510	0.5175	0.6957
s144	LaSOT_spider-20	9999	0.9050	0.8667	0.9058	0.9058	0.8697
s145	LaSOT_surfboard-12	3259	0.4104	0.4572	0.4280	0.4310	0.4677
s146	LaSOT_surfboard-5	4383	0.8063	0.8209	0.8082	0.8048	0.8195
s147	LaSOT_swing-10	2189	0.9033	0.9244	0.8981	0.7426	0.9247
s148	LaSOT_tank-16	3635	0.8453	0.8452	0.8459	0.8459	0.8386
s149	LaSOT_tank-9	1312	0.3851	0.4242	0.4161	0.4231	0.4246
s150	LaSOT_tiger-18	3107	0.8456	0.8374	0.8485	0.8408	0.8386
s151	LaSOT_tiger-6	2295	0.7398	0.7394	0.7399	0.7379	0.7391
s152	LaSOT_train-1	1150	0.1944	0.0535	0.1816	0.0892	0.0526
s153	LaSOT_train-11	1080	0.7885	0.8258	0.7985	0.8240	0.8267
s154	LaSOT_train-7	1425	0.2906	0.8078	0.6448	0.7817	0.8074
s155	LaSOT_truck-16	7225	0.5259	0.8417	0.6417	0.4391	0.8453

Appendix: all 180 sequences / symmetric-box Q (7/7)

Full Q/A/R and original-protocol scores are in the CSV files. Scores range from 0 to 1.

Key	Sequence	Frames	SAM2.1	DAM4SAM	SAMURAI	HiM2SAM	SENTRY-D4S
s156	LaSOT_turtle-8	1497	0.1368	0.6399	0.1753	0.1585	0.6313
s157	LaSOT_umbrella-17	1001	0.9104	0.9099	0.9076	0.9057	0.9092
s158	LaSOT_umbrella-19	2868	0.8654	0.8873	0.8664	0.5589	0.8883
s159	LaSOT_umbrella-9	1615	0.7595	0.7687	0.7619	0.0645	0.7694
s160	LaSOT_volleyball-1	1309	0.7198	0.7253	0.7226	0.7212	0.7255
s161	LaSOT_volleyball-13	2042	0.7529	0.7533	0.7593	0.7496	0.7566
s162	LaSOT_volleyball-18	2606	0.6851	0.6829	0.4729	0.6256	0.6672
s163	LaSOT_volleyball-19	1467	0.5586	0.5607	0.4071	0.5720	0.5605
s164	LaSOT_zebra-10	2008	0.8607	0.6675	0.8615	0.6903	0.6682
s165	LaSOT_zebra-16	1282	0.2330	0.2322	0.4342	0.4378	0.2459
s166	VOT2020-LT_car1	2629	0.7534	0.7873	0.7483	0.7901	0.7873
s167	VOT2020-LT_car3	1717	0.7212	0.7101	0.7288	0.7322	0.7092
s168	VOT2020-LT_group1	4873	0.7244	0.7000	0.7256	0.7286	0.7009
s169	VOT2020-LT_group2	2683	0.7031	0.7104	0.7121	0.7134	0.7103
s170	VOT2020-LT_group3	5527	0.6099	0.6906	0.6873	0.6890	0.6894
s171	VOT2020-LT_warmup	3961	0.7425	0.4717	0.7720	0.3549	0.7548
s172	VOT2020-ST_drone_flip	113	0.0185	0.3552	0.6073	0.3896	0.5668
s173	VOT2022-LT_dancingshoe	5451	0.3722	0.2065	0.3456	0.3266	0.2076
s174	VOT2022-LT_diving	1765	0.5407	0.5413	0.5075	0.5860	0.4711
s175	VOT2022-LT_goldfish	4520	0.3707	0.2955	0.3602	0.2799	0.2999
s176	VOT2022-LT_hand	1830	0.2168	0.2454	0.2166	0.0953	0.2456
s177	VOT2022-LT_run	1712	0.2254	0.5375	0.5367	0.2461	0.5361
s178	VOT2022-LT_sailing	1812	0.5198	0.5375	0.4363	0.5250	0.5341
s179	VOT2022-LT_skiing	3057	0.4364	0.2825	0.3619	0.3692	0.2515