

Chromcall Workflow Example

Bo Wang

2025-07-04

Package & Data Preparation

The ‘chromcall’ package provides a workflow for integrative analysis of chromatin profiling data, quantifying and comparing chromatin mark enrichment and transcriptional activity across predefined genomic regions.

1. Load Input Files

All examples utilize bundled data included with the chromcall package.

- genome_file: Chromosome metadata (name, length, circularity, genome build)
- region_file: Genomic regions of interest (e.g., promoters)
- blacklist_file (optional): Regions to exclude from analysis
- expr_files (optional): Expression profiles per region
- bam_files: BAM files for H3K4me3, H3K27me3, and matched controls

```
library(chromcall)

# File paths
genome_file    <- system.file("extdata", "genome.txt", package = "chromcall")
region_file    <- system.file("extdata", "example.bed", package = "chromcall")
blacklist_file <- system.file("extdata", "blacklist.bed", package = "chromcall")
expr_file1     <- system.file("extdata", "expression_sampleA.bed", package = "chromcall")
expr_file2     <- system.file("extdata", "expression_sampleB.bed", package = "chromcall")
bam_dir        <- system.file("extdata", package = "chromcall")
```

2. Preview Input Content

```
# Genome file
head(read.table(genome_file, header = FALSE))
```

```
##      V1      V2    V3   V4
## 1 chr1 248956422 FALSE hg38
## 2 chr2 242193529 FALSE hg38
## 3 chr3 198295559 FALSE hg38
## 4 chr4 190214555 FALSE hg38
## 5 chr5 181538259 FALSE hg38
## 6 chr6 170805979 FALSE hg38
```

```
# BED regions
head(read.table(region_file, header = FALSE))
```

```
##      V1      V2      V3
## 1 chr20 297560 297660
## 2 chr20 324560 324660
## 3 chr20 381290 381390
```

```
# Blacklist
head(read.table(blacklist_file, header = FALSE))
```

```
##      V1      V2      V3
## 1 chr1  628087 635923
## 2 chr1  789516 792613
## 3 chr1 2651095 2657690
## 4 chr1 2658436 2659484
## 5 chr1 2660040 2662057
## 6 chr1 2663196 2666377
```

```
# Expression data
head(read.table(expr_file1, header = FALSE))
```

```
##      V1      V2      V3
## 1 chr20 297610 12.5
## 2 chr20 324610  8.7
## 3 chr20 381340 16.2
```

```
head(read.table(expr_file2, header = FALSE))
```

```
##      V1      V2      V3
## 1 chr20 297610 12.5
## 2 chr20 324610  8.7
## 3 chr20 381340 16.2
```

```
# BAM files available
list.files(bam_dir, pattern = "sample[AB].*\\.bam$")
```

```
## [1] "control_sampleA.bam" "control_sampleB.bam" "h3k27me3_sampleA.bam"
## [4] "h3k27me3_sampleB.bam" "h3k4me3_sampleA.bam" "h3k4me3_sampleB.bam"
```

Full Workflow

Step 1 Construct Sample Objects

```
# Sample A
sampleA <- build_chromcall_sample(
  sample_name      = "SampleA",
  experiments      = list(
    H3K27me3 = file.path(bam_dir, "h3k27me3_sampleA.bam"),
    H3K4me3  = file.path(bam_dir, "h3k4me3_sampleA.bam"),
    Control  = file.path(bam_dir, "control_sampleA.bam")
  ),
  control_name     = "Control",
  genome_file      = genome_file,
  region_file      = region_file,
  window_size      = 10000,
  blacklist_file    = blacklist_file,
  expression_file  = expr_file1
)

# Sample B
sampleB <- build_chromcall_sample(
  sample_name      = "SampleB",
  experiments      = list(
    H3K27me3 = file.path(bam_dir, "h3k27me3_sampleB.bam"),
    H3K4me3  = file.path(bam_dir, "h3k4me3_sampleB.bam"),
    Control  = file.path(bam_dir, "control_sampleB.bam")
  ),
  control_name     = "Control",
  genome_file      = genome_file,
  region_file      = region_file,
  window_size      = 10000,
  blacklist_file    = blacklist_file,
  expression_file  = expr_file2
)
```

Inspect structure:

```
sampleA
```

```
## class: RangedSummarizedExperiment
## dim: 3 3
## metadata(3): sample_name control_name genome_tiles
## assays(1): counts
## rownames: NULL
## rowData names(2): blacklist expression
## colnames(3): H3K27me3 H3K4me3 Control
## colData names(3): name control lambda_g
```

```
SummarizedExperiment::assayNames(sampleA)
```

```
## [1] "counts"
```

```
SummarizedExperiment::colData(sampleA)
```

```
## DataFrame with 3 rows and 3 columns
##           name      control  lambda_g
##      <character> <logical>  <numeric>
## H3K27me3      H3K27me3      FALSE 0.00201308
## H3K4me3       H3K4me3       FALSE 0.00138967
## Control       Control       TRUE  0.00114291
```

```
head(SummarizedExperiment::assay(sampleA, "counts"))
```

```
##      H3K27me3 H3K4me3 Control
## [1,]         0         2         0
## [2,]         0         1         0
## [3,]         0         1         0
```

Step 2 Run Region-Level Testing

```
resultA <- test_region_counts(sampleA)
resultB <- test_region_counts(sampleB)
```

Preview assay outputs:

```
SummarizedExperiment::assayNames(resultA)
```

```
## [1] "counts"  "logFC"   "lambda_t" "p_value" "p_adj"
```

```
SummarizedExperiment::colData(resultA)
```

```
## DataFrame with 3 rows and 3 columns
##           name      control  lambda_g
##      <character> <logical>  <numeric>
## H3K27me3      H3K27me3      FALSE 0.00201308
## H3K4me3       H3K4me3       FALSE 0.00138967
## Control       Control       TRUE  0.00114291
```

```
head(SummarizedExperiment::assay(resultA, "counts"))
```

```
##      H3K27me3 H3K4me3 Control
## [1,]         0         2         0
## [2,]         0         1         0
## [3,]         0         1         0
```

```
head(SummarizedExperiment::assay(resultA, "logFC"))
```

```
##      H3K27me3 H3K4me3 Control
## [1,]         0 7.651052         0
## [2,]         0 6.658211         0
## [3,]         0 6.658211         0
```

```
head(SummarizedExperiment::assay(resultA, "lambda_t"))
```

```
##           H3K27me3      H3K4me3      Control
## [1,] 0.002013079 0.001389674 0.001142909
## [2,] 0.002013079 0.001389674 0.001142909
## [3,] 0.002013079 0.001389674 0.001142909
```

```
head(SummarizedExperiment::assay(resultA, "p_value"))
```

```
##           H3K27me3      H3K4me3      Control
## [1,]           1 9.647022e-07           1
## [2,]           1 1.388708e-03           1
## [3,]           1 1.388708e-03           1
```

```
head(SummarizedExperiment::assay(resultA, "p_adj"))
```

```
##           H3K27me3      H3K4me3      Control
## [1,]           1 2.894107e-06           1
## [2,]           1 1.388708e-03           1
## [3,]           1 1.388708e-03           1
```

Step 3 Export Single-Sample Results

```
write_experiment_results(resultA, experiment = "H3K4me3", file = "SampleA_H3K4me3.tsv")
head(read.delim("SampleA_H3K4me3.tsv"))
```

```
##   seqnames  start    end width counts_control counts_experiment  logFC
## 1   chr20 297560 297660   101             0                2 7.651052
## 2   chr20 324560 324660   101             0                1 6.658211
## 3   chr20 381290 381390   101             0                1 6.658211
##   modification_factor test_lambda      pvalue      padj expression
## 1                   1 0.001389674 9.647022e-07 2.894107e-06      12.5
## 2                   1 0.001389674 1.388708e-03 1.388708e-03       8.7
## 3                   1 0.001389674 1.388708e-03 1.388708e-03      16.2
##   significant
## 1          sig
## 2          ns
## 3          ns
```

Step 4 Compare Two Samples

```
comparison <- compare_samples(resultA, resultB)
comparison
```

```
## GRanges object with 3 ranges and 17 metadata columns:
##      seqnames      ranges strand | SampleA_expression SampleA_H3K27me3_padj
##      <Rle>      <IRanges> <Rle> |      <numeric>      <numeric>
## [1]   chr20 297560-297660      * |          12.5          1
## [2]   chr20 324560-324660      * |           8.7          1
## [3]   chr20 381290-381390      * |          16.2          1
##      SampleA_H3K27me3_class SampleA_H3K27me3_score SampleA_H3K4me3_padj
##      <numeric>      <numeric>      <numeric>
## [1]              0              0      2.89411e-06
## [2]              0              0      1.38871e-03
## [3]              0              0      1.38871e-03
##      SampleA_H3K4me3_class SampleA_H3K4me3_score SampleB_expression
##      <numeric>      <numeric>      <numeric>
## [1]              1      175.5977          12.5
## [2]              1      87.7988           8.7
## [3]              1      87.7988          16.2
##      SampleB_H3K27me3_padj SampleB_H3K27me3_class SampleB_H3K27me3_score
##      <numeric>      <numeric>      <numeric>
## [1]              1              0              0
## [2]              1              0              0
## [3]              1              0              0
##      SampleB_H3K4me3_padj SampleB_H3K4me3_class SampleB_H3K4me3_score
##      <numeric>      <numeric>      <numeric>
## [1]              1              0              0
## [2]              1              0              0
## [3]              1              0              0
##      log2FC_expression H3K27me3_DeltaScore H3K4me3_DeltaScore
##      <numeric>      <numeric>      <numeric>
## [1]              0              0      -175.5977
## [2]              0              0      -87.7988
## [3]              0              0      -87.7988
## -----
## seqinfo: 25 sequences (1 circular) from hg38 genome
```

Step 5 Export Comparison Results

```
write_comparison_results(comparison, "comparison_SampleA_vs_SampleB.tsv")
head(read.delim("comparison_SampleA_vs_SampleB.tsv"))
```

```
##      chr  start    end width SampleA_expression SampleA_H3K27me3_padj
## 1 chr20 297560 297660   101          12.5          1
## 2 chr20 324560 324660   101           8.7          1
## 3 chr20 381290 381390   101          16.2          1
##      SampleA_H3K27me3_class SampleA_H3K27me3_score SampleA_H3K4me3_padj
## 1              0              0      2.894107e-06
## 2              0              0      1.388708e-03
## 3              0              0      1.388708e-03
##      SampleA_H3K4me3_class SampleA_H3K4me3_score SampleB_expression
## 1              1      175.59766          12.5
## 2              1      87.79883           8.7
## 3              1      87.79883          16.2
##      SampleB_H3K27me3_padj SampleB_H3K27me3_class SampleB_H3K27me3_score
## 1              1              0              0
## 2              1              0              0
## 3              1              0              0
##      SampleB_H3K4me3_padj SampleB_H3K4me3_class SampleB_H3K4me3_score
## 1              1              0              0
## 2              1              0              0
## 3              1              0              0
##      log2FC_expression H3K27me3_DeltaScore H3K4me3_DeltaScore
## 1              0              0      -175.59766
## 2              0              0      -87.79883
## 3              0              0      -87.79883
```