







Controlling Board:

PWM: *5 (Charge on:*1;LED_IO:*1;AC_FAN:*1;IR_PWM*1)







ADC: *2 (ROBOT DET:*1; Charge protect:*1)

GPIO:*10 (Ir out:4*;SWD:*2;Ir_RX:*1;Dust Box swtich:IO*1;KEY:IO*1;IR_RX:*1)

Title				
	Block Diagram of BS			
Size A	Document Number JCBS_V1.1_20251115 By DYQ			Rev 1.0
Date:	Saturday, November 15, 2025		Sheet 1 of 6	





Title				
	Block Diagram of BS			
Size A	Document Number JCBS_V1.1_20251115 By DYQ			Rev 1.0
Date: Saturday, November 15, 2025 Sheet 2 of 6				




DCDC_POWER
VCC_5V
待机0.2mW


					
Title					
	Block Diagram of BS				
Size B	Document Number JCBS_V1.1_20251115			By DYQ	Rev 1.0
Date:		Saturday, November 15, 2025		Sheet 3 of 6	




Title				
	Block Diagram of BS			
Size B	Document Number		By DYQ	Rev 1.0
Date:		Saturday, November 15, 2025	Sheet 4 of 6	



Charge On
ROBOT_CHARGE 待机46mW



IR_LED 永林的IR_LED, 串阻680R
每个灯7.3mA



红外接收（基站&主机通讯）
待机1mW
Signal_Receive

Title				
	Block Diagram of BS			
Size	Document Number JCBS_V1.1_20251115 By DYQ			Rev 1.0
B				
Date:	Saturday, November 15, 2025		Sheet 6 of 6	