

བླ་ལམ་ཤིང་མིན་ཟེ་ཚན་གྱི་འཛིན་སྐྱོང་དང་ཚོང་འབྲེལ་འཆར་གཞི།

**Cross-cutting Management Regime (NWFPs)
for
BALAM SHINGMEN DETSHEN
NON-WOOD FOREST PRODUCTS MANAGEMENT AND
MARKETING GROUP PLAN (2nd Revision)**



BALAM GEWOG, MONGAR
Plan Period: June 2025 to May 2035

Table of Contents

PART A: MANAGEMENT AND MARKETING PLAN	1
1. Background	1
2. Goal and Objectives:	2
3. Description of NWFPs Present in the Area Demarcated for Management	2
4. Harvesting Prescriptions for Sustainable NWFP Harvesting	3
4.1 Domestic Consumption	3
4.2 Commercial purpose	3
4.3. Map of the NWFP Harvesting Areas	5
5. Daphne Resource Assessment	5
5.1 Block I: Acholamo	6
5. 2 Block II: Balam/Tshamphai	7
5.3 Block III: Tachamo	8
5.4 Data Analysis and Estimation of Dry Bark Weight	8
6. Marketing and Sales Plan	9
7. Marketing Arrangements	9
8. Benefits to the Members	10
9. Benefits to the Group	11
10. Work Plan	12
PART B: GROUP'S BY-LAW	12
11. NWFP Membership	12
12. Executive committee of NWFP management and marketing group	13
14. Group fund management and utilization	14
15. Conflict resolution	14
16. Meeting and purpose	15
17. Penalties	15
18. Cancellation/ Suspension or Termination of NWFPs Management Group	15
19. Reinstatement	15
Annexures	16
Annexure 1: Membership Registration	16
Annexure 2: Analysis of Daphne Resource Assessment Data of Acholamo Block	17
Annexure 2: Analysis of Daphne Resource Assessment Data of Tachamo Block	18
Annexure 2: Analysis of Daphne Resource Assessment Data of Tachamo Block	18
Annexure 5: Data Analysis per Daphne Blocks	20
Table 1: Total NWFPs harvested and cash income generated in 2 nd plan period 2020-2023 ...	2
Table 2: Brief description of NWFPs for commercial harvesting	2
Table 3: Prescriptions for Sustainable Harvesting of NWFPs	4

Table 4: Details of the <i>Daphne</i> (Shugoshing) area	6
Table 5: Total usable or Annual Harvesting limit of <i>Daphne</i>	9
Table 6: Marketing and sales plan	9
Table 7: Procedures for NWFP harvesting, marketing and sharing of income	10
Table 8: Financial projection and benefits to the members from NWFP sales	10
Table 9: Financial projection of benefits to the group, the community development fund	11
Table 10: Work Plan	12



Figure 1: <i>Daphne</i> plant	2
Figure 2. Google map showing resource assessment plots	6
Figure 3. Acholamo block with plots for <i>Daphne</i> assessment	7
Figure 4. Balam block map with <i>Daphne</i> assessment plot	7
Figure 5. Tachamo block map for <i>Daphne</i> with sample plot	8

DOFPS/FRPMD/FRPIS-NWFP-01/2025/1321 (June 23, 2025)

Approval Sheet

Name of NWFP Management & Marketing Group	Balam Shingmein Detshen
Dzongkhag	Mongar
Gewog	Balam
Villages	Balam, Jadung, Yangbari and Luchilo
No. of households	61
Area (Ha)	947
Plan period	June 2025- May 2035

Prepared and submitted for approval

	Chairperson of NWFP Management and Marketing Group	Forestry Representative	Gup of the Gewog	Head FRPM Section of Division	Chief Forestry Officer of Division
Signature:					
Name:	Mr. Dorji	Mr. Cheten Dorji	Mr. Fshewang Dorji	Mr. Sonam Drugyel	Mr. Karma Tempa

Reviewed and submitted for approval:

	Reviewing officer, FRPMD	Chief Forestry Officer, FRPMD
Signature		
Name	Kezang Wangmo	Sonam Tobgay

Approved by:



DIRECTOR
Department of Forests and Park Services

PART A: MANAGEMENT AND MARKETING PLAN

1. Background

The cross-cutting management regime for sustainable management of non-wood forest products for Balam Shingmein Detshen falls within the administrative jurisdiction of Divisional Forest Office, Mongar.

Balam Gewog is one of the smallest Gewog under Mongar Dzongkhag. It is 65 kilometres away from the Dzongkhag and 30 kilometres away from Yadi–Trashigang highway connected with Gewog centre road. Balam Gewog has total geographical area of 27 square kilometres with 85.42 % of the total area under forest coverage. The altitude of the Gewog ranges from 932 masl to 2610 masl consisting of chirpine zone from Sheripaam village and cool broadleaved forest up to Drupchu Goenpa. The entire village is situated on a hilly area with a stretch of Gewog centre road up to the Gewog administration office and farm roads connected directly to Drametse Gewog. The people depend on various resources from the forest for daily livelihood especially; firewood, construction timbers, water for drinking and irrigation purpose, grazing for cattle, medicinal purposes, etc.

All the chewogs are accessible to farm roads, electricity, mobile network coverage and other infrastructures like Gup office, meeting hall, School, RNREC, BHU, Community Centre and farm shop that are located at the road head points. There are 61 households; Balam -19hhs, Jadung - 41Hhs and Warongphekpa - 1Hh and are solely dependent on agriculture and livestock for subsistence farming.

The NWFP group named “*Balam Shingmen Detshen*” was initially formed with financial support from Regional Agriculture Marketing and Cooperative Office (RAMCO) on 28th November 2016 in consultation with the public of three chewogs; Bakaphai, Balam, Jadung and Yangbari villages due to disputes over establishing community forestry at Bakaphai. The three years 2nd management plan was completed on 12th June 2023.

The group was mainly established for income generation through sale of NWFPs on a sustainable basis that could uplift economic status and living standards of the community. The Balam Shingmen Detshen NWFP unit has different types of NWFPs such as; *Daphne*, *Rubia*, ferns, mushroom, damroo, wild apple, small bamboos and also Satuwa can be found sparsely. As the NWFP management unit has abundant *Daphne* and *Rubia* resources the group members shall mainly focus on these two species for marketing following the harvesting prescriptions and By-laws.

During the 2nd management plan period the group could make income of **Nu. 3,54,170 .00** and made expenses sum of Nu.2000.00. This has been generated from the monitoring and evaluation report maintained by the concerned field office and money receipts issued by the group. The cash income earned from sale of different resources is given in the table 1. Accordingly, as per management plan prescription/guidelines reflected the group members have managed only the identified collection area for the collection of products. And there weren't any new interventions adopted for management of resources sustainability, no value added for the products. The sale of NWFPs significantly contributes to the socio-economic development of rural communities. For group members, especially women and disadvantaged individuals, used for infrastructure and education. And they found it was the powerful tool for rural development and forest conservation.

Table 1: Total NWFPs harvested and cash income generated in 2nd plan period 2020-2023

Year	<i>Daphne</i>			<i>Rubia cordifolia</i>			Remarks
	Qty	Rate	Amt (Nu.)	Qty	Rate	Amt (Nu.)	
2020				864	55	47500	The products were sold to Tshojay Paksam, Thinley Tobgay, Jigme Sonam, Karma Herbal, Ngatshang Desho Paper Factory.
2021	2000 (sold only 200 kgs)	50	200	575	40	23000	
2022				2575	50	128750	
2023				2308	50	115400	
Total	2000		10000	6322		354170	

2. Goal and Objectives:

- To generate income from sale of NWFPs and reduce poverty in the community
- Obtain equity/equal benefits from NWFPs enterprise by the local community members
- To sustainably manage the NWFPs available in forest area of the nearby community

3. Description of NWFPs Present in the Area Demarcated for Management



The Balam Shingmen NWFP management unit covers diverse NWFPs such as *Daphne*, *Rubia*, ferns, damroo, wild apple, small bamboo, etc. Mostly *Daphne* and *Rubia* are found in Balam area thus, the group will mainly focus on *Daphne* and *Rubia* for commercial purpose. Other NWFPs like ferns, damroo, wild apple, small bamboo will be used for home consumption and commercial as well if there is demand.

Figure 1: *Daphne* plant

Table 2: Brief description of NWFPs for commercial harvesting

<i>NWFP name</i>	<i>Harvesting area(s) (name)</i>	<i>Parts harvested</i>	<i>Use purpose (traditional & others)</i>	<i>Harvesting season (months)</i>	<i>Estimated quantity for</i>
<i>Daphne spp.</i>	Tachamo, Sezako Shajamo, Achilamo to Drupchu, Rebrangsa	Barks	Local paste/ bandage to recover from fractures and paralyse and as rope	March to June	As per AHL
<i>Rubia cordifolia</i>	Shajamo, Kenpurong Chiapkabrangsa,	Whole stems	For sale, dye, medicine and religious purpose	8 th month till 1 st month of	1000kg

	Neberingsharang, Tachamo, Ngalaphu, Achilamo, Nadhangri Renangbrangsa, Zompaling, Bangriphakpa, Yesangmo, Zorchilu, Wagrongphekpa, Sherichuyache, Chanang, Sangyomyea,			Bhutanese calendar	
<i>Paris polyphylla</i>	Chanang, Phakpalospa, Dranga brangsa, Karshing chenmo, Changshing nadhang	Rhizome	For sales	6 th - 8 th month of Bhutanese calendar	15 kg approx.
<i>Pouzolzia</i> spp.	Shajamo, Chimpkabransa, Chanang, Dakpabransa	Barks	Adhesive, incense & fodder		100kg

4. Harvesting Prescriptions for Sustainable NWFP Harvesting

Since the NWFP group is formed to sustainably harvest *Daphne* and *Rubia* to generate income, the following harvesting prescriptions should be strictly followed by the group members for commercial as well domestic purpose.

4.1 Domestic Consumption

- Any members harvesting ferns, damroo, small bamboo, wild apple, mushroom, etc. for domestic consumption should inform the group Chairperson if required in bulk quantity to obtain permit from forest office.
- The members harvesting NWFPs for domestic consumption should harvest during the harvesting season only.
- All members collecting NWFPs for domestic consumption should harvest as per harvesting guidelines and shall not damage the surrounding environment.


4.2 Commercial purpose

- The members should harvest only after announcement of collection timing by the Chairperson after obtaining collection permit from nearby forest office.
- All members harvesting *Daphne* and *Rubia* should harvest the products during harvesting timing only and should collect at a same time period.
- Any members interested to collect ferns, damroo and wild apple for commercial purpose should inform the Chairperson and obtain permit from forest office.
- The harvesting of any products for commercial purpose should be done as per the scientific harvesting techniques.

Table 3: Prescriptions for Sustainable Harvesting of NWFPs

<i>NWFP species</i>	<i>Harvesting prescriptions for sustainable harvesting</i>
<i>Daphne spp.</i>	▪ Cut the stem at 10 cm above the ground to promote regeneration of shoots through a coppice system. As a rule of thumb this is at the height of a fist with thumb up. The bark should be peeled off after the stem is cut. ▪ Cut the stem slanting to avoid rotting of the remaining stump. ▪ Cut only stems of more than 3 cm in diameter at 10 cm from the ground; it is recommended to harvest as late as possible because the bark increment increase significantly over the years. ▪ Do not damage the remaining young stands, seedling and /or saplings while harvesting. ▪ Do not fell the surrounding trees in order to clear the area to ease harvesting. ▪ Harvesting should be rotated over the 3 blocks so that harvesting takes place only in one block per year.
<i>Rubia cordifolia</i>	▪ Harvest stems of <i>Rubia</i> after seed dispersal, this is mainly from February to April, but might start as early as November in the south of Bhutan, depending on the climate and altitude ▪ Use sharp scissors or knife for the collection of the upper part of the plant. ▪ Cut the plant at 5 cm above ground level. ▪ Leave at least 10% of the plants without collecting or harvesting any raw materials from them (these plants shall act as seed plants for natural regeneration). ▪ Do not collect roots. ▪ Do not uproot entire plants.
<i>Pouzolzia spp.</i>	▪ Cut the plant at 10 cm above the ground level (the left stump will coppice in the following growing season). ▪ Do not damage the remaining young stands/ seedlings/ saplings ▪ Felling of surrounding trees to ease harvesting is prohibited. ▪ Leave at least 10% of the plants to allow natural regeneration. ▪ Harvesting of roots is strictly prohibited for ecological reasons
<i>Paris polyphylla</i>	▪ October to November is the most appropriate time because by this time, the bud emerges from the rhizome which remains dormant underground till next germination period. ▪ Leave some portion of the rhizome with bud underground while harvesting the rhizome of the plant, it will be more sustainable and would help in conserving the plant population in near future ▪ Do not harvest the plant before the seed dispersal
<i>Diplazium sp.</i>	▪ Harvests young shoot that are 15cm length. ▪ Don't harvest the entire shoot coming up in season. ▪ Retain at least 50% of young shoot of last flush for the development of leaves. ▪ Don't harvest the shoots that have developed to leaves. ▪ Don't cut down trees which provide shade to the plant
<i>Elatostema lineolatum</i>	▪ Collect plants that are 15cm and above. ▪ Retain stump of around 3" for sprouting of new shoots. ▪ Don't uproot whole plant. ▪ Shouldn't cut down trees and create more opening. ▪ Shouldn't disturb its catchment area.

4.3. Map of the NWFP Harvesting Areas



5. Daphne Resource Assessment

<i>Daphne</i> species (Laying of sample plot)	Measuring <i>Daphne</i> plant in the plot
	
✓ Firstly, the local people who collected <i>Daphne</i> and forestry officials identified the collection areas and calculated the area in acres by using Google map. Then, surveyed and collected data of the locations. These areas were divided into three blocks based on location, availability of <i>Daphne</i> resources and demarcated the boundaries. After finalising the google map and agreed by people on the boundaries, the area and location of the boundaries of the blocks were confirmed by visiting in the forest and checking with GPS ✓ Then the <i>Daphne</i> resource assessment was carried out in three blocks namely, Acholamo, Tachamo and Balam blocks with total area of 107.3 hectares (265.031 acres) and covered 41 numbers of Sample plots. The <i>Daphne</i> locally called Shogushing is distributed all over the NWFP management area; however, the local people identified the nearby areas which are access to farm road for collection in this plan period. The members decided to harvest <i>Daphne</i> bark only from one of the blocks in a year while other blocks including where the assessment has not been done shall be left for regeneration	

Table 4: Details of the *Daphne* (Shugoshing) area

Block name	Total area (Hectares)	Daphne Block Boundaries
Acholamo	30.1	East: Karshingchenmo West: Kuenparung, North: Sezako Chorten South: Footpath towards Baging village
Balam/ Tsamphay	14.3	East: Farm road, West: Tachamo North: Shajamo, South: Tsamphai
Tachamo	62.9	East: Namphaibrangsa, West: Farm Road, North: Phakzor village, South: Sezako
Total Area	107.3	

There are three blocks identified and assessed for the harvesting of *Daphne* bark, where it is within the reach of the community within 1:30 minutes' walk, except, Acholamo block that is located far from the settlement, but it is just below the farm road leading to Drametse geog.




Figure 2. Google map showing resource assessment plots

5.1 Block I: Acholamo

The block is located furthest from the settlement adjoined with the boundary of Drametse geog with farm road above the plot. The block consists of 11 sample plots covering an area of 30.1 hectares. This block is mostly covered with steep slopes and has less regeneration of *Daphne* plants.




Figure 3. Acholamo block with plots for *Daphne* assessment

5. 2 Block II: Balam/Tshamphai

The Balam block is located above the settlement of Balam and Bakaphai village covering an area of 14.3 hectares with 6 sample plots. The block consists of sparsely populated *Daphne* plants and regeneration status is low inside the sampling plot but high regeneration status in water source protection fencing sit and there will be potential for high production in future.




Figure 4. Balam block map with *Daphne* assessment plot

5.3 Block III: Tachamo

The Tachamo block is located above the settlement of upper Jadung village and has water source within the block. The block covers an area of 62.9 hectares with 31 sample plots adjoined with private land at Tachamo and farm road on either side of the block boundary. The regeneration status abundant and found villagers have cut down *Daphne* poles for stacking purpose in their vegetable garden and for fencing purpose. It has potential for future production as the regeneration seems to be higher in shady moist areas along the water source and its barren when reaching to Tachamo in certain pockets.




Figure 5. Tachamo block map for *Daphne* with sample plot

The *Daphne* resource assessment was done as per the guidelines for resource assessment developed by the Department of Forest & Park Services. The details of the methods are as below:

- A systematic sampling design is used and a sampling intensity of 1% of each is achieved. Sampling plots size of 10m x10m was taken.
- The diameter of *Daphne* is measured at 10 cm from the ground level, referred to as D10.
- The diameter of all stems more than 1 cm at D10 were recorded.
- Plants with a smaller diameter are recorded as < 1 cm.
- The diameters of multi-stemmed plants were converted into a single stem diameter.
- Based on this single stem diameter, the total dry bark weight was estimated based on a formula.

5.4 Data Analysis and Estimation of Dry Bark Weight

All the data collected from field were compiled and entered in MS excel sheet for analysis and total dry bark yield of *Daphne* is estimated Based on formula developed by C. Hadorn and P.

Wangda (1999). $Wd = 0.02559 \cdot D10^{2.27221}$ in which Wd is the estimated total dry bark weight in g, and D10 is the diameter at 10 cm from the ground in mm.

Table 5: Total usable or Annual Harvesting limit of Daphne

Name of area	Area (ha)	No of sample plots	Total number of young plants			Plants with D10 > 3 cm	
			D10 <1 cm	D10 1-1.9 cm	D10 2-2.9 cm	Total dry bark weight	Total usable bark
Acho Lamo block	30.1	11	30100	813	542	2004	29077 (29kgs)
Balam block	14.3	6	1430	7150	5720	7326	925396 (925.40 kgs)
Tachamo Block	62.9	24	12580	6290	6290	48919	679408 (679.4 kgs)
Total of All block	107.3	41	44110	14253	12552	58249	1633881 (1633.8 kgs)

6. Marketing and Sales Plan

Marketing and sales plan for different types of NWFPs, potential market, estimated quantity of products, expected price and total amount that can be generated are described in the table below:

Table 6: Marketing and sales plan

NWFP	Potential market/buyer	Estimated quantity for sale per season (unit)	Form of Products (dry/fresh)	Expected price per unit	Total (Nu)
<i>Rubia cordifolia</i>	Local traders, S/jongkhar	1000 kgs	Dried	Nu. 65/kg	65000.00
<i>Daphne spp.</i>	Desho factories	1633.8 kg	Dried bark	Nu. 55/kg	89859.00
<i>Pouzolzia spp.</i>	Local traders	100 kg	Dried bark	Nu.55/kg	5500

7. Marketing Arrangements

Before onset of collection season for any products the Chairperson shall look for demand from buyers with concern forest office. Then, after collection of the products the group executive members shall arrange marketing of the products' as per the procedures below:

The harvesting of Daphne and Rubia shall be collected individually after announcement of the date for collection and the marketing shall be done.

- The marketing of any products after collection season shall be organised by the group executive members on behalf of the group members.
- Members are not allowed to sale individually to the buyers and not permitted to take advance from buyers/traders.
- Any quantity of products collected by individual members should be sold to the buyers holding valid trade license through group on date fixed by the executive members.

- Any NWFPs for marketing shall be reached by individual member collectors to the sales point on the date of marketing fixed with the buyers by the executive members from Yangbari –Jadhung & Balam.
- Any members collecting NWFPs such as ferns, mushroom, damroo and wild apple shall be sold individually after informing the Chairperson.

Table 7: Procedures for NWFP harvesting, marketing and sharing of income

Activity	Brief description of how the activities are carried out
Harvesting of products	Before the onset of the season the executive members shall announce in the group forum the date line of starting and end for the collection.
Postharvest practices	To ensure their quality, sustainability, and economic value. Sorting and grading based on quality, size, and usability.
Marketing of products	The Executive members will announce to the members collection point for the product for selling and seeking an approval from the Forest Office.
Identification of buyers	In collaboration with the Forestry staff the executive members will find the buyers for the product in win win basis
Price fixing	Price fixing will be done together with the member collector and the management committee members.
Income sharing	The income sharing will be discussed only after raising fund minimum Nu. 100,000.00 (One hundred thousand)
Raising of community development fund	The group fund will be developed through annual contribution fee and 5 percent of actual amount received from the sale of individual collectors.
Payment to committee members for their service	The incentive for the committee members will be made payment from the annual contribution fee sum of Nu.2000.00 only one thousand each.

8. Benefits to the Members

The group members will be benefitted from the cash income generated through NWFPs sales.

- The households participating in the NWFP group shall be access to the market.
- All the group members shall have equal rights over collection and utilisation of NWFPs.
- Income sharing shall be done on basis of quantity collected by individual members by deducting 2% of total sale amount from each NWFP species as a compensation for work done by executive members before reimbursement of income to individual members.

Table 8: Financial projection and benefits to the members from NWFP sales

Sl. No.	Particulars	Products (Names)			Total amount (Nu.)
		Dried <i>Rubia</i>	<i>Daphne</i> Bark	<i>Pouzolzia</i>	
1	Revenues				
a	Total quantity (unit)	1000 kgs	1633.8 kgs	100 kgs	-
b	Market price (Nu per unit)	65/-	55/-	55/-	-
c	Total revenues from forest product sales (a*b)	65000.00	89859.00	5500.00	160359.00
A	Total revenues	65000.00	89859.00	5500.00	160359.00

2	Expenses				
a	Packaging materials	-	-	-	-
b	Royalty	16000.00	980.28	200.00	17180.28
c	Transportation costs	-	-	-	-
d	Compensation fee to executive committee for marketing products	3250.00	4492.95	275.00	8017.95
e	Contribution to community development fund	1000.00	1633.00	100.00	2733.00
f	Incidental expenses	-	-	-	-
B	Total expenses	20250.00	7106.23	575.00	27931.23
C	Total benefit (net-income) of group members (Total revenues A – Total expenses B)	44750	82752.77	4925.00	132427.8
D	Average income to group members (C/ no of group members)	733.61	1356.60	80.74	2170.95
E	Price per unit paid to group members (C/1a)	44.75	50.65	49.25	144.65

9. Benefits to the Group

- The group members will have equal rights for access to available NWFPs in the community.
- Volume of products for sale will be large.
- Save time and resources by marketing NWFPs as a group.
- The members shall benefit from cash contribution or semso from the group during death case.
- The group shall benefit from the fund generation through collection of membership fees
- For every kg of products sold Nu.1/- (One) from the individual collector will be deducted and deposited in community development fund.

Table 9: Financial projection of benefits to the group, the community development fund

Sl.No	Particulars	Amount (Nu)
	Revenues	
1	Membership registration fees	6100.00
2	Annual contribution	6100.00
3	Contribution to the Community Development Fund (CDF) from sales of product <i>Rubia</i>	1000.00
4	Contribution to the CDF from sales of product <i>Daphne</i>	1633.00
5	Contribution to the CDF from sales of product <i>Pouzolzia</i>	100.00
A	Total revenues	14933.00
	Expenses (only include expenses that will be paid from the group funds)	
	Refreshment during group meeting and voucher charges payment to executive members	2500.00
B	Total Expenses	2500.00
C	Balance: Total revenues – Total expenses	12433.00

10. Work Plan

Table 10: Work Plan

Sl. No.	Activity	Location/Block	Plan Year										Qty. Nos.
			1	2	3	4	5	6	7	8	9	10	
1	Clearing and cutting of bushes within <i>Daphne</i> block	Tachamo and Acholamo					√				√		2 blocks
2	Propagation of <i>Pouzolzia</i> rhizomes	Bakaphai						√					610 Nos
3	Propagation/plantation of <i>Rubia</i> rhizomes	Yangbari, Tachamo & Bakaphai			√				√			√	610 Nos
4	Planting of <i>Zanthoxylum</i>	Yangbari, Balam, Jadung		√	√	√							305 saplings
5	Obtain collection permit		√	√	√	√	√	√	√	√	√	√	
6	General meeting	Gewog meeting hall	√	√	√	√	√	√	√	√	√	√	
7	Explore market, NWFPs collection and sale	Whole NWFP area	√	√	√	√	√	√	√	√	√	√	
8	Keep vigilance of illegal harvesting	Whole NWFP area	√	√	√	√	√	√	√	√	√	√	All time by all members

PART B: GROUP'S BY-LAW

11. NWFP Membership

Membership arrangement and resignation	- The group members decided to allow the new members to join the group. All households who depend on the forest for NWFP resources are eligible for membership owing to the number of days worked, attending meetings and total funds collected. - Any household who wishes to join as a new member in the NWFP management group must apply to the executive committee. Then the executive member will discuss and shall approve/reject his/her new membership. - The members resigning from the group must submit a formal resignation letter or application to the NWFP management and marketing group Executive Committee stating clear reasons for resignation and effective date. - Before the resignation is processed, the member must clear any outstanding dues, fines, or loans owed to the group. - The resigning members will not be entitled to any benefits but for disabilities and family members due to old age will be entitled to benefits from the group.
	Harvest NWFP's according to forest rules and interim framework for management and marketing of NWFPs, 2022.

Responsibilities and rights of members	• All members must market NWFP products through group. • All members shall adhere strictly on harvesting time of the NWFPs and start collection after announcement of collection date by the Chairperson. • All members shall be responsible to report any illegal harvest of NWFPs found. • All members need to participate actively in any group meetings. • Permitted to harvest and market NWFPs listed in collection agreement based on harvesting guidelines as per this plan.
---	--

12. Executive committee of NWFP management and marketing group

Chairperson	Name: Dorji Jadung, Contact No. 17558883
Responsibilities of Chairperson	• Obtain NWFP collection permit from the nearest forest office. • To coordinate harvesting and marketing activities related to NWFP. • To participate in meetings with relevant stakeholders. • Inform the members on harvesting time and coordinate harvesting NWFP. • Maintain contacts with traders, arrange and coordinate marketing of NWFPs. • Monitor during harvesting of NWFPs. • Coordinate marketing of NWFPs and overall activities in the community. • To chair all meetings related to this plan. • Resolve disputes and conflicts among members.
Secretary	Name: Phuntsho Dorji, Contact No. 17732374
Responsibilities of Secretary	• Keep records of attendance and maintain minutes of the meetings • Assist Chairperson in NWFP harvesting and marketing related activities • Officiate in absent of Chairperson • Coordinate overall activities in the community • Maintain sales record and stock register.
Treasurer	Name: Tshering Yangzom, Contact No. 77316694
Responsibilities of Treasurer	• Keep and maintain financial record of the group. • To collect membership fees and take care of financial arrangements • Present fund accumulated and group expenses to the members during meetings. • Collect membership fees and take care of financial arrangements
Tshogpa Committee	Name and Contact No: Jadhung Chewog: Phuntsho Dorji & Dorji, Yangbari/Balam Chewog: Jambay Loday & Tshewang Dorji Balam chewog. • Two Tshogpas each from three Chiwog of Balam and Jadhung shall be selected. • Assist the Chairperson, Secretary and Treasurer in any terms of NWFP related activities to this plan
Tenure of committee member	The elected committee members Chairperson, Secretary and Treasurer shall serve for tenure of three years

Incentives to the committee members	• The group discussed to compensate the executive committee with 5% of total sale value amount from each NWFP species will be paid to the executive members (Chairperson and Treasurer) as they must sacrifice their time for group work. • If the group members from where the executive members are do not collect NWFPs then he/she is not entitled for compensation from the group.
--	--

13. Sources for generation of group fund

Membership registration fees	• The group shall collect membership fee of Nu.100/- each from a member for one time immediately after handing over of the approved management plan and as well from new member joining the group.
Annual contribution	• The group shall continue to collect Nu. 100/- annually from each member as annual fee
Collection from sale proceeds	• 5% of the total amount received from sale of any products will be deducted to raise the group fund from the individual collector during the time of payment disbursement for the products sold.

14. Group fund management and utilization

Saving Account	• The group will open account in BDBL and keep their fund in BDBL saving account. Any cash earned will be deposited when the BDBL field staff come to Gewog for monthly collection.
Cash withdrawal	• The cash withdrawal from the bank shall be done by the Treasurer with approval from the group executive committee member.
Utilization of group funds	• Maximum amount of Nu.5000/- will be retained with the group to meet administrative costs like obtaining NWFP collection permit, voucher charges and transportation costs. • The group will use the fund for group expenditures and community welfare. But the percentage of fund to be used for different purposes shall be discussed and decided among the group members when there is need for funds to be utilized. • In future if saving accumulates substantial amount a lending facility will be introduced to the members at 1% interest per annum.

15. Conflict resolution

Conflict among communities	In case of disputes or conflicts among communities arise about access to certain areas for NWFP harvesting, the matter shall be put to the village Tshogpa, Gewog Tshogchung (GT) Dzongkhag Tshogdue (DT) for further decision.
Conflicts within NWFP group members	Conflicts or disputes within the NWFP management group, which cannot be resolved by the group members shall be forwarded to the executive committee members for settlement. If the case cannot be resolved, it shall be forwarded to the Gewog Administration

Conflict between NWFP group and outsiders	In case there is a conflict between the NWFP Group and outsiders, the case shall be forwarded to Gewog Administration by the Coordinator and forest range office.
--	---

16. Meeting and purpose

Committee meeting	The committee meeting will be held at least once a year to prepare progress reports, update books and records, etc
General meeting	Will be conducted once in a year during the collection of annual contribution fee, cash income disbursement from the products sold and distribution of plantation works according to annual work plan.

17. Penalties

- If members fail to attend meetings, then he/she will be levied a penalty of Nu.215/- or as per national wage rate to the group.
- In case a member of the NWFP Group violates the harvesting rules as set in this plan, he or she will not be allowed to harvest the NWFP anymore for the rest of the season and next season.
- Non - members are not allowed to collect the products.
- If non -members give their products to the group members for marketing than the group member will be levied penalty as per the FNCRR, 2023.
- If he/she fails to follow as per prescribed management plan the products will be also seized by the group and need to pay penalty as per prevailing market rate of the product.
- If any member is absent thrice for the meeting, he/she will be terminated from the group member.
- In case if the committee member mis use group, fund will be charged to deposit 24% bank interest and shall be terminated from committee member as well from group member
- If any member withdraws from the NWFP group without genuine reasons, then he/she will be not entitled for any benefits from group.

18. Cancellation/ Suspension or Termination of NWFPs Management Group

As per Chapter VII, section 263 to 265 of FNCRR, 2023, the Department shall:

- Suspend or terminate Non-Wood Forest Produce Management Group
- The Divisional Forest Office shall suspend the Non-Wood Forest Produce Group based on the preliminary finding in the event of violation of the management plan and Section 145 of the Act and this Rules.
- The Department may terminate Non-Wood Forest Produce Group based on the report and recommendation from the Division or Park Office.

19. Reinstatement

- The Division or Park Office shall investigate and verify if there is any violation of the management plan and provisions of the Act and Rules by the Non-Wood Forest Produce Group and based on the findings, the Non-Wood Forest Produce Group shall be reinstated if the gravity of the violation is minor and repairable with corrective measures.

Annexures

Annexure 1: Membership Registration

Sl. No	Date	Name	Address	Gung no.	Designation
1	2/04/2025	Dorji	Jadung	Ja-1-104	Chairman
2	2/04/2025	Tshering Yangzom	Jadung	Ja-1-53	Treasurer
3	2/04/2025	Yangay Lhamo	Jadung	Ja-1-251	Member
4	2/04/2025	Tashi Wangmo	Jadung	Ja-1-90	Member
5	2/04/2025	Tashi Yangzom	Jadung	Ja-1-116	Member
6	2/04/2025	Tshering Yangzom	Jadung	Ja-1-222	Member
7	2/04/2025	Neten	Jadung	Ja-1-201	Member
8	2/04/2025	Tandin Pemo	Jadung	Ja-1-194	Member
9	2/04/2025	Tashi Tshering	Jadung	Ja-1-06	Member
10	2/04/2025	Tashi Pelzom	Balam	Ja-1-200	Member
11	2/04/2025	Dorji Lhadon	Jadung	Ja-1-241	Member
12	2/04/2025	Pema Rinchen	Jadung	Ja-1-135	Member
13	2/04/2025	Yeshi	Balam	Ja-1-83	Member
14	2/04/2025	Daza	Balam	Ja-1-86	Member
15	2/04/2025	Karma	Jadung	Ja-1-128	Member
16	2/04/2025	Jigme	Jadung	Ja-1-07	Member
17	2/04/2025	Chonning	Jadung	Ja-1-126	Member
18	2/04/2025	Karchung	Jadung	Ja-1-111	Member
19	2/04/2025	Kinzang	Balam	Ja-1-89	Member
29	2/04/2025	Ugyen Wangmo	Jadung	Ja-1-194	Member
21	2/04/2025	Choden	Balam	Ja-1-63	Member
22	2/04/2025	Petala	Jadung	Ja-1-172	Member
23	2/04/2025	Pema Wangmo	Jadung	Ja-1-248	Member
24	2/04/2025	Kinzang Lhadon	Jadung	Ja-1-118	Member
25	2/04/2025	Sonam Wangmo	Jadung	Ja-1-108	Member
26	2/04/2025	Sonam Yuzom	Balam	Ja-1-79	Member
27	2/04/2025	Pema Lhamo	Balam	Ja-1-13	Member
28	2/04/2025	Tashi	Jadung	Ja-1-94	Member
29	2/04/2025	Yangchen Lhamo	Jadung	Ja-1-130	Member
30	2/04/2025	Phurpa	Jadung	Ja-1-82	Member
31	2/04/2025	Deki Lhadon	Jadung	Ja-1-100	Member
32	2/04/2025	Phuntsho	Jadung	Ja-1-252	Member
33	2/04/2025	Ugyen Wangmo	Jadung	Ja-1-112	Member
34	2/04/2025	Tashi	Jadung	Ja-1-110	Member
35	2/04/2025	Gaden Zangmo	Jadung	Ja-1-113	Member
36	2/04/2025	Rinzin Wangmo	Jadung	Ja-1-256	Member
37	2/04/2025	Ngaden	Warongphakpa	Ja-1-128	Member
38	2/04/2025	Sonam Tshomo	Jadung	Ja-1-105	Member
39	2/04/2025	Yangchen Lhamo	Jadung	Ja-1-98	Member
40	2/04/2025	Dungkar Zangtmo	Jadung	Ja-1-115	Member
41	2/04/2025	Ugyen Lhamo	Balam	Ja-1-77	Member
42	2/04/2025	Sonam Yangdon	Jadung	Ja-1-75	Member
43	2/04/2025	Choki	Jadung	Ja-1-134	Member

Annexure 2: Analysis of Daphne Resource Assessment Data of Tachamo Block

Sub-block: Balam Total area (ha): 14.3 No of sample plots of 10x10m (0.01 ha):6

Plant D10 <3cm

<i>Plants D10 <1cm</i>		<i>Plants D10: 1-1.9 cm</i>		<i>Plants D10: 2-2.9 cm</i>	
Total in all sample plots	Average per sample plot	Total in all sample plots	Average per sample plot	Total in all sample plots	Average per sample plot
6	1	32	5	24	4

Plants D10> 3cm

<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>	<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>	<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>
3.0	0	59	0	7.0	3	407	1221	11.0	0	1140	0
3.1	0	64	0	7.1	3	420	1260	11.1	0	1163	0
3.2	2	68	136	7.2	1	434	4340	11.2	0	1187	0
3.3	0	73	0	7.3	0	448	0	11.3	0	1212	0
3.4	0	79	0	7.4	0	462	0	11.4	0	1236	0
3.5	1	84	84	7.5	0	476	0	11.5	0	1261	0
3.6	0	90	0	7.6	0	491	0	11.6	0	1286	0
3.7	3	95	285	7.7	0	506	0	11.7	0	1311	0
<i>Total a</i>			505	<i>Total b</i>			6821	<i>Total c</i>			0

Total dry bark weight (Wd): **a+b+c = 505+6821+0=7326**

Average per sample plot (Wd/number of sample plots): **7326/11 = 666**

Annexure 2: Analysis of Daphne Resource Assessment Data of Tachamo Block

Sub-block: Tachamo Total area (ha): 62.9 No of sample plots of 10x10m (0.01 ha): 24

Plant D10 <3cm

<i>Plants D10 <1cm</i>		<i>Plants D10: 1-1.9 cm</i>		<i>Plants D10: 2-2.9 cm</i>	
Total in all sample plots	Average per sample plot	Total in all sample plots	Average per sample plot	Total in all sample plots	Average per sample plot
49	2	22	1	25	1

Plants D10> 3cm

<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>	<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>	<i>D10</i>	<i>No of plants</i>	<i>Wd</i>	<i>Total Wd</i>
3.0	6	59	354	7.0	2	407	814	11.0	2	1140	2280
3.1	2	64	128	7.1	0	420	0	11.1	0	1163	0
3.2	0	68	0	7.2	0	434	0	11.2	0	1187	0

3.3	0	73	0	7.3	0	448	0	11.3	0	1212	0
3.4	3	79	237	7.4	0	462	0	11.4	2	1236	2472
3.5	5	84	420	7.5	0	476	0	11.5	0	1261	0
3.6	2	90	180	7.6	0	491	0	11.6	0	1286	0
3.7	0	95	0	7.7	0	506	0	11.7	0	1311	0
3.8	0	101	0	7.8	1	521	521	11.8	0	1337	0
3.9	0	107	0	7.9	0	536	0	11.9	0	1363	0
4.0	5	114	570	8.0	4	552	2208	12.0	1	1389	1389
4.1	2	120	240	8.1	0	568	0	12.1	0	1416	0
4.2	3	127	0	8.2	1	584	584	12.2	0	1443	0
4.3	2	134	0	8.3	0	600	0	12.3	0	1470	0
4.4	3	141	0	8.4	0	617	0	12.4	1	1497	1497
4.5	3	149	0	8.5	0	633	0	12.5	0	1525	0
4.6	0	156	0	8.6	0	651	0	12.6	0	1553	0
4.7	0	164	0	8.7	0	668	0	12.7	0	1581	0
4.8	4	172	688	8.8	0	686	0	12.8	0	1609	0
4.9	2	181	362	8.9	1	703	703	12.9	0	1638	0
5.0	0	189	0	9.0	3	722	2166	13.0	1	1667	1667
5.1	0	198	0	9.1	1	740	740	13.1	2	1696	3392
5.2	0	207	0	9.2	0	759	0	13.2	2	1726	3452
5.3	0	216	0	9.3	0	777	0	13.3	0	1756	0
5.4	2	225	0	9.4	2	797	1594	13.4	0	1786	0
5.5	0	235	0	9.5	2	816	1632	13.5	0	1817	0
5.6	0	245	0	9.6	0	836	0	13.6	0	1847	0
5.7	1	255	255	9.7	0	856	0	13.7	0	1878	0
5.8	1	265	265	9.8	0	876	0	13.8	1	1910	1910
5.9	1	276	276	9.9	0	896	0	13.9	0	1942	0
6.0	0	287	0	10.0	2	917	1834	14.0	4	1973	7892
6.1	0	298	0	10.1	1	938	938	14.1	01	2006	2006
6.2	0	309	0	10.2	0	960	0	14.2	0	2038	0
6.3	0	320	0	10.3	0	981	0	14.3	0	2071	0
6.4	0	332	0	10.4	0	1003	0	14.4	0	2104	0
6.5	0	344	0	10.5	1	1025	1025	14.5	1	2138	2138
Total a		3975	Total b		14759	Total c		30185			

Total dry bark weight (Wd): $a+b+c=3975+14759+30185 = 48919$

Average per sample plot (Wd/number of sample plots): $48919/24 = 2038$

Annexure 5: Data Analysis per Daphne Blocks**Number of plants with a diameter of less than 1 cm:**

<i>Sub-block (name)</i>	<i>Area (ha) (a)</i>	<i>No of sample plots (b)</i>	<i>Total no of plants of D10 < 1 cm (c)</i>	<i>Average no of plants of D10 < 1 cm per sample plot (=c/b) (d)</i>	<i>Average no of plants of D10 < 1 cm per ha (=100*d) (e)</i>	<i>Total no of plants of D10 < 1 cm in sub-block (=a*e) (f)</i>
Acholamo	30.1	11	112	10	1000	30100
Balam	14.3	6	6	1	100	1430
Tachamo	62.9	24	49	2	200	12580

Number of plants with a diameter of 1-1.9 cm:

<i>Sub-block (name)</i>	<i>Area (ha) (a)</i>	<i>No of sample plots (b)</i>	<i>Total no of plants of D10: 1-1.9 cm (c)</i>	<i>Average no of plants of D10: 1-1.9 cm per sample plot (=c/b) (d)</i>	<i>Average no of plants of D10: 1-1.9 cm per ha (=100*d) (e)</i>	<i>Total no of plants of D10: 1-1.9 cm in sub-block (=a*e) (f)</i>
Acholamo	30.1	11	3	.27	27	813
Tachamo	62.9	24	22	1	100	6290
Balam	14.3	6	32	5	500	7150

Number of plants with a diameter of 2-2.9 cm:

<i>Sub-block (name)</i>	<i>Area (ha) (a)</i>	<i>No of sample plots (b)</i>	<i>Total no of plants of D10: 2-2.9 cm (c)</i>	<i>Average no of plants of D10: 2-2.9 cm per sample plot (=c/b) (d)</i>	<i>Average no of plants of D10: 2-2.9 cm per ha (=100*d) (e)</i>	<i>Total no of plants of D10: 2-2.9 cm in sub-block (=a*e) (f)</i>
Acholamo	30.1	11	2	0.18	18	542
Balam	14.3	6	24	4	400	5720
Tachamo	62.9	24	25	1	100	6290

Available usable dry bark weight per sub-block of plants with diameter of > 3.0 cm:

<i>Sub-block (name)</i>	<i>Area (ha) (a)</i>	<i>No of sample plots (b)</i>	<i>Total Wd of plants with diameter of > 3 cm (c)</i>	<i>Average Wd per sample plot (=c/b) (d)</i>	<i>Average Wd per ha (=100*d) (e)</i>	<i>Total Wd in sub- block (=a*e) (f)</i>	<i>Total usable bark (53% of f)</i>
Acholamo	30.1	11	2004	182.18	18218	548362	29077
Balam	14.3	6	7326	1221	122100	1746030	925396
Tachamo	62.9	24	48919	2038	203800	1281902	679408

Block compilation form

<i>Name of area</i>	<i>Area (ha)</i>	<i>No of sample plots)</i>	<i>Total number of young plants</i>			<i>Plants with D10> 3cm</i>	
			<i>D10 < 1 cm</i>	<i>D10 1-1.9 cm</i>	<i>D10 2-2.9 cm</i>	<i>Total dry bark weight</i>	<i>Total usable bark</i>
Block 1							
Sub-block 1	30.1	11	112	3	2	2004	29077
Sub-block 2	14.3	6	6	32	24	7326	925396
Sub-block 3	62.9	24	49	22	25	48919	679408